

Customer

POST Add Customer

http://localhost:8080/customer

Body raw (json)

json

```
{
  "firstName": "Yousef",
  "lastName": "AlHarthi",
  "email": "yousef.alharthi@example.com",
  "phone": "91234567",
  "password": "SecurePass123"
}
```

GET GetAllCustomers

http://localhost:8080/customer

Body raw

```
{
  "firstName": "Yousef",
  "lastName": "AlHarthi",
  "email": "yousef.alharthi@example.com",
  "phone": "91234567",
  "password": "SecurePass123"
}
```

GET getCustomerById

GET **getCustomerById**

<http://localhost:8080/customer/12>

GET **getCustomerByEmail**

<http://localhost:8080/customer/email/Hala@test.com>

PUT **deActive Customer**

<http://localhost:8080/customer/9/deactivate>

PUT **Deduct Loyal Points**

<http://localhost:8080/customer/12/loyalty/deduct/7>

PUT **add loyal Points**

<http://localhost:8080/customer/12/loyalty/add/7>

GET **add Address**

GET **Get Customer Address**

<http://localhost:8080/customer/12/addresses>

PUT **setDefaultAddress**

<http://localhost:8080/customer/addresses/11/default>

DELETE DeleteAddress

http://localhost:8080/customer/addresses/13

GET Get Customer Orders

http://localhost:8080/customer/12/orders

PATCH patch customer

http://localhost:8080/customer/12

Body raw (json)

```
json
{
  "firstName" : "Nasser"
}
```

GET customer order History

http://localhost:8080/customer/12/orders/page

GET Search Customer

http://localhost:8080/customer/search?name=Reem

PARAMS

name	Reem
------	------

GET New Request