


FIC-100A FABRICATION DOCUMENT

LAYER STACKUP LEGEND

	Material	Layer	Thickness	Dielectric	Type	Gerber
	F,Paste				Paste Mask	
	F,Silkscreen				Legend	GBR
	F,Mask		0,02mm	Solder Resist	Solder Mask	GBR
	Copper	L1 (Sig, PWR)	0,035mm (1,00oz)		Signal	GBR
	Core		1,49mm	FR4_7628	Dielectric	
	Copper	L2 (Sig, GND)	0,035mm (1,00oz)		Plane	GBR
	B,Mask		0,02mm	Solder Resist	Solder Mask	GBR
	B,Silkscreen				Legend	GBR
	B,Paste				Paste Mask	

Total thickness: 1,6mm
Note: external layer thicknesses are specified after plating

TOP FABRICATION (SCALE 1:1)



IMPEDANCE TABLE

NO IMPEDANCE CONTROLLED TRACES

FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)

- 1) FABRICATE PER IPC-6012A CLASS 2.
- 2) OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS OF CIRCUMSIZED RECTANGLE SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- 3) SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.

SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- 4) SURFACE FINISH: ENIG
- 5) SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR GREEN.
- 6) SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING YELLOW NON-CONDUCTIVE EPOXY INK.
- 7) ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
- 8) VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
- 9) PCB MATERIAL REQUIREMENTS:
 - A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.
 - B. Tg 170 C OR EQUIVALENT.
 - C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY RYAN DYNAMICS.

10) DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE	40,000 × 25,000 mm
BOARD THICKNESS	1,600 mm
TRACE WIDTH	0,200 mm
TRACE TO TRACE	0,600 mm
MIN. HOLE (PTH)	0,600 mm
MIN. HOLE (NPTH)	0,650 mm
ANNULAR RING	0,200 mm
COPPER TO HOLE	0,254 mm
COPPER TO EDGE	0,250 mm
HOLE TO HOLE	0,254 mm

ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.

PROJECT FLUKE IR

DRN 2026-04-24 R. HICKS

CHK

ENG APP

MFR APP

SHEET PATH

FILENAME FIC-100A.kicad_pcb



Ryan Dynamics

THIS DESIGN AND/OR DRAWING IS THE PROPERTY OF RYAN DYNAMICS AND SHALL NOT BE REPRODUCED WITHOUT AUTHORISATION.

FIC-100A

GIT HASH

ec904e1

VARIANT

DRAWING No

REVISION

FABRICATION


SHEET

1 OF 7

A4

FIC-100A FABRICATION DOCUMENT

BOTTOM FABRICATION (SCALE 1:1)



ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.


PROJECT	FLUKE IR		 Ryan Dynamics THIS DESIGN AND/OR DRAWING IS THE PROPERTY OF RYAN DYNAMICS AND SHALL NOTBE REPRODUCED WITHOUT AUTHORISATION.			
DRN	2026-04-24	R. HICKS				
CHK						
ENG APP			FIC-100A			
MFR APP						
SHEET PATH	GIT HASH	DRAWING No		A4		
	ec904e1	FABRICATION				
FILENAME	FIC-100A.kicad_pcb	VARIANT	CHECKED	REVISION	SHEET	2 OF 7

FIC-100A FABRICATION DOCUMENT

DRILL TABLE

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	70	0.30mm (11.81mils)	PTH	Round	L1 (Sig, PWR) - L2 (Sig, GND)	Via
○	4	0.60mm (23.62mils)	PTH	Slot	L1 (Sig, PWR) - L2 (Sig, GND)	Pad
+	4	0.90mm (35.43mils)	PTH	Round	L1 (Sig, PWR) - L2 (Sig, GND)	Pad
□	4	2.70mm (106.30mils)	PTH	Round	L1 (Sig, PWR) - L2 (Sig, GND)	Pad
Total 82						

DRILL DRAWING L1 - L2 (SCALE 1:1)




PROJECT FLUKE IR		 Ryan Dynamics THIS DESIGN AND/OR DRAWING IS THE PROPERTY OF RYAN DYNAMICS AND SHALL NOTBE REPRODUCED WITHOUT AUTHORISATION.			
DRN 2026-04-24 R. HICKS		FIC-100A			
CHK					
ENG APP					
MFR APP					
SHEET PATH		GIT HASH ec904e1	DRAWING No FABRICATION		A4
FILENAME FIC-100A.kicad_pcb	VARIANT	CHECKED	REVISION	SHEET 3 OF 7	

FIC-100A FABRICATION DOCUMENT

DRILL TABLE

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	2	0.65mm (25,59mils)	NPTH	Round	L1 (Sig, PWR) - L2 (Sig, GND)	Mechanical
	Total 2					

DRILL DRAWING L1 - L2 (SCALE 1:1)




PROJECT FLUKE IR		 Ryan Dynamics THIS DESIGN AND/OR DRAWING IS THE PROPERTY OF RYAN DYNAMICS AND SHALL NOTBE REPRODUCED WITHOUT AUTHORISATION.		
DRN 2026-04-24	R. HICKS			
CHK				
ENG APP	FIC-100A			
MFR APP				
SHEET PATH	GIT HASH	DRAWING No		A4
	ec904e1	FABRICATION		
FILENAME FIC-100A.kicad_pcb	VARIANT	CHECKED	REVISION	SHEET 4 OF 7

FIC-100A FABRICATION DOCUMENT

TOP TEST POINTS (SCALE 1:1)

Ref.	Net	X [mm]	Y [mm]
TP1	GND	20.00	3.25
TP2	+3V3	2.50	8.00




ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.

PROJECT	FLUKE IR		 Ryan Dynamics THIS DESIGN AND/OR DRAWING IS THE PROPERTY OF RYAN DYNAMICS AND SHALL NOTBE REPRODUCED WITHOUT AUTHORISATION.			
DRN	2026-04-24 R. HICKS					
CHK						
ENG APP	FIC-100A					
MFR APP						
SHEET PATH	GIT HASH	DRAWING No	FABRICATION A4			
	ec904e1					
FILENAME	FIC-100A.kicad_pcb	VARIANT	CHECKED	REVISION	SHEET	5 OF 7

FIC-100A FABRICATION DOCUMENT


L1 (Sig, PWR) (SCALE 1:1)



PROJECT	FLUKE IR		 Ryan Dynamics THIS DESIGN AND/OR DRAWING IS THE PROPERTY OF RYAN DYNAMICS AND SHALL NOTBE REPRODUCED WITHOUT AUTHORISATION.	
DRN	2026-04-24	R. HICKS		
CHK				
ENG APP			FIC-100A	
MFR APP				
SHEET PATH	GIT HASH	DRAWING No		A4
	ec904e1	FABRICATION		
FILENAME	FIC-100A.kicad_pcb	VARIANT	CHECKED	
		REVISION	SHEET	6 OF 7

FIC-100A FABRICATION DOCUMENT

L2 (Sig, GND) (SCALE 1:1)



PROJECT	FLUKE IR		 Ryan Dynamics THIS DESIGN AND/OR DRAWING IS THE PROPERTY OF RYAN DYNAMICS AND SHALL NOTBE REPRODUCED WITHOUT AUTHORISATION.	
DRN	2026-04-24	R. HICKS		
CHK				
ENG APP			FIC-100A	
MFR APP				
SHEET PATH	GIT HASH	DRAWING No		A4
	ec904e1	FABRICATION		
FILENAME	FIC-100A.kicad_pcb	VARIANT	CHECKED	
		REVISION	SHEET	7 OF 7