L8: More on Joins

CS1106/CS6503: Intro to Relational Databases

Dr Kieran T. Herley

Semester One, 2023-24

School of Computer Science & Information Technology University College Cork

Summary

More on joins.

Movies Database

cs1106 Goes to the Movies

Today we will get more practice with multi-table queris using the following simple film database

```
movies(id, title, yr, score, votes, director)
actors(id, name)
castings(movieid, actorid)
```

Movies and Actors tables

```
movies(id, title, yr, score, votes, director)
actors(id, name)
castings(movieid, actorid)
```

movies

```
id unique id number for each movietitle the name of the movieyr the year the movie was releasedscore viewers rating (real number)director the name of the director
```

actors

id unique id number for each actorname the actor's name

Castings Table

```
movies(id, title, yr, score, votes, director)
actors(id, name)
castings(movieid, actorid)
```

role

- "Bridges" movies and actors tables
- Models who appeared in what films

attributes

movieid id number of some movieactorid id number of some actorSignifies that the actor appeared in that movie

Target Practice

Task List the maximum score obtained by any film(s) released during the 1960s.

Task List the maximum score obtained by any film(s) released during the 1960s.

Solution

SELECT MAX(score)

FROM movies

WHERE yr BETWEEN 1960 AND 1969;

Task List for each year the total number of films released that year and the maximum, minimum and average score obtained.

Task List for each year the total number of films released that year and the maximum, minimum and average score obtained.

```
SELECT yr, COUNT(*), MIN(score), AVG(score), MAX(score)
FROM movies
GROUP BY yr;
```

Task List the ids of all films starring Cary Grant.

Task List the ids of all films starring Cary Grant.

Issues

•Need both actors and castings tables



Query 3 cont'd

Task List the ids of all films starring Cary Grant.

```
SELECT movieid

FROM

actors JOIN castings

ON id = actorid

WHERE name = 'Cary Grant';
```

Task List the titles of all the films made by the director of "Vertigo".

Task List the titles of all the films made by the director of "Vertigo".

Issues

•Need pairs of movies: self-join of movies with itself

Task List the titles of all the films made by the director of "Vertigo".

Issues

•Need pairs of movies: self-join of movies with itself



Query 4 cont'd

Task List the titles of all the films made by the director of "Vertigo".


```
SELECT m2.title
FROM
movies AS m1
JOIN movies as m2
ON m1.director = m2.director
WHERE m1.title = 'Vertigo';
```

Task List alphabetically the names of all the actors who appeared in any film released in 1950.

Task List alphabetically the names of all the actors who appeared in any film released in 1950.

Issues

•Need actor-casting-movies triples :



Query 5 cont'd

Task List alphabetically the names of all the actors who appeared in any film released in 1950.

```
FROM

actors JOIN castings JOIN movies

ON actors.id = castings.actorid

AND castings.movieid = movies.id

WHERE movies.yr = 1950


ORDER BY actors.name;
```

Task List all the films in which Marlon Brando stars that were directed by the director of "The Godfather"; list the titles and years of the films concerned, arranged in increasing order by year.

Plan

- •Can use (3-way) join to generate all appearances (actor-casting-movie) by Brando
- •Use 4-way join ((actor-casting-movie)-movie) to generate appearance-movie combinations and filter for Coppola

Query 6 cont'd



Query 6 cont'd

Task List all the films in which Marlon Brando stars that were directed by the director of "The Godfather"; list the titles and years of the films concerned, arranged in increasing order by year.

```
SELECT m1.title, m1.yr
FROM
   actors AS a1
  JOIN castings AS c1
  JOIN movies AS m1
  JOIN movies AS m2
  ON a1 id = c1 actorid
     AND c1.movieid = m1.id
     AND m1.director = m2.director
WHERE
 m2. title = 'Godfather. The'
 AND all name = 'Marlon Brando'
ORDER BY m1.yr;
```


Task List the names of all pairs of actors that have appeared together in more than four films.

Issues

- •Use join to generate all "co-appearances": pairs of actor-castings relating to same film
- •Use grouping and aggregation on join table for counting

Query 7 cont'd

Task List the names of all pairs of actors that have appeared together in more than four films.



Query 7 cont'd

Task List the names of all pairs of actors that have appeared together in more than four films.


```
SELECT a1.name, a2.name, COUNT(*)
FROM
  actors AS a1
  JOIN castings AS c1
  IOIN actors AS a2
  JOIN castings as c2
  ON a1 id = c1 actorid
     AND a2 id = c2 actorid
     AND a1.id < a2.id
     AND c1 movieid = c2 movieid
GROUP BY al.name. a2.name
HAVING COUNT(*) > 4
ORDER BY COUNT(*) DESC;
```

Task List alphabetically all the actors who have appeared in a film with a score below 3.0 and also in a film with a score above 8.5.

Issues

- •Use join to genetate actor-appearance1-appearance2 tuples
- •(where appearances1/appearances2 relate to actor)
- •Filter to ensure appearance1 is a bad film (< 3.0) and
- \bullet Filter to ensure appearance2 is a good film (> 8.5) and

List alphabetically all the actors who have appeared in a film with a score below 3.0 and also in a film with a score above 8.5.



Query 8 cont'd

Task List alphabetically all the actors who have appeared in a film with a score below 3.0 and also in a film with a score above 8.5.

```
SELECT DISTINCT a name
  actors AS a JOIN
  castings AS c1 JOIN
  movies AS m1 JOIN
  castings AS c2 JOIN
  movies AS m2 JOIN
  ON
     a id = c1 actorid AND
     a.id = c2.actorid AND
     m1 id = c1 movieid AND
     m2 id = c2 movieid
WHERE
  m1.score < 3.0 AND m2.score > 8.5
ORDER BY a.name;
```

Notes and Acknowledgements

Reading

Code

Acknowledgements