UNIVERSITÀ DEGLI STUDI FIRENZE

Da un secolo, oltre.

HR EXCELLENCE IN RESEARCH

01: The 6G Vision

Network Applications

LM in Ingegneria Informatica

Daniele Tarchi

Dipartimento Ingegneria dell'Informazione

The "G" Evolution: A Timeline of Connectivity

Each generation of mobile technology has built upon its predecessor, expanding capabilities and transforming what's possible in our connected world. From simple voice calls to immersive virtual realities, the evolution of mobile networks is fundamentally a story of **enabling new experiences and applications.**

1980s: 1G - *Analog Voice*

1990s: 2G - *Digital Voice & SMS*

2000s: 3G - *Mobile Data*

2010s: 4G - *Mobile Broadband*

2020s: 5G - *Diverse Services & IoT*

2030s: 6G - *Intelligent & Immersive Experiences*



1G: The Age of Analog Mobility (c. 1980s)

Core Technology: Analog Radio (Frequency Division Multiple Access - FDMA).

- Each call was assigned a dedicated radio channel, much like a walkie-talkie.

Primary Service: Voice Only.

Key Characteristics:

- Poor voice quality (prone to static, eavesdropping).
- No security (unencrypted by design).
- Highly inefficient use of radio spectrum.

The Killer Application: Mobility itself. The ability to make a call without a physical tether was revolutionary.

2G: The Digital Revolution & The Birth of Messaging (c. 1990s)

Core Technology: Digital Modulation (TDMA in GSM; CDMA).

- Enabled multiple users to share a frequency band by dividing it into time slots.

Key Advances over 1G:

- **Efficiency & Capacity:** Significantly more users per cell tower.
- **Quality:** Clearer voice with digital error correction.
- **Security:** Introduction of encryption and authentication via the Subscriber Identity Module (SIM) card.

The Killer Application: SMS (Short Message Service). A simple, low-bandwidth data service that changed communication forever.

From 2G to "2.5G": The First Steps into Data

Before 3G, transitional technologies provided the first taste of mobile data:

GPRS (General Packet Radio Service):

- An overlay on the 2G network for packet-switched data.
- Introduced the "always-on" connection concept.
- Shifted billing from "per minute" to "per megabyte."

EDGE (Enhanced Data rates for GSM Evolution):

- A faster version of GPRS, offering a more usable experience.

These technologies enabled basic WAP browsing and MMS, proving the immense market demand for data on the move.

3G: The Dawn of the Mobile Internet (c. 2000s)

Core Technology: Wideband CDMA (W-CDMA, as part of UMTS). Designed from the ground up for data, offering much higher bandwidth.

Architectural Goal: To create a unified, IP-based network for both voice and data.

Impact: Made the mobile internet a reality. For the first time, the network was fast enough to browse the full web, not just stripped-down WAP pages.

Key Evolution: HSPA (High-Speed Packet Access), or "3.5G", provided crucial speed boosts that powered the first generation of the App Store.

3G Architecture: The Move to an IP Core

Mobile Device (UE) -> NodeB (Base Station) -> Radio Network Controller (RNC)

From the RNC, traffic is routed to two core network domains:

- **Circuit-Switched Domain:** For legacy voice calls.
- **Packet-Switched Domain:** For all IP data traffic.

Key Insight: While still maintaining a separate domain for traditional voice, 3G made the packet-switched, IP-based data core a first-class citizen, paving the way for the all-IP future of 4G.



3G as an Application Enabler

The performance of 3G, especially with HSPA, directly enabled the first wave of true smartphone applications:

- **Mobile Web Browsing:** Accessing full HTML websites.
- **Email with Attachments:** Becoming productive on the go.
- **The App Store Phenomenon:** Created a new ecosystem for software distribution.
- **Location-Based Services:** Mobile maps and GPS became practical.
- **Early Video Calling:** Possible, but often low-quality.

3G created the modern smartphone, but the network was often the bottleneck for a truly seamless experience.

4G/LTE: The Broadband Era (c. 2010s)

Slogan: "Performance on par with wired broadband."

Core Goal: A complete redesign for **high-speed packet data only**.

Architectural Leap: An **All-IP Network** via the **Evolved Packet Core (EPC)**.

- The legacy circuit-switched domain for voice was completely eliminated.
- Voice became just another data application: **VoLTE (Voice over LTE)**.

This flatter, more efficient architecture significantly reduced latency.

4G's Key Radio Technologies

OFDMA (Orthogonal Frequency-Division Multiple Access)

Benefit: More resilient to interference, spectrally efficient, and allows for fine-grained resource allocation, perfect for data traffic.



MIMO (Multiple Input, Multiple Output)

Benefit: Dramatically increases data throughput without needing more spectrum by exploiting spatial multiplexing.



4G and the App Economy

4G's high throughput and low latency was the critical enabler for the app economy as we know it:

- **HD Video Streaming:** YouTube and Netflix became primary media consumption platforms on mobile.
- **High-Quality Video Conferencing:** Zoom, Teams, and FaceTime became reliable.
- **The Platform Economy:** Services like Uber, Lyft, and Deliveroo, which rely on real-time data and location, could thrive.
- **Rich Social Media:** Instagram, Snapchat, and TikTok, built around instant photo and video sharing, became dominant.

Architectural Deep Dive: Voice over LTE (VoLTE)

1. User initiates a call.
2. The phone signals to the EPC to request a **dedicated bearer** with specific QoS parameters (guaranteed bit rate, low latency).
3. The EPC establishes this E2E "pipe" through the network.
4. Voice is packetized (using RTP) and sent over this guaranteed-quality IP bearer.

This demonstrates the power of the 4G all-IP architecture: the ability to treat any service, even real-time voice, as a data application with specific quality requirements.

5G: More Than Just Speed (c. 2020s)

Previous generations focused on a single primary metric (voice quality, then data speed). 5G is designed as a flexible, unified platform to serve three distinct categories of applications.

5G Platform

- **eMBB** (Enhanced Mobile Broadband)
- **URLLC** (Ultra-Reliable Low-Latency Communications)
- **mMTC** (Massive Machine-Type Communications)

This is the fundamental "5G Triangle," representing a shift from a one-size-fits-all network to a customizable one.



5G Pillar 1: Enhanced Mobile Broadband (eMBB)

Key Characteristics:

- **Massive Bandwidth:** Designed to deliver significantly higher data rates.
- **Gbps Speeds:** Aims to provide speeds in the gigabits per second range.

Primary Use Cases:

- **4K/8K Video Streaming:** Enables seamless, high-definition video experiences.
- **Augmented & Virtual Reality (Initial Stages):** Supports early adoption of immersive AR/VR applications requiring high throughput.
- **Fixed Wireless Access (FWA):** Offers a high-speed broadband alternative to traditional wired connections for homes and businesses.

Relevance:

- eMBB is critical for bandwidth-hungry applications and multimedia consumption, transforming how we experience digital content.

5G Pillar 2: Ultra-Reliable Low-Latency Communication (URLLC)

Key Characteristics:

- **Mission-Critical Reliability:** Aims for wireline-like reliability, approaching 99.999%.
- **Extremely Low Latency:** Targets approximately 1 millisecond (ms) latency in the air interface.

Primary Use Cases:

- **Industrial Automation:** Enables precise, real-time control of robots and machinery in factories.
- **Vehicle-to-Vehicle (V2V) Communication:** Facilitates immediate data exchange between vehicles for enhanced safety and autonomous driving.
- **Remote Surgery:** Supports highly sensitive medical procedures performed remotely with minimal delay.
- **Drone Control:** Allows for precise and responsive control of drones in various applications.

Relevance:

- URLLC is essential for enabling real-time control of complex and critical systems, paving the way for advancements in cyber-physical systems (CPS) and advanced computing applications.

5G Pillar 3: Massive Machine-Type Communications (mMTC)

Key Characteristics:

- **Massive Connectivity:** Designed to connect an unprecedented number of devices simultaneously.
- **Low-Power, Low-Data-Rate Devices:** Optimized for devices that transmit small amounts of data infrequently, with extended battery life.
- **High Device Density:** Supports up to 1 million devices per square kilometer.

Primary Use Cases:

- **Smart City Sensors:** Enables widespread deployment of sensors for applications like smart parking, intelligent street lighting, and environmental monitoring.
- **Smart Agriculture:** Facilitates data collection from sensors monitoring soil conditions, crop health, and livestock.
- **Logistics and Asset Tracking:** Allows for efficient tracking and management of goods and assets across supply chains.
- **Smart Meters:** Supports automated reading and management of utility meters for electricity, water, and gas.

Relevance:

- mMTC forms the fundamental layer for large-scale Internet of Things (IoT) data collection, providing the backbone for Big Data analytics and comprehensive Cyber-Physical Networks (CSN).

The Key Technologies That Made 5G Possible

5G's revolutionary capabilities are built upon several foundational technological advancements

New Spectrum:

- **Concept:** Utilizes higher frequency bands, particularly millimeter Wave (mmWave).
- **Impact:** Unlocks massive bandwidth potential, crucial for eMBB's high data rates.

Massive MIMO (Multiple-Input Multiple-Output):

- **Concept:** Employs antenna arrays with hundreds of elements.
- **Impact:** Enables serving numerous users simultaneously with high precision through advanced beamforming, significantly improving spectral efficiency and capacity.

SDN (Software-Defined Networking) & NFV (Network Function Virtualization):

- **Concept:** Introduces softwarization and virtualization into the network core.
- **Impact:** Provides unprecedented flexibility, agility, and efficiency in network management and resource allocation.
- **Note:** We will delve deeper into SDN/NFV in Module 2.

The evolution of communication architectures: Cellular communication systems.



Softwarization and Future of Communication Networks

IETF Approach:

- Driven solely by software.
- Packet-switched network core can be updated anytime, no notion of generations.

Cellular Domain:

- Historically hardware-driven, requiring generational upgrades.
- 5G introduces network softwarization for both wired and wireless domains.
- Specialized hardware (RF/BaseBand, antennas, efficient computing) still available, but trend is towards softwarization.

Future Generations:

- Wireless networks becoming software-driven, reducing need for generational upgrades.
- Marketing may still promote 6G or 7G.

Softwarization and Future of Communication Networks

Transformation of Communication Networks:

- IETF and 3GPP advocate for continued transformation.
- Shift from store and forward to compute and forward paradigm.
- 5G integrates wireless and wired worlds, creating computing-centric networks.

Computing-Centric Networks:

- Focus on connecting things and providing voice, data, and control services.
- Emphasizes computing within the network and multipath communication.
- Claude Shannon foresaw the importance of processing information within communication networks in 1959.



5G Architectural Shift 1: Service-Based Architecture (SBA)

The Concept: The 5G core network is redesigned as a set of containerized microservices, called **Network Functions (NFs)**.

How it works: Instead of proprietary point-to-point interfaces, these NFs communicate via standard RESTful APIs over an HTTP/2 bus.

The Benefit: This cloud-native approach brings agility, scalability, and programmability to the core network, making it easier to deploy new services. This is a direct application of modern software engineering principles.

5G Architectural Shift 2: Control and User Plane Separation (CUPS)

The Concept: Decouples the network functions responsible for session management and policy (Control Plane) from the functions responsible for forwarding user traffic (User Plane).

The Benefit: Allows the **User Plane Function (UPF)** to be flexibly deployed anywhere in the network – from a central data center to the network edge, right next to the base station.

The Impact: This is the key enabler for **Software Defined Networking (SDN)**, as it allows to design the network in a similar way as we interact with software.

5G as an Application Enabler

5G's unique combination of eMBB, URLLC, and mMTC unlocks transformative potential across multiple industries. Let's look at four key examples.

- **Smart Cities**
- **Connected Cars**
- **Industrial IoT**
- **Fixed Wireless Access**

Application Enabler: Smart Cities

How 5G helps:

- **mMTC:** Connects millions of low-power sensors for monitoring traffic, air quality, waste management, and public safety.
- **eMBB:** Provides high-speed public connectivity and powers high-resolution CCTV cameras for security.
- **URLLC:** Enables real-time traffic light control and communication with emergency services.

Outcome: More efficient, sustainable, and livable urban environments.

Application Enabler: Connected Cars (V2X)

How 5G helps:

- **URLLC:** Is absolutely critical for safety-related communication. A car must be able to broadcast its position and intent to other cars, pedestrians, and infrastructure with near-zero latency and almost perfect reliability.
- **eMBB:** Downloads high-definition maps and provides in-car infotainment.

Outcome: Enhanced road safety, improved traffic efficiency, and the foundation for fully autonomous driving.

Application Enabler: Industrial IoT (Industry 4.0)

How 5G helps:

- **URLLC:** Allows for the replacement of wired connections (e.g., Industrial Ethernet) on the factory floor, enabling flexible and reconfigurable manufacturing lines with mobile robots.
- **mMTC:** Connects thousands of sensors for predictive maintenance on machinery.
- **eMBB + MEC:** Powers augmented reality glasses for remote assistance and training of technicians.

Outcome: Increased productivity, flexibility, and safety in manufacturing.

Application Enabler: Fixed Wireless Access (FWA)

How 5G helps:

- **eMBB:** Leverages advanced antenna technologies (Massive MIMO) and new spectrum (mmWave) to deliver fiber-like speeds (1 Gbps+) to homes and businesses wirelessly.

The Business Case: A cost-effective way for operators to compete with traditional cable and fiber providers, especially in areas where laying new cables is expensive.

Outcome: Increased competition and choice for broadband internet access.

The Inherent Limitations of 5G

While 5G represents a monumental leap forward, it's crucial to understand its inherent limitations. These challenges highlight the need for the next generation of mobile technology – 6G.

1. The End-to-End Latency Problem

- **Challenge:** Although 5G achieves an impressive ~1ms air interface latency, the total end-to-end latency (communication with a distant cloud server) still typically ranges from 50-100ms.
- **Impact:** This remaining delay is insufficient for truly tactile internet applications (where human-like touch response is needed) or realistic holographic communications, which demand near-instantaneous feedback.

2. The Intelligence Gap

- **Challenge:** 5G networks are highly programmable and flexible, capable of executing complex commands. However, they are not natively intelligent.
- **Impact:** 5G primarily *executes* predefined instructions; it does not autonomously learn, reason about its own state, or adapt proactively without human intervention or pre-programmed rules.

The Inherent Limitations of 5G

While 5G represents a monumental leap forward, it's crucial to understand its inherent limitations. These challenges highlight the need for the next generation of mobile technology – 6G.

3. The Scale & Complexity Challenge

- **Challenge:** Managing thousands of diverse network slices, each tailored to specific application requirements, and connecting billions of devices with varying demands, pushes human-based network management to its absolute limit.
- **Impact:** The sheer complexity of 5G operations necessitates a higher degree of automation and self-management than 5G inherently provides.

4. The Sensing & Actuation Gap

- **Challenge:** 5G is fundamentally designed as a communication system for transmitting data. It is not inherently built to be a high-precision sensor of the physical world.
- **Impact:** While 5G can connect sensors, it doesn't natively provide the integrated sensing capabilities required for highly accurate environmental awareness or direct physical actuation at a granular level, which will be crucial for future immersive and autonomous systems.

Technology Push or Application Pull?

A central question in the history of telecommunications:

Technology Push: Does a new technology get invented, which then creates unforeseen opportunities for applications?

- *(e.g., The invention of the transistor)*

Application Pull: Does the demand for a new type of application force engineers to invent the technology required to support it?

- *(e.g., The demand for mobile video driving 4G development)*

The Co-Evolutionary Cycle

In reality, it's a virtuous cycle.

- **Enabling Technology (Push):** A new capability emerges (e.g., 3G offers basic mobile data).
- **Early Applications Emerge:** Developers experiment with the new capability (e.g., WAP, basic maps).
- **User Demand Crystallizes (Pull):** Users experience the potential and demand a better, faster, more reliable version (e.g., "Why is this so slow? I want to watch videos!").
- **Next-Gen Technology is Developed:** Engineers design the next generation (e.g., 4G) specifically to address the bottlenecks and demands created by the last one.



Mapping the "Application Pull"

Generation	Primary "Pull" Factor
2G	The need for clearer, more secure voice than 1G, and a desire for simple messaging.
3G	The demand, proven by GPRS, for access to the real internet on the move.
4G	The frustration with 3G's performance for video and the explosion of the app economy.
5G	The need to go beyond human-centric broadband and support the diverse requirements of machines, IoT, and critical systems.
6G	The future demand for fully immersive, intelligent, and sensory experiences that merge our physical and digital worlds.

6G Use Cases & Societal Impact

The 6G Vision: An Intelligent Network Fabric

6G envisions a network that is:

- **Intelligent**: AI/ML deeply embedded for optimization, services.
- **Scalable**: Supporting trillions of devices and diverse ap
- **Dynamic & Programmable**: Adapting in real-time to service needs.
- **Sustainable**: Focus on energy efficiency and green cor

A Converged Platform:

- Seamless **integration of communication, computati**
- Serving a vast array of **heterogeneous devices and h applications**.
- **Create a "Network of Networks" that is self-awar**



The Core Vision: From Connected Things to Connected Intelligence

From 5G's Connectivity to 6G's Intelligence

5G's Foundation: 5G has brilliantly connected things and people, enabling high-speed mobile broadband and ultra-reliable, low-latency communication for a vast array of devices.

6G's Evolution: 6G aims to transcend mere connectivity. Its core vision is to create a **seamless fusion of the physical, digital, and human worlds.**

- It's a network that not only **communicates** data but also **senses** its environment, **computes** intelligence at the edge, and **acts** autonomously.
- Think of 6G as functioning like a **distributed neural system**, where intelligence is embedded throughout the network, enabling proactive and intuitive interactions between all connected entities.

Mega-trends of mobile communications toward 2030 and beyond



Figure 1 Mega-trends of mobile communications toward 2030 and beyond

Huawei Technology

Use Case Family 1: Immersive Extended Reality (XR) & The Tactile Internet

6G will unlock a new era of immersive experiences, blurring the lines between the physical and digital worlds, and enabling interactions that were once confined to science fiction.

1. Holographic Telepresence

- **Definition:** Real-time, 3D, photorealistic avatars that allow for natural, "in-person" communication and interaction with individuals located anywhere in the world.
- **Requirements:** Demands not only massive bandwidth for high-fidelity visual data but also extremely precise synchronization to ensure seamless, lifelike interactions.

2. Collective & Persistent XR

- **Definition:** Shared, global virtual and augmented worlds that are continuously "always on" and perfectly synchronized for millions of simultaneous users.
- **Foundation for the "Metaverse":** This capability is the true technological foundation for the vision of the "Metaverse," where digital and physical realities seamlessly intertwine for social, economic, and creative activities.

Use Case Family 1: Immersive Extended Reality (XR) & The Tactile Internet

6G will unlock a new era of immersive experiences, blurring the lines between the physical and digital worlds, and enabling interactions that were once confined to science fiction.

3. The Tactile Internet

- **Definition:** The revolutionary ability to transmit and receive the sense of touch, force, and haptic feedback over the network with imperceptible latency.
- **Enables:**
  - **Remote Control of Delicate Machinery:** Operators can "feel" the resistance and textures of objects they are manipulating from a distance.
  - **Remote Surgery:** Surgeons can perform operations with tactile precision, regardless of geographical location.
  - **New Forms of Immersive Entertainment:** Enhances gaming and virtual experiences with realistic haptic feedback.

Use Case Family 2: Autonomous Systems & High-Fidelity Digital Twins

6G will elevate automation and simulation to unprecedented levels, enabling intelligent systems that can perceive, reason, and act in complex environments, and creating digital replicas that mirror reality with stunning accuracy.

1. Cooperative Robotics & Autonomous Mobility

- **Concept:** This goes beyond the current generation of individual autonomous entities (e.g., a single self-driving car). 6G will enable **collective intelligence** among fleets of vehicles, drones, or industrial robots.
- **Impact:** Systems will share real-time perception data, coordinate their actions seamlessly, and make collective decisions, leading to highly efficient, safe, and robust autonomous operations across various sectors.

2. High-Fidelity Digital Twins

- **Definition:** A "living" and dynamic, real-time, physics-based simulation of a real-world object, process, or entire system. These twins are continuously updated with data from their physical counterparts.
- **Examples:**
  - A **human heart** for personalized medical diagnostics and surgical planning.
  - A **jet engine** for predictive maintenance and performance optimization.
  - An **entire city** for urban planning, traffic management, and disaster response.
- **Requirements:** Demands massive, real-time data feeds from ubiquitous sensors and sophisticated distributed computation capabilities to maintain accuracy and responsiveness.

Use Case Family 3: Global Connectivity & Sustainability

Beyond technological advancements, 6G is being designed with significant societal objectives, aiming to bridge digital divides and foster a more sustainable future.

1. Connecting the Unconnected

- **Concept:** Achieved through the deep integration of **Non-Terrestrial Networks (NTNs)** – including Low Earth Orbit (LEO) and Medium Earth Orbit (MEO) satellites, and High-Altitude Platform Stations (HAPS) – with traditional terrestrial networks.
- **Impact:** This seamless integration will extend affordable, high-speed internet access to every remote and underserved corner of the globe, ensuring digital inclusion for all.

2. Energy Efficiency as a Prime Directive

- **Concept:** Unlike previous generations where energy efficiency was a secondary consideration, 6G is being designed from the ground up with the **primary goal of minimizing energy consumption.**
- **Impact:** This involves optimizing every aspect of the network, from chipset design and hardware components to communication protocols, aiming for the lowest possible "Joule-per-bit" energy expenditure.

Use Case Family 3: Global Connectivity & Sustainability

Beyond technological advancements, 6G is being designed with significant societal objectives, aiming to bridge digital divides and foster a more sustainable future.

3. Supporting UN Sustainable Development Goals (SDGs)

- **Concept:** 6G's capabilities will be leveraged to directly contribute to achieving the United Nations Sustainable Development Goals.
- **Examples:**
  - **Precision Agriculture:** Optimizing resource use and crop yields globally.
  - **Global Climate Monitoring:** Providing unprecedented data for environmental protection and climate action.
  - **Remote Healthcare:** Extending quality medical services to remote populations, improving health and well-being worldwide.

Summary of Use Cases and Their Demands

Use Case	Key Demand	Enabling KPI
Holographic Communications	Extreme Bandwidth	> 1 Tbps (Terabits per second)
Tactile Internet	Instantaneous Response	< 1ms Latency
Cooperative Robotics	Flawless Operation	"Seven Nines" Reliability (99.99999%)
Digital Twins	Massive Real-time Data Ingest	Massive Connectivity

6G Key Performance Indicators (KPIs)

Quantifying the 6G Leap

Now that we've explored the visionary use cases of 6G, let's look at how these translate into concrete, measurable improvements over 5G.

This section will quantify the technological leap, demonstrating the orders of magnitude by which 6G will surpass current capabilities.



KPI Deep Dive: Peak & User-Experienced Data Rate

When we talk about speed in 6G, we're looking at a monumental leap forward, far beyond what 5G offers, to enable truly data-intensive applications.

1. Peak Data Rate

- **Target:** Approximately **1 Terabit per second (Tbps)**.
- **Significance:** This represents a staggering **50 to 100 times increase** over the peak data rates achievable with 5G. This theoretical maximum showcases the raw capacity of the 6G network.

2. User-Experienced Data Rate

- **Target:** Approximately **1 Gigabit per second (Gbps)**.
- **Significance:** This is the speed that an end-user can reliably expect to experience almost anywhere, under typical network conditions. It's about consistent, high-performance connectivity in real-world scenarios.

KPI Deep Dive: Peak & User-Experienced Data Rate

When we talk about speed in 6G, we're looking at a monumental leap forward, far beyond what 5G offers, to enable truly data-intensive applications.

Why are these speeds necessary?

- These extreme data rates are critical enablers for the visionary 6G use cases:
- **Downloading Holographic Models:** Enabling the rapid transfer of complex, high-fidelity 3D data for holographic telepresence.
- **Streaming Volumetric Video:** Supporting real-time streaming of immersive, multi-dimensional video content.
- **Feeding Data to Digital Twins:** Providing the massive, continuous data streams required to maintain the accuracy and responsiveness of high-fidelity digital twins.

5G vs 6G KPI Targets



KPI Deep Dive: Latency & Jitter

Beyond sheer speed, 6G's ability to deliver near-instantaneous and consistent response times is paramount for truly immersive and autonomous applications.

1. End-to-End (E2E) Latency

- **Target:** Approximately **1 millisecond (ms)** for a wide range of critical applications.
- **Significance:** This is the total time it takes for a signal to travel from its source to its destination, including all network elements. Achieving 1ms E2E latency means human perception can barely detect any delay, making remote interactions feel local.

2. Air Interface Latency

- **Target:** Sub-millisecond, potentially down to the **microsecond (µs) level**.
- **Significance:** This refers specifically to the delay over the wireless connection between the device and the base station. Minimizing this component is crucial for the overall E2E performance.

KPI Deep Dive: Latency & Jitter

3. Jitter (Latency Variation)

- **Requirement:** Must be **extremely low**.
- **Significance:** Jitter refers to the variation in latency over time. For applications like tactile internet and holographic communications, inconsistent delays can be as disruptive as high latency itself, leading to motion sickness or loss of control. 6G aims for highly predictable and stable latency.

Why are these responsiveness levels necessary?

- These aggressive latency and jitter targets are fundamental to:
- **Instantaneous Interactions:** Making interactions with remote digital objects, virtual environments, and autonomous systems feel completely natural and instantaneous, as if they were physically present.
- **Tactile Feedback:** Enabling the precise transmission and reception of touch and force, critical for remote surgery, industrial control, and immersive XR.
- **Real-time Control:** Providing the necessary responsiveness for mission-critical autonomous systems to operate safely and effectively.

KPI Deep Dive: Reliability & Availability

For mission-critical applications, 6G must not only be fast and responsive but also exceptionally reliable and universally available, ensuring continuous operation where failure is simply not an option.

1. Reliability

- **Target: 99.99999% ("Seven Nines")** or even higher for critical control loops and ultra-safe applications.
- **What this means:** This translates to an incredibly low tolerance for downtime – less than **3.15 seconds of unplanned downtime per year**. This level of reliability is comparable to that of wired, fiber-optic connections in highly controlled environments.

2. Availability

- **Requirement:** The 6G network must be **available everywhere**, regardless of geographical location.
- **Enabler:** This ubiquitous availability will be achieved through the seamless integration of **Non-Terrestrial Networks (NTNs)**, including satellites (LEO/MEO) and High-Altitude Platform Stations (HAPS), with terrestrial infrastructure.

KPI Deep Dive: Reliability & Availability

Why are these "always-on" levels necessary?

These extreme reliability and availability targets are absolutely essential for:

- **Applications where Failure is Not an Option:** Such as remote surgery, where a momentary loss of connection or control could have catastrophic consequences.
- **Autonomous Vehicle Control:** Ensuring continuous, uninterrupted communication for self-driving cars and cooperative robotics to operate safely and effectively.
- **Industrial Automation:** Guaranteeing the continuous operation of critical infrastructure and manufacturing processes.

KPI Deep Dive: Connection Density

6G is designed to connect an unprecedented number of devices, moving beyond the "Internet of Things" to a true "Internet of Everything," where virtually any object can be a connected entity.

Connection Density

- **Target:** Greater than **10 million devices per square kilometer**.
- **Significance:** This represents a **10-fold increase** over 5G's Massive Machine-Type Communications (mMTC) capabilities, which targeted 1 million devices per square kilometer.

Why is this massive scale necessary?

This exponential increase in connection density is crucial for:

- **True Internet of Everything (IoE):** Enabling the connection of not just dedicated sensors and smart devices, but potentially *every object* in our environment. Imagine smart dust, intelligent surfaces, and ubiquitous embedded intelligence.
- **Ubiquitous Sensing:** Supporting a vast network of tiny, low-power sensors that collect granular data from every corner of our physical world.
- **Complex Digital Twins:** Providing the necessary data points from countless physical elements to construct and maintain highly detailed and accurate digital twins of large-scale systems or environments.

KPI Deep Dive: Positioning Accuracy

6G will not only connect devices but also precisely know their location, transforming the network into a highly accurate spatial awareness system.

Positioning Accuracy

- **Target:**
  - Less than **1 centimeter (cm)** accuracy indoors.
  - Less than **10 centimeters (cm)** accuracy outdoors.
- **Significance:** This level of precision fundamentally blurs the line between a traditional communication network and a high-precision GPS/radar system. The network itself becomes an omnipresent, highly accurate localization tool.

KPI Deep Dive: Positioning Accuracy

Why is this spatial awareness necessary?

This unprecedented positioning accuracy is critical for:

- **Precise Robot Navigation:** Enabling autonomous robots and drones to navigate complex indoor and outdoor environments with sub-centimeter precision, avoiding obstacles and performing delicate tasks.
- **High-Resolution Device Tracking:** Allowing for the exact location tracking of assets, inventory, and even individuals in highly congested spaces.
- **Context-Aware Augmented Reality (AR) Applications:** Providing the precise spatial context needed for AR overlays to seamlessly interact with the physical world, aligning virtual objects perfectly with real ones.
- **Enhanced Safety:** For applications like autonomous vehicles, knowing the exact position of all surrounding objects is paramount for collision avoidance and safe operation.

KPI Deep Dive: Energy Efficiency

As network traffic and device density explode, 6G places an unprecedented emphasis on energy efficiency, making it a cornerstone of its design.

Energy Efficiency

- **Target:** A **10x to 100x improvement** in energy efficiency, specifically measured as **energy-per-bit (Joules per bit)**.
- **Significance:** This means that for every bit of data transmitted, the 6G network will consume significantly less energy than its predecessors.

Why is this a non-negotiable requirement?

- **Preventing Unsustainable Consumption:** With the projected massive increase in data traffic, connected devices, and network infrastructure, a failure to dramatically improve energy efficiency would lead to an unsustainable surge in the global network's energy consumption. This would have severe environmental and economic consequences.
- **Environmental Responsibility:** 6G aims to be a greener technology, contributing to global sustainability efforts by minimizing its carbon footprint.
- **Operational Cost Reduction:** Lower energy consumption also translates directly into reduced operational costs for network operators, making the deployment and maintenance of 6G networks more economically viable.

A New Class of KPIs for 6G

Beyond the conventional metrics of speed, latency, and reliability, 6G introduces entirely new Key Performance Indicators (KPIs) that reflect its expanded capabilities as a sensing, computing, and intelligent platform.

1. Sensing Accuracy

- **Definition:** This KPI measures how precisely the network can perceive and map its physical environment.
- **Metrics:** Quantified in terms of spatial accuracy (e.g., meters, centimeters), angular accuracy (e.g., degrees), and even material composition.
- **Significance:** This moves the network beyond mere communication into active environmental awareness, crucial for applications like digital twins and autonomous systems.

2. AI Model Performance

- **Definition:** This KPI assesses the efficiency and effectiveness of the artificial intelligence models distributed throughout the 6G network.
- **Metrics:** Includes factors like:
  - **Training Speed:** How quickly new AI models can be trained or existing ones updated.
  - **Inference Latency:** The speed at which AI models can process data and make decisions.
  - **Accuracy:** The precision of the AI's predictions or classifications.
- **Significance:** As 6G becomes a "distributed neural system," the performance of its embedded AI is paramount for intelligent automation and proactive network management.

A New Class of KPIs for 6G

3. Security/Trust Score

- **Definition:** A quantifiable, real-time measure of the network's overall security posture and trustworthiness.
- **Metrics:** This could involve dynamic assessments based on threat detection, vulnerability management, data integrity, and authentication strength.
- **Significance:** With billions of devices and critical infrastructure relying on 6G, a robust and measurable security framework is essential to build and maintain trust in the network's operations.

Enabling Technologies

Enabler 1: Terahertz (THz) Spectrum

To achieve the unprecedented data rates of 6G, we must move to entirely new parts of the electromagnetic spectrum.

What is it?

- **Terahertz (THz) Spectrum** refers to the frequency bands located between **0.1 and 10 Terahertz (THz)**.
- This range sits between the millimeter-wave (mmWave) spectrum used in 5G and the infrared/optical spectrum.

Enabler 1: Terahertz (THz) Spectrum

Why is it crucial for 6G?

- **Enormous Bandwidth:** The THz spectrum offers **enormous, contiguous blocks of bandwidth**. Think of it as a "super-highway" for data, providing the sheer capacity needed to achieve 6G's target Terabit-per-second (Tbps) speeds.
- **Massive Data Throughput:** More available spectrum directly translates to the ability to transmit vastly more data simultaneously.

The Challenge

- **Very High Propagation Loss:** THz signals attenuate (lose strength) very rapidly over short distances, making long-range communication difficult.
- **Extreme Susceptibility to Obstacles:** THz waves are easily blocked or absorbed by common obstacles such as walls, people, and even atmospheric conditions like rain or fog. This necessitates very dense deployments and advanced beamforming techniques.

Enabler 2: Reconfigurable Intelligent Surfaces (RIS)

To harness the power of THz frequencies, 6G will employ an innovative technology that actively shapes the wireless environment.

What are they?

- **Reconfigurable Intelligent Surfaces (RIS)** are essentially **software-controlled metasurfaces**. These are flat, thin surfaces composed of numerous small, passive elements that can individually adjust the phase, amplitude, and polarization of incoming radio waves.

Analogy

- Think of an RIS as a **"smart, programmable mirror for radio signals."** Instead of simply reflecting a signal randomly, an RIS can precisely steer and focus the signal in a desired direction.

Enabler 2: Reconfigurable Intelligent Surfaces (RIS)

Why are they crucial for 6G?

- **Overcoming Blockages:** RIS can effectively **overcome the severe blockage issues** inherent in THz and even mmWave frequencies. By intelligently reflecting or refracting signals, they can create "virtual line-of-sight" paths around obstacles (like buildings, walls, or even people) that would otherwise completely block the signal.
- **Focusing Signal Energy:** They can concentrate and direct signal energy precisely where it's needed, significantly improving:
  - **Speed:** By delivering a stronger, more focused signal to the user device.
  - **Energy Efficiency:** By reducing wasted signal power and allowing base stations to transmit at lower power levels.
- **Dynamic Environment Control:** RIS enables the network to dynamically adapt to changing environmental conditions and user locations, optimizing signal propagation in real-time.

Enabler 3: AI-Native Architecture

How is this achieved?

- **Deep Integration of Machine Learning:** Machine learning models will be embedded within:
  - **Resource Management:** Dynamically allocating spectrum, power, and computing resources based on real-time demand and conditions.
  - **Network Slicing:** Intelligently creating, managing, and optimizing thousands of diverse network slices.
  - **Self-Organization & Healing:** Allowing the network to autonomously detect faults, reconfigure itself, and recover from failures.
  - **Security:** Proactively identifying and mitigating threats.
  - **Sensing & Prediction:** Learning from environmental data to anticipate needs and optimize performance.
- **Real-time Optimization & Complexity Management:** This AI-native architecture is essential to:
  - **Manage Immense Complexity:** The scale, heterogeneity, and dynamic nature of 6G networks are beyond human manual management. AI provides the intelligence to handle this.
  - **Perform Real-time Optimization:** Continuously fine-tuning network parameters to achieve peak performance, energy efficiency, and reliability in highly dynamic environments.

Enabler 3: AI-Native Architecture

While 5G uses AI for certain optimizations, 6G fundamentally redefines the relationship between AI and the network.

The Shift: From "AI on the Network" to "AI is the Network"

- **"AI on the network" (5G):** In current networks, AI is often applied as an overlay or an analytical tool to optimize specific functions or provide insights. It's an add-on.
- **"AI is the network" (6G):** For 6G, Artificial Intelligence is not an afterthought or an external tool; it is **deeply and natively integrated into every layer of the network protocol stack.** This means AI principles and machine learning algorithms are fundamental to how the network operates, manages itself, and evolves.

Enabler 4: Integrated Sensing and Communication (ISAC)

6G will not just communicate; it will also perceive its surroundings, transforming the network into a powerful sensing platform.

What is it?

- **Integrated Sensing and Communication (ISAC)** is a revolutionary concept where the **same radio signals and hardware are used simultaneously to transmit data AND to sense the physical environment.**
- This means the network can perform functions like:
  - **Ranging:** Measuring distances to objects.
  - **Imaging:** Creating low-resolution "radio images" of environments.
  - **Motion Detection:** Identifying movement and tracking objects.
  - **Presence Detection:** Knowing if someone or something is in a specific area.

Enabler 4: Integrated Sensing and Communication (ISAC)

Why is it crucial for 6G?

- **Context-Aware Network:** ISAC makes the network inherently **context-aware**. It understands not just *what* data is being sent, but *where* devices are, *what* is around them, and *how* the environment is changing in real-time.
- **Rich Real-time Data Source:** It provides a continuous, rich stream of real-time environmental data directly from the network infrastructure, without the need for separate, dedicated sensing hardware (like standalone radar or lidar units).
- **Enabling Key Applications:** This capability is vital for:
  - **Augmented Reality (AR):** Precisely mapping the physical world to seamlessly overlay virtual content.
  - **Autonomous Systems:** Providing critical environmental awareness for precise robot navigation, collision avoidance, and collective intelligence among autonomous vehicles.
  - **Smart Environments:** Creating truly intelligent buildings and cities that can react to occupants and conditions.

Enabler 5: Semantic Communications

While current communication systems prioritize the accurate transmission of every bit, 6G is exploring a revolutionary approach that prioritizes the successful delivery of *meaning*.

The Shift: From "Transmitting Bits Accurately" to "Transmitting the Meaning Successfully"

- **Syntactic Communication (Current Paradigm):** Focuses on ensuring that every bit of data sent from the source arrives at the destination without error. The network doesn't care about the content's meaning, only its perfect reproduction.
- **Semantic Communication (6G Paradigm):** Shifts the focus to understanding and transmitting the *meaning* or *intent* of the information. The goal is for the receiver to successfully interpret the intended message, even if not every original bit is transmitted.

Enabler 5: Semantic Communications

Analogy: The "Cat Image" Example

- **Current (Syntactic) Way:** If you want to send an image of a cat, the system transmits a multi-megabyte file containing every pixel of that image. The receiver reconstructs the exact image.
- **Semantic Way (Future 6G):** Instead of sending the entire image, the sender's AI system extracts the *semantic meaning* (e.g., "a small, fluffy, black cat is sitting on a red cushion"). This much smaller piece of information (a few words or a compact semantic representation) is transmitted. The receiver's AI then uses this meaning to *reconstruct* an image that is semantically equivalent to the original, even if it's not pixel-for-pixel identical.

Why is this crucial for 6G?

- **Potential for Massive Efficiency Gains:** By transmitting only the essential meaning rather than raw data, semantic communication promises unprecedented reductions in bandwidth usage, energy consumption, and processing power. This is vital for scaling to the extreme demands of 6G's use cases and for highly constrained IoT devices.
- **Enhanced Relevance:** The network can prioritize and deliver information that is most relevant to the receiver's context and task, leading to more intelligent and efficient communication.

Enabler 6: Next-Generation Security & Trust

As 6G connects virtually everything and handles mission-critical applications, security and trust become paramount. The next generation will incorporate advanced security measures to protect against emerging threats.

1. Post-Quantum Cryptography (PQC)

- **What:** These are cryptographic algorithms designed to be secure against attacks from powerful future quantum computers. Current widely used encryption methods (like RSA and ECC) are vulnerable to quantum attacks.
- **Why for 6G:** As quantum computing advances, it poses a significant threat to the security of all digital communications. PQC will be essential to ensure the long-term confidentiality and integrity of 6G data and communications, protecting sensitive information from future decryption capabilities.

Enabler 6: Next-Generation Security & Trust

2. Distributed Ledger Technology (DLT) / Blockchain

- **What:** DLTs, including blockchain, are decentralized, immutable, and transparent systems for recording transactions or data across a network of computers.
- **Why for 6G:** They offer potential for:
  - **Decentralized Identity Management:** Securely managing the identities of billions of connected devices and users.
  - **Trustworthy Data Exchange:** Ensuring the integrity and authenticity of data shared between network entities, crucial for applications like digital twins and autonomous systems.
  - **Secure Transaction Management:** Facilitating secure and auditable transactions for network resource allocation and service billing in a highly complex and dynamic environment.

The Big Picture: What 6G Promises

We've just explored the key enablers that define the future of 6G:

- **Terahertz (THz) Communication:** Unlocking massive bandwidth for Tbps speeds.
- **Reconfigurable Intelligent Surfaces (RIS):** Creating smart, programmable wireless environments.
- **AI-Native Architecture:** Embedding intelligence into every layer of the network.
- **Integrated Sensing and Communication (ISAC):** Merging the network's ability to communicate and to "see" the physical world.
- **Semantic Communications:** Transmitting the *meaning* of data, not just the bits.
- **Next-Generation Security & Trust:** Building zero-trust, quantum-safe networks.

The key question is...

How do we build, manage, and operate a network that is this intelligent, context-aware, and software-driven?

The Foundational Toolkit (Our Next Lecture)

To build a 6G network, we need a new set of tools that provide **flexibility, programmability, and automation.**

This is where our next topics come in:

- **Software-Defined Networking (SDN):** Provides the **programmability**. It's the "brain" that allows us to control the entire network from a central point, making dynamic changes possible.
- **Network Function Virtualization (NFV):** Provides the **flexibility**. It detaches network functions (like firewalls or routers) from dedicated hardware, allowing them to run as software on standard servers.
- **Cloud and Edge-to-Cloud Continuum:** This is the **physical and logical landscape**. It provides the distributed resources (compute, storage) needed to run our virtualized functions and applications everywhere, from a central data center right to the base station.

These technologies are the fundamental building blocks for making the 6G vision a reality.

Enabling 6G Services & Intelligence (Our Future Lectures)

Once we have this flexible, software-driven foundation, we can build the intelligent services that define 6G.

- **Multi-access Edge Computing (MEC):** This is the practical application of the Edge-to-Cloud continuum. It's the platform that allows us to run applications and process data at the network edge, which is essential for the ultra-low latency 6G promises.
- **Network Slicing:** This is a direct result of SDN and NFV. It allows us to create multiple, isolated, end-to-end virtual networks on top of one physical infrastructure. Each slice is custom-built for a specific need (e.g., one for autonomous cars, another for holographic calls).
- **Multimedia Networking:** To support holographic communication and immersive XR, we need the guaranteed quality of service from **Network Slicing** and the low-latency processing power of **MEC**.
- **Distributed Machine Learning:** The "AI brain" of 6G cannot live in a single data center. It must be distributed. **MEC** and the **Edge-Cloud Continuum** provide the infrastructure to train and run AI models across the entire network, using data where it is generated.

Curriculum Relevance: Computing Systems & Networks

Your Challenge: To design and build the 6G architecture itself.

How this course helps:

- **SDN/NFV:** Are the foundational tools for creating the programmable, cloud-native, AI-driven core network required by 6G.
- **Network Slicing:** Will be essential to manage the hyper-heterogeneous QoS demands of IoE and XR on a single infrastructure.
- **AI-driven Automation:** Concepts like Zero-Touch Management are the first steps toward a fully AI-Native network.

Curriculum Relevance: Multimedia Systems

Your Challenge: To design the applications that will define the 6G era.

How this course helps:

- **MEC:** Is the key to offloading rendering and processing for AR/VR to meet the sub-millisecond latency targets.
- **Multimedia Networking:** You will learn the principles of QoS and QoE that must be extended to new domains like haptic and holographic streaming.
- **The 6G Vision:** Understanding the network's capabilities (like JCAS) will allow you to design entirely new types of context-aware and interactive multimedia applications.

Curriculum Relevance: Advanced Computing

Your Challenge: To develop the intelligence that will run on and manage the 6G network.

How this course helps:

- **Distributed ML:** Federated Learning is a core paradigm for training the AI models used in an AI-Native network and in semantic communications, all while preserving privacy.
- **MEC:** Provides the distributed computing infrastructure for real-time inference at the edge.
- **Digital Twins:** This concept is a massive-scale modeling, simulation, and optimization problem, requiring advanced algorithms and computational models.

Curriculum Relevance: Big Data and Distributed Systems

Your Challenge: To manage the unprecedented flow of data generated by and for the 6G network.

How this course helps:

- **The Cloud-to-Edge Continuum:** Is the architectural model for processing 6G data. You will learn how to design systems that can handle real-time processing at the edge (from JCAS) and large-scale analytics in the cloud (for training network AI models).
- **NFV/SBA:** These principles of building scalable, resilient, microservices-based systems are directly applicable to designing the data-plane functions and applications for 6G.

Summary of Module 1

Generational Evolution: We've traced the evolutionary path of mobile networks, from 1G's basic mobility to 4G unleashing the app economy. Each generation has been a story of **unlocking new applications** and enriching our digital lives.

5G's Foundation: 5G emerged as a versatile platform, serving diverse communication needs (eMBB, URLLC, mMTC) and enabling a wide array of new services.

5G's Limitations & 6G's Imperative: However, 5G also revealed inherent limitations in end-to-end latency, native intelligence, and pervasive sensing, creating a strong motivation for the next leap.

The 6G Vision: 6G aims for a monumental leap towards a deeply integrated **cyber-physical continuum**. It envisions a network that not only communicates but also senses, computes, and acts, functioning as a distributed neural system to enable truly immersive XR, autonomous systems, and global sustainability.

Revolutionary Technologies: This ambitious vision demands groundbreaking enablers, including Terahertz spectrum, Reconfigurable Intelligent Surfaces (RIS), AI-native architecture, Integrated Sensing and Communication (ISAC), Semantic Communications, and next-generation security.

Bridge to Module 2: The Software-Defined Revolution

Now that we understand the "why" (the historical evolution and future vision), we will begin to study the "how".

Module 2: Foundational Technology Enablers

- We will start with **Software-Defined Networking (SDN)**, learning how to decouple the network's brain from its muscle to achieve true programmability.
- We will then move to **Network Functions Virtualization (NFV)** to understand how to build agile network services using software instead of hardware.
- Finally, we will explore the **Cloud-to-Edge Continuum** as the fundamental infrastructure for all modern distributed applications.

UNIVERSITÀ DEGLI STUDI FIRENZE
Da un secolo, oltre.

HR EXCELLENCE IN RESEARCH

01: The 6G Vision

Network Applications

LM in Ingegneria Informatica

Daniele Tarchi
Dipartimento Ingegneria dell'Informazione
daniele.tarchi@unifi.it