Informatiemodel bouwdossiers

The ontology presented as a class diagram

René Voorburg / RAZU / 9 november 2026

the ontology as a class diagram


Next slides provide the ontology as a class diagram. It shows all *required* and *optional nodes* for ‘bouwdossiers’, both at ‘*dossier*’ and ‘*archiefstuk*’-level.

Mind that:

- Blank nodes (no URI) are drawn striped
- Nodes that live in a thesaurus are in blue
- Cardinality is represented

Two caveats:

- PersonNames are either blank nodes or nodes in a restricted dataset (when AVG-restrictions apply -> upto 80 years after date of birth)
- Location data is kept at dossier-level. When a dossier refers to multiple adresses, there are multiple nodes.


Informatie-object 'Archief'
isOnderdeelVan
Concept: 'Dossier'
aggregatieNiveau
betrokkene
0-n
Betrokkene Gegevens
betrokkeneActor
Actor
hasName
PersonName (*)
betrokkeneTypeRelatie
Concept cf 'Aanvrager'
1-n
Identificatie -Gegevens
identificatie
Informatie-object 'Dossier'
dekkingInRuimte
1-n
Locatie + Verblijfsobject
maaktDeelUitVan
0-1
Pand
sfWithin
0-n
Place (Perceel)
classificatie
1-n
Concept: 'Bouwdossier'
dekkingInTijd
DekkingIn-TijdGegevens
isOnderdeelVan
hasGeometry
address
Geometry
1-2
PostalAddress (+ Nummer-aanduiding)
1-n
Concept: 'Archiefstuk'
aggregatieNiveau
Informatie-object 'Archiefstuk'
dekkingInTijd
DekkingIn-TijdGegevens
Openbare-Ruimte
ligtAan
ligtIn
classificatie
Concept: 'Bouwtekening'
beperkingGebruik
2
BeperkingGebruik-Gegevens
isRepresentatieVan
ligtIn
Locatie (+Woonplaats)
1-n
Bestand
blank node
optional predicate
term waardenlijst