

04-Joins & Set Operations

Mohammad Rehan

2520030066

1. CROSS JOIN

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: DML DDL DCL-TCL 03 04-joins-set-operations* x Limit to 1000 rows

SCHEMAS

Filter objects

bookflow_db

- Tables
- Views
- Stored Procedures
- Functions

sys

Administration Schemas

Information

No object selected

```
18 • INSERT INTO class_info VALUES
19 (1,'HYDERABAD'),
20 (2,'MUMBAI'),
21 (3,'CHENNAI');
22
23 • SELECT *
24 FROM class
25 CROSS JOIN class_info;
```

Result Grid

	id	name	id	address
▶	4	Rohit	1	HYDERABAD
	2	Akhl	1	HYDERABAD
	1	Rehan	1	HYDERABAD
	4	Rohit	2	MUMBAI
	2	Akhl	2	MUMBAI
	1	Rehan	2	MUMBAI
	4	Rohit	3	CHENNAI
	2	Akhl	3	CHENNAI
	1	Rehan	3	CHENNAI

Result 1 x

Output

Action Output

#	Time	Action	Message
✓ 1	21:30:10	USE bookflow_db	0 row(s) affected
✓ 2	21:31:06	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected
✓ 3	21:31:22	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected
✓ 4	21:31:28	INSERT INTO class VALUES (1,'Rehan'), (2,'Akhl'), (4,'Rohit')	3 row(s) affected Records: 3 Duplicate
✓ 5	21:31:30	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicate
✓ 6	21:31:39	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned

2. INNER JOIN

```
DML    DDL    DCL-TCL    03    04-joins-set-operations* x
Limit to 1000 rows

37      (1,'HYDERABAD'),
38      (2,'MUMBAI'),
39      (3,'CHENNAI');
40
41 •    SELECT *
42      FROM class
43      INNER JOIN class_info
44      ON class.id = class_info.id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [↗](#)

	id	name	id	address
▶	1	Rehan	1	HYDERABAD
	2	Akhil	2	MUMBAI
	3	Rohit	3	CHENNAI

Result 2 x

Output



#	Time	Action	Message
✓ 6	21:31:39	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned
✓ 7	21:33:33	DELETE FROM class	3 row(s) affected
✓ 8	21:33:36	DELETE FROM class_info	3 row(s) affected
✓ 9	21:33:37	INSERT INTO class VALUES (1,'Rehan'), (2,'Akhil'), (3,'Rohit'), (4,'Pratik')	4 row(s) affected Records
✓ 10	21:33:39	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records
✓ 11	21:33:52	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned

```
DML    DDL    DCL-TCL    03    04-joins-set-operations* x
Limit to 1000 rows

37      (1,'HYDERABAD'),
38      (2,'MUMBAI'),
39      (3,'CHENNAI');
40
41 •    SELECT *
42      FROM class
43      INNER JOIN class_info
44      ON class.id = class_info.id;
45
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [↗](#)

	name	address
▶	Rehan	HYDERABAD
	Akhil	MUMBAI
	Rohit	CHENNAI

Result 3 x

Output



#	Time	Action	Message
✓ 7	21:33:33	DELETE FROM class	3 row(s) affected
✓ 8	21:33:36	DELETE FROM class_info	3 row(s) affected
✓ 9	21:33:37	INSERT INTO class VALUES (1,'Rehan'), (2,'Akhil'), (3,'Rohit'), (4,'Pratik')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
✓ 10	21:33:39	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 11	21:33:52	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned
✓ 12	21:34:54	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L...	3 row(s) returned

3. NATURAL JOIN

DML DDL DCL-TCL 03 04-joins-set-operations*

```
47 class_info.address
48 FROM class
49 INNER JOIN class_info
50 ON class.id = class_info.id;
51
52 • SELECT *
53 FROM class
54 NATURAL JOIN class_info;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	id	name	address
▶	1	Rehan	HYDERABAD
	2	Akhil	MUMBAI
	3	Rohit	CHENNAI

Result 4 x

Output

Action Output

#	Time	Action	Message
8	21:33:36	DELETE FROM class_info	3 row(s) affected
9	21:33:37	INSERT INTO class VALUES (1,'Rehan'), (2,'Akhil'), (3,'Rohit'), (4,'Pratik')	4 row(s) affected Records: 4 Duplicate
10	21:33:39	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicate
11	21:33:52	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned
12	21:34:54	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L...	3 row(s) returned
13	21:36:15	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned

4. LEFT JOIN

DML DDL DCL-TCL 03 04-joins-set-operations*

```
59 • INSERT INTO class_info VALUES
60 (7,'GUNTUR'),
61 (8,'BAPATLA');
62
63 • SELECT *
64 FROM class
65 LEFT OUTER JOIN class_info
66 ON class.id = class_info.id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	id	name	id	address
▶	1	Rehan	1	HYDERABAD
	2	Akhil	2	MUMBAI
	3	Rohit	3	CHENNAI
	4	Pratik	NULL	NULL
	5	YUGANDAR	NULL	NULL

Result 5 x

Output

Action Output

#	Time	Action	Message
11	21:33:52	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned
12	21:34:54	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L...	3 row(s) returned
13	21:36:15	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned
14	21:37:45	INSERT INTO class VALUES (5,'YUGANDAR')	1 row(s) affected
15	21:37:47	INSERT INTO class_info VALUES (7,'GUNTUR'), (8,'BAPATLA')	2 row(s) affected R...
16	21:38:01	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned

DML DDL DCL-TCL 03 04-joins-set-operations

```

65 LEFT OUTER JOIN class_info
66 ON class.id = class_info.id;
67
68 • SELECT *
69 FROM class
70 LEFT JOIN class_info
71 ON class.id = class_info.id
72 WHERE class_info.id IS NULL;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [F5](#)

	id	name	id	address
▶	4	Pratik	NULL	NULL
	5	YUGANDAR	NULL	NULL

Result 6 x

Output

Action Output

#	Time	Action	Message
✓ 12	21:34:54	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L...	3 row(s) returned
✓ 13	21:36:15	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned
✓ 14	21:37:45	INSERT INTO class VALUES (5,'YUGANDAR')	1 row(s) affected
✓ 15	21:37:47	INSERT INTO class_info VALUES (7,'GUNTUR'), (8,'BAPATLA')	2 row(s) affected Record
✓ 16	21:38:01	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
✓ 17	21:38:29	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned

5. RIGHT JOIN

DML DDL DCL-TCL 03 04-joins-set-operations*

```

70 LEFT JOIN class_info
71 ON class.id = class_info.id
72 WHERE class_info.id IS NULL;
73
74 • SELECT *
75 FROM class
76 RIGHT OUTER JOIN class_info
77 ON class.id = class_info.id;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [F5](#)

	id	name	id	address
▶	1	Rehan	1	HYDERABAD
	2	Akhil	2	MUMBAI
	3	Rohit	3	CHENNAI
	NULL	NULL	7	GUNTUR
	NULL	NULL	8	BAPATLA

Result 7 x

Output

Action Output

#	Time	Action	Message
✓ 13	21:36:15	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned
✓ 14	21:37:45	INSERT INTO class VALUES (5,'YUGANDAR')	1 row(s) affected
✓ 15	21:37:47	INSERT INTO class_info VALUES (7,'GUNTUR'), (8,'BAPATLA')	2 row(s) affected Records: 2 C
✓ 16	21:38:01	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
✓ 17	21:38:29	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned
✓ 18	21:39:15	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned

DML DDL DCL-TCL 03 04-joins-set-operations*

```

76 RIGHT OUTER JOIN class_info
77 ON class.id = class_info.id;
78
79 • SELECT *
80 FROM class
81 RIGHT JOIN class_info
82 ON class.id = class_info.id
83 WHERE class.id IS NULL;

```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	id	address
NULL	NULL	7	GUNTUR
NULL	NULL	8	BAPATLA

Result 8 x

Output

Action Output

#	Time	Action	Message
✓ 14	21:37:45	INSERT INTO class VALUES (5,'YUGANDAR')	1 row(s) affected
✓ 15	21:37:47	INSERT INTO class_info VALUES (7,'GUNTUR'), (8,'BAPATLA')	2 row(s) affected Re
✓ 16	21:38:01	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
✓ 17	21:38:29	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned
✓ 18	21:39:15	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
✓ 19	21:39:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, ...	2 row(s) returned

6. FULL OUTER JOIN

DML DDL DCL-TCL 03 04-joins-set-operations*

```

88 ON class.id = class_info.id
89
90 UNION
91
92 SELECT *
93 FROM class
94 RIGHT JOIN class_info
95 ON class.id = class_info.id;

```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	id	address
1	Rehan	1	HYDERABAD
2	Akhil	2	MUMBAI
3	Rohit	3	CHENNAI
4	Pratik	NULL	NULL
5	YUGANDAR	NULL	NULL
NULL	NULL	7	GUNTUR
NULL	NULL	8	BAPATLA

Result 9 x

Output

Action Output

#	Time	Action	Message
✓ 15	21:37:47	INSERT INTO class_info VALUES (7,'GUNTUR'), (8,'BAPATLA')	2 row(s) affected Reo
✓ 16	21:38:01	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
✓ 17	21:38:29	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned
✓ 18	21:39:15	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
✓ 19	21:39:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, ...	2 row(s) returned
✓ 20	21:48:07	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIG...	7 row(s) returned

DML DDL DCL-TCL 03 04-joins-set-operations*

Limit to 1000 rows

```

102
103 UNION
104
105 SELECT *
106 FROM class
107 RIGHT JOIN class_info
108 ON class.id = class_info.id
109 WHERE class.id IS NULL;

```

Result Grid

id	name	id	address
4	Pratk	NULL	NULL
5	YUGANDAR	NULL	NULL
7	GUNTUR	7	GUNTUR
8	BAPATLA	8	BAPATLA

Result 10

Output

Action Output

#	Time	Action	Message
16	21:38:01	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
17	21:38:29	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned
18	21:39:15	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
19	21:39:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, ...	2 row(s) returned
20	21:48:07	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIG...	7 row(s) returned
21	21:48:44	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL UNL...	4 row(s) returned

7. UNION

DML DDL DCL-TCL 03 04-joins-set-operations*

Limit to 1000 rows

```

126 (2,'Akhi1'),
127 (3,'Rohit');
128
129 • SELECT *
130 FROM first_table
131 UNION
132 SELECT *
133 FROM second_table;
134

```

Result Grid

id	name
1	Rehan
2	Aditya
2	Akhi1
3	Rohit

Result 11

Output

Action Output

#	Time	Action	Message
21	21:48:44	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL UNL...	4 row(s) returned
22	21:50:12	CREATE TABLE first_table (id INT, name VARCHAR(30))	0 row(s) affected
23	21:50:15	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected
24	21:50:40	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Aditya')	2 row(s) affected Re
25	21:50:42	INSERT INTO second_table VALUES (2,'Akhi1'), (3,'Rohit')	2 row(s) affected Re
26	21:50:51	SELECT * FROM first_table UNION SELECT * FROM second_table	4 row(s) returned

DML DDL DCL-TCL 03 04-joins-set-operations*

```

132 SELECT *
133 FROM second_table;
134
135 • SELECT name
136 FROM first_table
137 UNION
138 SELECT name
139 FROM second_table;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

name
Rehan
Aditya
Akhil
Rohit

Result 12 x

Output

Action Output

#	Time	Action	Message
22	21:50:12	CREATE TABLE first_table (id INT, name VARCHAR(30))	0 row(s) affected
23	21:50:15	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected
24	21:50:40	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Aditya')	2 row(s) affected Rec
25	21:50:42	INSERT INTO second_table VALUES (2,'Akhil'), (3,'Rohit')	2 row(s) affected Rec
26	21:50:51	SELECT * FROM first_table UNION SELECT * FROM second_table	4 row(s) returned
27	21:51:14	SELECT name FROM first_table UNION SELECT name FROM second_table	4 row(s) returned

8. UNION ALL

DML DDL DCL-TCL 03 04-joins-set-operations*

```

138 SELECT name
139 FROM second_table;
140
141 • SELECT *
142 FROM first_table
143 UNION ALL
144 SELECT *
145 FROM second_table;
146

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

id	name
1	Rehan
2	Aditya
2	Akhil
3	Rohit

Result 13 x

Output

Action Output

#	Time	Action	Message
23	21:50:15	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected
24	21:50:40	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Aditya')	2 row(s) affected Rec
25	21:50:42	INSERT INTO second_table VALUES (2,'Akhil'), (3,'Rohit')	2 row(s) affected Rec
26	21:50:51	SELECT * FROM first_table UNION SELECT * FROM second_table	4 row(s) returned
27	21:51:14	SELECT name FROM first_table UNION SELECT name FROM second_table	4 row(s) returned
28	21:51:53	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned

```

DML    DDL    DCL-TCL    03    04-joins-set-operations* x
Limit to 1000 rows
145 FROM second_table;
146
147 • SELECT COUNT(*)
148 FROM (
149     SELECT * FROM first_table
150     UNION ALL
151     SELECT * FROM second_table
152 ) AS A;

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
COUNT(*)			
4			

Result 14 x

Output

Action Output

#	Time	Action	Message
24	21:50:40	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Aditya')	2 row(s) affected
25	21:50:42	INSERT INTO second_table VALUES (2,'Akhl'), (3,'Rohit')	2 row(s) affected
26	21:50:51	SELECT * FROM first_table UNION SELECT * FROM second_table	4 row(s) returned
27	21:51:14	SELECT name FROM first_table UNION SELECT name FROM second_table	4 row(s) returned
28	21:51:53	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned
29	21:52:21	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) ...	1 row(s) returned

9. INTERSECT + MINUS

```

DML    DDL    DCL-TCL    03    04-joins-set-operations* x
Limit to 1000 rows
162 (2,'Akhl'),
163 (3,'Rohit');
164
165 • SELECT f.*
166 FROM first_table f
167 INNER JOIN second_table s
168 ON f.id = s.id
169 AND f.name = s.name;

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
id name			
2 Akhl			

Result 16 x

Output

Action Output

#	Time	Action	Message
30	21:53:12	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	0 row(s) returned
31	21:54:44	DELETE FROM first_table	2 row(s) affected
32	21:54:47	DELETE FROM second_table	2 row(s) affected
33	21:54:48	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Akhl')	2 row(s) affected
34	21:54:50	INSERT INTO second_table VALUES (2,'Akhl'), (3,'Rohit')	2 row(s) affected
35	21:56:28	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	1 row(s) returned

DML DDL DCL-TCL 03 04-joins-set-operations*

```

167 INNER JOIN second_table s
168 ON f.id = s.id
169 AND f.name = s.name;
170
171 • SELECT f.name
172 FROM first_table f
173 INNER JOIN second_table s
174 ON f.name = s.name;

```

Result Grid Filter Rows: Export: Wrap Cell Content: [IA](#)

name
Akhil

Result 17 x

Output

Action Output

#	Time	Action	Message
✓ 31	21:54:44	DELETE FROM first_table	2 row(s) affected
✓ 32	21:54:47	DELETE FROM second_table	2 row(s) affected
✓ 33	21:54:48	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Akhil')	2 row(s) affected
✓ 34	21:54:50	INSERT INTO second_table VALUES (2,'Akhil'), (3,'Rohit')	2 row(s) affected
✓ 35	21:56:28	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	1 row(s) returned
✓ 36	21:56:51	SELECT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	1 row(s) returned

DML DDL DCL-TCL 03 04-joins-set-operations*

```

174 ON f.name = s.name;
175
176 • SELECT f.*
177 FROM first_table f
178 LEFT JOIN second_table s
179 ON f.id = s.id
180 AND f.name = s.name
181 WHERE s.id IS NULL;

```

Result Grid Filter Rows: Export: Wrap Cell Content: [IA](#)

id	name
1	Rehan

Result 18 x

Output

Action Output

#	Time	Action	Message
✓ 32	21:54:47	DELETE FROM second_table	2 row(s) affected
✓ 33	21:54:48	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Akhil')	2 row(s) affected
✓ 34	21:54:50	INSERT INTO second_table VALUES (2,'Akhil'), (3,'Rohit')	2 row(s) affected
✓ 35	21:56:28	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	1 row(s) returned
✓ 36	21:56:51	SELECT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	1 row(s) returned
✓ 37	21:57:10	SELECT f.* FROM first_table f LEFT JOIN second_table s ON f.id = s.id AND f.name = s.name WHERE s.id IS...	1 row(s) returned

DML DDL DCL-TCL 03 04-joins-set-operations*

```

180 AND f.name = s.name
181 WHERE s.id IS NULL;
182
183 • SELECT f.name
184 FROM first_table f
185 LEFT JOIN second_table s
186 ON f.name = s.name
187 WHERE s.name IS NULL;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

name
Rehan

Result 19 x

Output

Action Output

#	Time	Action	Message
33	21:54:48	INSERT INTO first_table VALUES (1,'Rehan'), (2,'Akhl')	2 row(s) affected Rec
34	21:54:50	INSERT INTO second_table VALUES (2,'Akhl'), (3,'Rohit')	2 row(s) affected Rec
35	21:56:28	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	1 row(s) returned
36	21:56:51	SELECT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	1 row(s) returned
37	21:57:10	SELECT f.* FROM first_table f LEFT JOIN second_table s ON f.id = s.id AND f.name = s.name WHERE s.id IS...	1 row(s) returned
38	21:57:33	SELECT f.name FROM first_table f LEFT JOIN second_table s ON f.name = s.name WHERE s.name IS NULL...	1 row(s) returned

10. ADVANCED JOIN + CASE

DML DDL DCL-TCL 03 04-joins-set-operations*

```

187 WHERE s.name IS NULL;
188
189 • SELECT c.id,
190        c.name,
191        ci.address
192 FROM class c
193 INNER JOIN class_info ci
194 ON c.id = ci.id;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

id	name	address
1	Rehan	HYDERABAD
2	Akhl	MUMBAI
3	Rohit	CHENNAI

Result 20 x

Output

Action Output

#	Time	Action	Message
34	21:54:50	INSERT INTO second_table VALUES (2,'Akhl'), (3,'Rohit')	2 row(s) affected F
35	21:56:28	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	1 row(s) returned
36	21:56:51	SELECT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	1 row(s) returned
37	21:57:10	SELECT f.* FROM first_table f LEFT JOIN second_table s ON f.id = s.id AND f.name = s.name WHERE s.id IS...	1 row(s) returned
38	21:57:33	SELECT f.name FROM first_table f LEFT JOIN second_table s ON f.name = s.name WHERE s.name IS NULL...	1 row(s) returned
39	21:58:40	SELECT c.id, c.name, ci.address FROM class c INNER JOIN class_info ci ON c.id = ci.id LIMIT 0, 10...	3 row(s) returned

DML
DDL
DCL-TCL
03
04-joins-set-operations*

Limit to 1000 rows

```

198      CASE
199          WHEN ci.address IS NULL
200          THEN 'Address Missing'
201          ELSE 'Address Available'
202      END AS Status
203 FROM class c
204 LEFT JOIN class_info ci
205 ON c.id = ci.id;

```

Result Grid
Filter Rows:
Export:
Wrap Cell Content:

	id	name	Status
▶	1	Rehan	Address Available
	2	Akhil	Address Available
	3	Rohit	Address Available
	4	Pratik	Address Missing
	5	YUGANDAR	Address Missing

Result 21 x

Output

Action Output

#	Time	Action	Message
✓ 35	21:56:28	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	1 row(s) returned
✓ 36	21:56:51	SELECT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	1 row(s) returned
✓ 37	21:57:10	SELECT f.* FROM first_table f LEFT JOIN second_table s ON f.id = s.id AND f.name = s.name WHERE s.id IS...	1 row(s) returned
✓ 38	21:57:33	SELECT f.name FROM first_table f LEFT JOIN second_table s ON f.name = s.name WHERE s.name IS NULL...	1 row(s) returned
✓ 39	21:58:40	SELECT c.id, c.name, ci.address FROM class c INNER JOIN class_info ci ON c.id = ci.id LIMIT 0, 10...	3 row(s) returned
✓ 40	21:59:06	SELECT c.id, c.name, CASE WHEN ci.address IS NULL THEN 'Address Missing' ...	5 row(s) returned