

```

create database FIFA;

use fifa;

show databases;

show tables;

select * from 1759929607676_team_data;
select * from 1759929605981_group_stats;
select * from 1759929604343_data_metadescription;

alter table 1759929607676_team_data
rename to teamdata;

alter table 1759929605981_group_stats
rename to groupstate;

alter table 1759929604343_data_metadescription
rename to metadata;

select * from teamdata;
select * from groupstate;
select * from metadata;

-- 1)
select distinct team from teamdata;
-- 2)
SELECT team
FROM groupstate
WHERE `rank` = 1 AND `group` = 7;
-- 3)
select count(*) from groupstate;
-- 4)
select team,sum(matches_played)
from groupstate
group by team;
-- 5)
select team,
      (wins * 100.0/matches_played) as wins_percent
from groupstate;
-- 6)
select team,goals_scored
from groupstate
order by goals_scored desc limit 1;
-- 7)
select team,
      round(draws * 100.00/matches_played,2) as draws_percent
from groupstate;
-- 8)
select team,goals_scored
from groupstate
where goals_scored = (select min(goals_scored)from groupstate);
-- 9)
select team,
      (losses * 100.0/matches_played) as losses_percent
from groupstate
order by losses_percent asc;
-- 10)
select avg(goal_difference) from groupstate;
-- 11)
select team from groupstate where points = '0';
-- 12)
select * from groupstate where expected_goal_scored < exp_goal_conceded;

```

```

-- 13)
select * from groupstate where exp_goal_difference between -0.5 and 0.5;
-- 14)
select * from groupstate
order by exp_goal_difference_per_90 asc;
-- 15)
select team,players_used
from teamdata
order by players_used desc limit 1;
-- 16)
select team,avg_age from teamdata
order by avg_age asc;
-- 17)
select avg(possession) from teamdata;
-- 18)
select team,games
from teamdata
where games >= 5;
-- 19)
select * from teamdata where minutes > 600;
-- 20)
select team,goals,assists from teamdata
order by goals asc;
-- 21)
select team,pens_made,pens_att from teamdata
order by pens_made desc;
-- 22)
select team,cards_yellow,cards_red
from teamdata
where cards_red = 1
order by cards_yellow asc;
-- 23)
select team, goals_per90, assists_per90, goals_assists_per90
from teamdata
order by goals_assists_per90 desc;
-- 24)
select team, goals_pens_per90, goals_assists_pens_per90
from teamdata
order by goals_assists_pens_per90 asc;
-- 25)
select team, shots, shots_on_target, shots_on_target_pct
from teamdata
where shots_on_target_pct < 30
order by shots_on_target_pct asc;
-- 26)
select team, shots_per90, shots_on_target_per90
from teamdata
where team = "Belgium";
-- 27)
select team, goals_per_shot, goals_per_shot_on_target, average_shot_distance
from teamdata
order by average_shot_distance desc;
-- 28)
select team, errors, touches
from teamdata
where errors = 0 and touches < 1500;
-- 29)
select team, fouls
from teamdata
where fouls = (select max(fouls) from teamdata);
-- 30)
select team, offsides
from teamdata
where offsides < 10 or offsides > 20;

```

```

-- 31)
select team, aerials_won, aerials_lost, aerials_won_pct
from teamdata
order by aerials_won_pct desc;
-- 32)
select `group`, count(*)
from groupstate
group by `group`;
-- 33)
select team from groupstate
where `group` = 6;
-- 34)
select team, `group`
from groupstate
where team = 'Australia';
-- 35)
select `group`, avg(wins) as avgwins
from groupstate
group by `group`;
-- 36)
select `group`, max( expected_goal_scored) as expgoal
from groupstate
group by `group`
order by expgoal asc;
-- 37)
select `group`, min(exp_goal_conceded) as goalcon
from groupstate
group by `group`
order by goalcon desc;
-- 38)
select `group`, avg(exp_goal_difference_per_90) as goaldif
from groupstate
group by `group`
order by goaldif asc;
-- 39)
select team, goals_scored, goals_against
from groupstate
where goals_scored = goals_against;
-- 40)
SELECT team, players_used
FROM teamdata
ORDER BY players_used DESC
LIMIT 1;
-- 41)
select team, players_used, avg_age, games, minutes
from teamdata
where minutes < 500 and minutes > 200;
-- 42)
select * from groupstate
order by points asc;
-- 43)
select distinct team from groupstate
order by team asc;
-- 44)
select g.`group`, avg(t.avg_age) as avgage
from groupstate join teamdata
on g.team = t.team
group by g.`group`
order by avgage desc;

SELECT g.`group`, AVG(t.avg_age) AS average_age
FROM groupstate g
JOIN teamdata t ON g.team = t.team
GROUP BY g.`group`

```

```
ORDER BY average_age DESC;
```

```
-- 45)
SELECT g.`group`, SUM(t.fouls) AS fouls
FROM groupstate g
JOIN teamdata t ON g.team = t.team
GROUP BY g.`group`
ORDER BY fouls ASC;
```

```
-- 46)
select g.`group`,count(t.games) as games
from groupstate g
join teamdata t on g.team=t.team
group by g.`group`
order by games desc;
```

```
-- 47)
select g.`group`,sum(t.players_used) as playersused
from groupstate g
join teamdata t on g.team=t.team
group by g.`group`
order by playersused asc;
```

```
-- 48)
select g.`group`,sum(t.offside) as offside
from groupstate g
join teamdata t on g.team=t.team
group by g.`group`
order by offside asc;
```

```
-- 49)
select g.`group`,avg(t.passes_pct) as avgpass
from groupstate g
join teamdata t on g.team=t.team
group by g.`group`
order by avgpass desc;
```

```
-- 50)
select g.`group`,avg(t.goals_per90) as avggoals
from groupstate g
join teamdata t on g.team=t.team
group by g.`group`
order by avggoals asc;
```