The State University of Zanzibar

School of Business-SUZA



Department Of computer science

Name REHEMA S. MASUOD

REG NO BITA/2/18/053/TZ

SUBJECT ANDROID APPLICATION

LECTURER MR MASOUD H MMANGA

INDIVIDUAL ASSIGNMENT 2020

MainActivity.java

```
package com.example.calculator;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
public class MainActivity extends AppCompatActivity {
  Button button0, button1, button2, button3, button4, button5, button6,
       button7, button8, button9, buttonAdd, buttonSub, buttonDivision,
       buttonMul, button10, buttonC, buttonEqual;
  EditText crunchifyEditText;
  float mValueOne, mValueTwo;
  boolean crunchifyAddition, mSubtract, crunchifyMultiplication, crunchifyDivision;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    button0 = (Button) findViewById(R.id.button0);
    button1 = (Button) findViewById(R.id.button1);
    button2 = (Button) findViewById(R.id.button2);
    button3 = (Button) findViewById(R.id.button3);
    button4 = (Button) findViewById(R.id.button4);
    button5 = (Button) findViewById(R.id.button5);
    button6 = (Button) findViewById(R.id.button6);
    button7 = (Button) findViewById(R.id.button7);
    button8 = (Button) findViewById(R.id.button8);
    button9 = (Button) findViewById(R.id.button9);
    button10 = (Button) findViewById(R.id.button10);
    buttonAdd = (Button) findViewById(R.id.buttonadd);
    buttonSub = (Button) findViewById(R.id.buttonsub);
    buttonMul = (Button) findViewById(R.id.buttonmul);
    buttonDivision = (Button) findViewById(R.id.buttondiv);
    buttonC = (Button) findViewById(R.id.buttonC);
    buttonEqual = (Button) findViewById(R.id.buttonegl);
    crunchifyEditText = (EditText) findViewById(R.id.edt1);
```

```
button1.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "1");
});
button2.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "2");
  }
});
button3.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "3");
});
button4.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "4");
});
button5.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View view) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "5");
});
button6.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View view) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "6");
});
button7.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "'7");
```

```
});
 button8.setOnClickListener(new View.OnClickListener() {
    @Override
   public void onClick(View v) {
      crunchifyEditText.setText(crunchifyEditText.getText() + "8");
    }
 });
 button9.setOnClickListener(new View.OnClickListener() {
    @Override
   public void onClick(View v) {
      crunchifyEditText.setText(crunchifyEditText.getText() + "'9");
   }
 });
 button0.setOnClickListener(new View.OnClickListener() {
    @Override
   public void onClick(View v) {
      crunchifyEditText.setText(crunchifyEditText.getText() + ''0'');
    }
 });
 buttonAdd.setOnClickListener(new View.OnClickListener() {
    @Override
   public void onClick(View v) {
      if (crunchifyEditText == null) {
        crunchifyEditText.setText("");
      } else {
        mValueOne = Float.parseFloat(crunchifyEditText.getText() + '''');
        crunchifyAddition = true:
        crunchifyEditText.setText(null);
    }
 });
 buttonSub.setOnClickListener(new View.OnClickListener() {
    @Override
   public void onClick(View v) {
      mValueOne = Float.parseFloat(crunchifyEditText.getText() + '''');
      mSubtract = true;
```

```
crunchifyEditText.setText(null);
  }
});
buttonMul.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    mValueOne = Float.parseFloat(crunchifyEditText.getText() + '''');
    crunchifyMultiplication = true:
    crunchifyEditText.setText(null);
});
buttonDivision.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    mValueOne = Float.parseFloat(crunchifyEditText.getText() + '''');
    crunchifyDivision = true;
    crunchifyEditText.setText(null);
});
buttonEqual.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View view) {
    mValueTwo = Float.parseFloat(crunchifyEditText.getText() + """);
    if (crunchifyAddition == true) {
      crunchifyEditText.setText(mValueOne + mValueTwo + """);
      crunchifyAddition = false;
    if (mSubtract == true) {
      crunchifyEditText.setText(mValueOne - mValueTwo + "");
      mSubtract = false;
    if (crunchifyMultiplication == true) {
      crunchifyEditText.setText(mValueOne * mValueTwo + """);
      crunchifyMultiplication = false;
    }
```

```
if (crunchifyDivision == true) {
           crunchifyEditText.setText(mValueOne / mValueTwo + """);
           crunchifyDivision = false;
      }
    });
    buttonC.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View v) {
        crunchifyEditText.setText("");
    });
    button10.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + ".");
      }
    });
    if (crunchifyAddition == true) {
      crunchifyEditText.setText(mValueOne + mValueTwo + """);
      crunchifyAddition = false;
    }
  }
```

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:tools="http://schemas.android.com/tools"
  android:id="@+id/relative1"
  android:layout_width="match_parent"
  android:layout height="match parent"
  tools:context=".MainActivity">
  <EditText
    android:id="@+id/edt1"
    android:layout_width="match_parent"
    android:layout height="wrap content"/>
  <Button
    android:id="@+id/button1"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_alignEnd="@+id/button4"
    android:layout alignRight="@+id/button4"
    android:layout_below="@+id/edt1"
    android:layout marginTop="94dp"
    android:text="1"/>
  <Button
    android:id="@+id/button2"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_alignTop="@+id/button1"
    android:layout_toLeftOf="@+id/button3"
    android:layout toStartOf="@+id/button3"
    android:text="2"/>
  <Button
    android:id="@+id/button3"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
```

```
android:layout_height="wrap_content"
  android:layout_alignTop="@+id/button2"
  android:layout centerHorizontal="true"
  android:text="3"/>
<Button
  android:id="@+id/button4"
  style="?android:attr/buttonStyleSmall"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout below="@+id/button1"
  android:layout_toLeftOf="@+id/button2"
  android:text="4"/>
<Button
  android:id="@+id/button5"
  style="?android:attr/buttonStyleSmall"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout_alignBottom="@+id/button4"
  android:layout alignLeft="@+id/button2"
  android:layout_alignStart="@+id/button2"
  android:text="5"/>
<Button
  android:id="@+id/button6"
  style="?android:attr/buttonStyleSmall"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout alignLeft="@+id/button3"
  android:layout alignStart="@+id/button3"
  android:layout below="@+id/button3"
  android:text="6"/>
<Button
  android:id="@+id/button7"
  style="?android:attr/buttonStyleSmall"
  android:layout_width="wrap_content"
  android:layout height="wrap content"
  android:layout_below="@+id/button4"
  android:layout toLeftOf="@+id/button2"
  android:text="7"/>
<Button
  android:id="@+id/button8"
  style="?android:attr/buttonStyleSmall"
```

```
android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout_alignLeft="@+id/button5"
  android:layout alignStart="@+id/button5"
  android:layout below="@+id/button5"
  android:text="8"/>
<Button
  android:id="@+id/button9"
  style="?android:attr/buttonStyleSmall"
  android:layout width="wrap content"
  android:layout_height="wrap_content"
  android:layout alignLeft="@+id/button6"
  android:layout_alignStart="@+id/button6"
  android:layout below="@+id/button6"
  android:text="9"/>
<Button
  android:id="@+id/buttonadd"
  style="?android:attr/buttonStyleSmall"
  android:layout width="wrap content"
  android:layout height="wrap content"
  android:layout_alignEnd="@+id/edt1"
  android:layout alignRight="@+id/edt1"
  android:layout_alignTop="@+id/button3"
  android:layout_marginLeft="46dp"
  android:layout_marginStart="46dp"
  android:layout toRightOf="@+id/button3"
  android:text="+"/>
<Button
  android:id="@+id/buttonsub"
  style="?android:attr/buttonStyleSmall"
  android:layout width="wrap content"
  android:layout_height="wrap_content"
  android:layout alignEnd="@+id/buttonadd"
  android:layout_alignLeft="@+id/buttonadd"
  android:layout_alignRight="@+id/buttonadd"
  android:layout alignStart="@+id/buttonadd"
  android:layout below="@+id/buttonadd"
  android:text="-"/>
<Button
  android:id="@+id/buttonmul"
  style="?android:attr/buttonStyleSmall"
  android:layout width="wrap content"
```

```
android:layout_height="wrap_content"
  android:layout_alignLeft="@+id/buttonsub"
  android:layout_alignParentEnd="true"
  android:layout alignParentRight="true"
  android:layout alignStart="@+id/buttonsub"
  android:layout_below="@+id/buttonsub"
  android:text="*"/>
<Button
  android:id="@+id/button10"
  style="?android:attr/buttonStyleSmall"
  android:layout_width="wrap_content"
  android:layout height="wrap content"
  android:layout below="@+id/button7"
  android:layout toLeftOf="@+id/button2"
  android:text="."/>
<Button
  android:id="@+id/button0"
  style="?android:attr/buttonStyleSmall"
  android:layout width="wrap content"
  android:layout height="wrap content"
  android:layout_alignLeft="@+id/button8"
  android:layout alignStart="@+id/button8"
  android:layout below="@+id/button8"
  android:text="0"/>
<Button
  android:id="@+id/buttonC"
  style="?android:attr/buttonStyleSmall"
  android:layout width="wrap content"
  android:layout_height="wrap_content"
  android:layout_alignLeft="@+id/button9"
  android:layout alignStart="@+id/button9"
  android:layout below="@+id/button9"
  android:text="C"/>
<Button
  android:id="@+id/buttondiv"
  style="?android:attr/buttonStyleSmall"
  android:layout_width="wrap_content"
  android:layout height="wrap content"
  android:layout alignEnd="@+id/buttonmul"
  android:layout alignLeft="@+id/buttonmul"
  android:layout_alignRight="@+id/buttonmul"
  android:layout alignStart="@+id/buttonmul"
```

```
android:layout_below="@+id/buttonmul"
android:text="/"/>

<Button
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_alignEnd="@+id/buttondiv"
android:layout_alignLeft="@+id/button10"
android:layout_alignRight="@+id/buttondiv"
android:layout_alignStart="@+id/button10"
android:layout_below="@+id/button0"
android:layout_marginTop="37dp"
android:text="="/>

</RelativeLayout>
```