
Mean relative abundance of column cluster ASVs by station
Point size = sqrt(mean RA), color = row cluster (RGBA)
CC1
CC2
CC3
CC4
CC5
CC6
lat
lon
68
66
64
−172
−170
−168
−166
−164
Cluster
A1
A2
B1
B2a
B2b
C1a
C1b
C2a
C2b1
C2b2
√mean RA
0.00
0.05
0.10
0.15


Mean relative abundance of column cluster ASVs by station
Point size = sqrt(mean RA), color = cluster (RGBA), shape = A/B/C
CC1
CC2
CC3
CC4
CC5
CC6
lat
lon
68
66
64
−172
−170
−168
−166
−164
Group
A
B
C
Cluster
A1
A2
B1
B2a
B2b
C1a
C1b
C2a
C2b1
C2b2
√mean RA
0.00
0.05
0.10
0.15


Group A −− faceted by subcluster (high to low NO3)
Point size = sqrt(mean RA), color = row cluster
A1
A2
i Sea
i Sea
Nor
Nor
68
66
64
lat
−172
−170
−168
−166
−164
lon
Cluster
A1
A2
√mean RA
0.00
0.05
0.10
0.15


Group B −− faceted by subcluster (high to low NO3)
Point size = sqrt(mean RA), color = row cluster
B1
B2b
B2a
lat
68
66
64
−172
−170
−168
−166
−164
lon
Cluster
B1
B2b
B2a
√mean RA
0.00
0.05
0.10
0.15


Group C −− faceted by subcluster (high to low NO3)
Point size = sqrt(mean RA), color = row cluster
C1b
C1a
C2b2
C2b1
C2a
lat
68
66
64
lon
−172
−170
−168
−166
−164
Cluster
C1b
C1a
C2b2
C2b1
C2a
√mean RA
0.00
0.05
0.10
0.15