Visualizing Subnets Using a VLSM Chart

The VLSM chart is the third method used to visualize the breakdown of subnets and addresses into smaller sizes. By shading or coloring in the boxes you can easily break up your subnets without overlapping your addresses. You can adjust each sub-subnet to the correct size needed.

VLSM Addressing

VLSM Chart Method

(Sample)

Problem 17

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This business will be using the class C address 220.10.10.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

VLSM Addressing

VLSM Chart Method

(Sample)

Problem 18

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This company will be using the class C address 192.168.16.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

VLSM Addressing

VLSM Chart Method

Problem 19

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This company will be using the class C address 199.55.78.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

VLSM Addressing

VLSM Chart Method

Problem 20

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This company will be using the class C address 223.150.50.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

VLSM Addressing

VLSM Chart Method

Problem 21

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This company will be using the class C address 222.22.2.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

VLSM Addressing

VLSM Chart Method

Problem 22

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This company will be using the class C address 200.20.2.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

VLSM Addressing

VLSM Chart Method

Problem 23

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This company will be using the class C address 190.150.23.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

VLSM Addressing

VLSM Chart Method

Problem 24

Using the network diagram and information given create an addressing scheme which utilizes variable-length subnet masks. Show the subnet address and CIDR in the boxes below, color or shade the sub-subnets used in the chart. This company will be using the class C address 192.168.1.0. Remember to start with your largest groups first.



Class C Addresses

VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255