Supplementary Material

Mostly ranking, partly threshold: decomposing and repairing the cross-corpus generalisation gap of misinformation detectors

Dewan Nafay Chowdhury*
Md. Rejaul Korim Sadi*
Department of Computer Science and Engineering, Metropolitan University, Sylhet, Bangladesh

This supplement documents how the data were prepared and how every number in the paper was produced. All tables here are written by `src/paper_numbers.py` from the result files released with the code; the repository's `run_all.sh` regenerates them end to end.

S1 Data preparation

S1.1 Label harmonisation and verification

Every corpus is mapped to 1 = fake, false, rumour or clickbait. WELFake ships 0 = fake, 1 = real and is inverted; LIAR keeps {pants-fire, false} versus {mostly-true, true}; Twitter15/16 keep false versus true. Label direction was verified on the raw files with outlet signatures (`src/label_probe.py`): Table S1.

S1.2 Deduplication

Within each corpus, rows are normalised (NFKC, lower case, URLs and punctuation removed), exact duplicates are removed, and near-duplicates are clustered with MinHash-LSH (128 permutations, Jaccard ≥ 0.8; word 3-grams over the first 400 words for articles, character 5-grams otherwise). Any exact or near-duplicate group whose members disagree on the label is removed entirely; otherwise one member is kept. Across corpora, each item is flagged with the corpora in which it has a near-duplicate, and transfer tests drop flagged target items.

S2 Evaluation details

Splits are stratified 70/10/20 per seed (0–4), with caps of 8,000/1,500/3,000 items. Hyperparameters are chosen on the source validation split by ROC-AUC, and scores are Platt-calibrated on the same split. Metrics are computed on the target test split after near-duplicate exclusion. Pooled seed-bootstrap intervals use 200 resamples per seed, pooled across seeds. Operating points: default $t = 0.5$; EM prior adaptation [Saerens et al., 2002] with 200 iterations and tolerance 10^{-6}; rank transfer (threshold at the $(1 - \pi_A)$ quantile of the target scores); 0.5-rate (median threshold); a 2-component Gaussian mixture on target logits; the true-prior quantile; and the oracle maximum over 199 quantile thresholds.

S3 Full results

S3.1 Transfer matrices for every model

*Equal contribution, joint first authors.

Table S1: Label-direction probes on the raw files: number of items matching each source signature under raw label 0 / raw label 1. A reliable-outlet signature must sit under "real", a fake-site signature under "fake". ISOT codes 1 = fake; the WELFake file codes 1 = real.

Signature	Expected class	ISOT (0 / 1)	WELFake (0 / 1)
title ends '- The New York Times'	real	0 / 0	0 / 6,223
title ends '- Breitbart'	real	0 / 0	1 / 2,338
text contains '(Reuters)'	real	20,761 / 7	8 / 23
text contains 'Featured image via'	fake	0 / 6,098	125 / 0
title contains 'BREAKING'	fake	8 / 614	199 / 19
text contains '21st Century Wire'	fake	0 / 629	5 / 0
text contains 'Activist Post'	fake	0 / 5	21 / 0

Table S2: Deduplication report per corpus.

Corpus	raw	empty	exact conflict	exact dup.	near conflict	near dup.	final
ISOT	38,833	5	0	0	0	79	38,749
WELFake	24,530	1	0	0	6	815	23,708
PolitiFact	1,056	0	4	71	2	3	976
GossipCop	22,140	0	356	1,174	24	26	20,560
LIAR	8,090	0	3	21	0	11	8,055
Twitter15	742	0	0	55	0	14	673
Twitter16	412	0	0	51	0	3	358
PHEME	5,802	0	21	124	4	98	5,555
ClickbaitEN	32,000	0	0	2	0	123	31,875
BanglaBait	15,056	0	23	850	18	124	14,041

Table S3: TFIDF-LR, ROC-AUC (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**1.00 ±0.00**	0.69 ±0.01	0.73 ±0.02	0.49 ±0.01	0.55 ±0.02	0.52 ±0.06	0.68 ±0.10
WELFake	0.85 ±0.01	**0.99 ±0.00**	0.66 ±0.02	0.53 ±0.01	0.53 ±0.02	0.58 ±0.03	0.62 ±0.07
PolitiFact	0.80 ±0.01	0.46 ±0.01	**0.89 ±0.02**	0.53 ±0.02	0.50 ±0.01	0.51 ±0.04	0.39 ±0.04
GossipCop	0.48 ±0.04	0.50 ±0.07	0.59 ±0.03	**0.87 ±0.01**	0.54 ±0.02	0.63 ±0.01	0.48 ±0.03
LIAR	0.59 ±0.04	0.63 ±0.02	0.51 ±0.02	0.54 ±0.02	**0.70 ±0.01**	0.48 ±0.05	0.47 ±0.05
Twitter15	0.63 ±0.05	0.51 ±0.03	0.54 ±0.01	0.54 ±0.02	0.54 ±0.02	**0.98 ±0.01**	0.67 ±0.05
Twitter16	0.68 ±0.03	0.46 ±0.01	0.53 ±0.04	0.51 ±0.00	0.51 ±0.02	0.66 ±0.03	**0.97 ±0.02**

Table S4: TFIDF-LR, macro-F1 at $t = 0.5$ (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**0.99 ±0.00**	0.54 ±0.01	0.50 ±0.03	0.21 ±0.01	0.44 ±0.03	0.36 ±0.03	0.40 ±0.06
WELFake	0.75 ±0.01	**0.95 ±0.00**	0.35 ±0.03	0.20 ±0.00	0.34 ±0.01	0.34 ±0.00	0.31 ±0.00
PolitiFact	0.46 ±0.03	0.32 ±0.01	**0.81 ±0.02**	0.46 ±0.02	0.50 ±0.01	0.52 ±0.05	0.37 ±0.03
GossipCop	0.37 ±0.02	0.38 ±0.01	0.43 ±0.04	**0.76 ±0.00**	0.37 ±0.01	0.37 ±0.02	0.39 ±0.05
LIAR	0.52 ±0.03	0.54 ±0.03	0.49 ±0.02	0.48 ±0.01	**0.63 ±0.01**	0.46 ±0.03	0.48 ±0.05
Twitter15	0.54 ±0.05	0.44 ±0.03	0.50 ±0.03	0.45 ±0.06	0.51 ±0.03	**0.93 ±0.03**	0.57 ±0.04
Twitter16	0.51 ±0.12	0.39 ±0.07	0.45 ±0.07	0.40 ±0.08	0.45 ±0.06	0.58 ±0.03	**0.92 ±0.03**

Table S5: TFIDF-SVM, ROC-AUC (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**1.00 ±0.00**	0.72 ±0.01	0.71 ±0.02	0.50 ±0.02	0.55 ±0.01	0.52 ±0.07	0.68 ±0.10
WELFake	0.85 ±0.01	**0.99 ±0.00**	0.66 ±0.02	0.52 ±0.02	0.53 ±0.02	0.56 ±0.03	0.61 ±0.06
PolitiFact	0.80 ±0.02	0.45 ±0.02	**0.89 ±0.02**	0.52 ±0.02	0.51 ±0.01	0.52 ±0.04	0.39 ±0.05
GossipCop	0.48 ±0.04	0.50 ±0.06	0.59 ±0.03	**0.87 ±0.01**	0.54 ±0.02	0.63 ±0.00	0.48 ±0.04
LIAR	0.58 ±0.04	0.63 ±0.02	0.51 ±0.02	0.55 ±0.02	**0.70 ±0.01**	0.49 ±0.03	0.47 ±0.05
Twitter15	0.58 ±0.06	0.50 ±0.04	0.52 ±0.01	0.53 ±0.02	0.54 ±0.02	**0.98 ±0.01**	0.64 ±0.06
Twitter16	0.68 ±0.03	0.46 ±0.01	0.53 ±0.04	0.51 ±0.01	0.51 ±0.02	0.66 ±0.02	**0.96 ±0.01**

Table S6: TFIDF-SVM, macro-F1 at $t = 0.5$ (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**0.99 ±0.00**	0.53 ±0.02	0.42 ±0.03	0.20 ±0.01	0.40 ±0.03	0.35 ±0.01	0.34 ±0.03
WELFake	0.77 ±0.01	**0.96 ±0.00**	0.37 ±0.01	0.21 ±0.00	0.36 ±0.02	0.34 ±0.01	0.31 ±0.00
PolitiFact	0.45 ±0.03	0.32 ±0.01	**0.81 ±0.03**	0.47 ±0.02	0.50 ±0.01	0.53 ±0.04	0.39 ±0.05
GossipCop	0.37 ±0.02	0.37 ±0.01	0.41 ±0.03	**0.76 ±0.00**	0.37 ±0.01	0.37 ±0.02	0.40 ±0.05
LIAR	0.51 ±0.02	0.54 ±0.02	0.50 ±0.02	0.48 ±0.01	**0.64 ±0.01**	0.47 ±0.02	0.49 ±0.04
Twitter15	0.53 ±0.06	0.45 ±0.04	0.49 ±0.03	0.44 ±0.06	0.51 ±0.03	**0.93 ±0.03**	0.56 ±0.03
Twitter16	0.52 ±0.09	0.39 ±0.05	0.46 ±0.06	0.41 ±0.06	0.46 ±0.04	0.59 ±0.03	**0.91 ±0.02**

Table S7: NB-SVM, ROC-AUC (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**1.00 ±0.00**	0.54 ±0.01	0.70 ±0.02	0.46 ±0.01	0.54 ±0.02	0.54 ±0.05	0.59 ±0.11
WELFake	0.89 ±0.01	**0.99 ±0.00**	0.64 ±0.02	0.51 ±0.01	0.53 ±0.02	0.55 ±0.02	0.63 ±0.05
PolitiFact	0.75 ±0.02	0.41 ±0.01	**0.90 ±0.01**	0.50 ±0.01	0.50 ±0.01	0.49 ±0.03	0.38 ±0.02
GossipCop	0.38 ±0.02	0.62 ±0.05	0.48 ±0.05	**0.86 ±0.01**	0.55 ±0.02	0.66 ±0.03	0.54 ±0.07
LIAR	0.61 ±0.05	0.54 ±0.02	0.53 ±0.04	0.53 ±0.01	**0.68 ±0.01**	0.40 ±0.07	0.43 ±0.06
Twitter15	0.63 ±0.03	0.40 ±0.03	0.56 ±0.02	0.53 ±0.02	0.52 ±0.01	**0.98 ±0.01**	0.63 ±0.06
Twitter16	0.62 ±0.04	0.42 ±0.04	0.56 ±0.04	0.50 ±0.01	0.51 ±0.01	0.65 ±0.04	**0.97 ±0.01**

Table S8: NB-SVM, macro-F1 at $t = 0.5$ (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**1.00 ±0.00**	0.32 ±0.00	0.30 ±0.00	0.19 ±0.00	0.31 ±0.00	0.34 ±0.00	0.31 ±0.00
WELFake	0.81 ±0.02	**0.96 ±0.00**	0.31 ±0.01	0.19 ±0.00	0.31 ±0.00	0.34 ±0.00	0.31 ±0.00
PolitiFact	0.41 ±0.04	0.32 ±0.01	**0.81 ±0.03**	0.47 ±0.01	0.50 ±0.01	0.50 ±0.05	0.39 ±0.03
GossipCop	0.38 ±0.01	0.39 ±0.01	0.43 ±0.04	**0.75 ±0.01**	0.38 ±0.01	0.40 ±0.04	0.42 ±0.05
LIAR	0.57 ±0.04	0.52 ±0.01	0.53 ±0.02	0.51 ±0.01	**0.62 ±0.01**	0.41 ±0.07	0.45 ±0.05
Twitter15	0.45 ±0.05	0.36 ±0.04	0.41 ±0.08	0.33 ±0.10	0.43 ±0.04	**0.92 ±0.03**	0.57 ±0.05
Twitter16	0.50 ±0.05	0.40 ±0.06	0.41 ±0.13	0.34 ±0.10	0.42 ±0.06	0.59 ±0.06	**0.91 ±0.03**

Table S9: GLOVE-LR, ROC-AUC (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**0.99 ±0.00**	0.70 ±0.01	0.73 ±0.02	0.48 ±0.01	0.55 ±0.02	0.53 ±0.05	0.69 ±0.03
WELFake	0.81 ±0.01	**0.89 ±0.01**	0.62 ±0.04	0.53 ±0.01	0.53 ±0.02	0.59 ±0.02	0.61 ±0.06
PolitiFact	0.72 ±0.02	0.53 ±0.01	**0.90 ±0.01**	0.56 ±0.01	0.49 ±0.01	0.46 ±0.02	0.36 ±0.03
GossipCop	0.27 ±0.02	0.50 ±0.02	0.55 ±0.03	**0.78 ±0.01**	0.60 ±0.00	0.61 ±0.03	0.50 ±0.08
LIAR	0.61 ±0.06	0.63 ±0.02	0.49 ±0.04	0.65 ±0.01	**0.67 ±0.01**	0.53 ±0.04	0.51 ±0.09
Twitter15	0.54 ±0.03	0.65 ±0.01	0.56 ±0.02	0.49 ±0.02	0.52 ±0.01	**0.91 ±0.01**	0.65 ±0.04
Twitter16	0.67 ±0.04	0.61 ±0.02	0.46 ±0.07	0.51 ±0.02	0.46 ±0.02	0.62 ±0.05	**0.91 ±0.02**

Table S10: GLOVE-LR, macro-F1 at $t = 0.5$ (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**0.95 ±0.00**	0.57 ±0.01	0.66 ±0.02	0.23 ±0.00	0.52 ±0.01	0.40 ±0.02	0.51 ±0.05
WELFake	0.68 ±0.01	**0.82 ±0.01**	0.58 ±0.02	0.44 ±0.01	0.53 ±0.02	0.54 ±0.04	0.43 ±0.06
PolitiFact	0.64 ±0.04	0.47 ±0.03	**0.84 ±0.03**	0.30 ±0.04	0.49 ±0.01	0.43 ±0.01	0.34 ±0.05
GossipCop	0.35 ±0.00	0.37 ±0.00	0.41 ±0.03	**0.63 ±0.02**	0.40 ±0.01	0.35 ±0.03	0.37 ±0.03
LIAR	0.56 ±0.05	0.56 ±0.04	0.46 ±0.04	0.36 ±0.03	**0.61 ±0.02**	0.44 ±0.05	0.39 ±0.06
Twitter15	0.40 ±0.02	0.40 ±0.03	0.51 ±0.03	0.44 ±0.02	0.44 ±0.03	**0.83 ±0.03**	0.57 ±0.06
Twitter16	0.59 ±0.03	0.48 ±0.02	0.45 ±0.06	0.49 ±0.01	0.37 ±0.01	0.58 ±0.05	**0.81 ±0.03**

Table S11: STYLE-GB, ROC-AUC (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**1.00 ±0.00**	0.79 ±0.02	0.61 ±0.07	0.51 ±0.02	0.55 ±0.02	0.53 ±0.05	0.62 ±0.04
WELFake	0.94 ±0.01	**0.95 ±0.00**	0.48 ±0.05	0.51 ±0.02	0.52 ±0.02	0.58 ±0.04	0.63 ±0.06
PolitiFact	0.64 ±0.04	0.47 ±0.05	**0.79 ±0.01**	0.53 ±0.01	0.49 ±0.01	0.45 ±0.07	0.40 ±0.05
GossipCop	0.40 ±0.05	0.43 ±0.03	0.54 ±0.05	**0.66 ±0.01**	0.55 ±0.02	0.44 ±0.05	0.48 ±0.12
LIAR	0.48 ±0.06	0.61 ±0.07	0.46 ±0.04	0.53 ±0.01	**0.59 ±0.01**	0.55 ±0.03	0.51 ±0.04
Twitter15	0.57 ±0.07	0.60 ±0.06	0.46 ±0.06	0.47 ±0.01	0.50 ±0.02	**0.60 ±0.07**	0.53 ±0.07
Twitter16	0.65 ±0.11	0.51 ±0.04	0.47 ±0.05	0.48 ±0.03	0.50 ±0.03	0.49 ±0.05	**0.63 ±0.07**

Table S12: STYLE-GB, macro-F1 at $t = 0.5$ (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**0.99 ±0.00**	0.72 ±0.02	0.34 ±0.07	0.20 ±0.03	0.35 ±0.04	0.35 ±0.01	0.33 ±0.02
WELFake	0.84 ±0.03	**0.87 ±0.01**	0.32 ±0.01	0.21 ±0.01	0.47 ±0.03	0.39 ±0.05	0.38 ±0.04
PolitiFact	0.47 ±0.03	0.43 ±0.01	**0.72 ±0.02**	0.48 ±0.01	0.47 ±0.01	0.47 ±0.06	0.42 ±0.07
GossipCop	0.39 ±0.06	0.41 ±0.05	0.41 ±0.01	**0.54 ±0.01**	0.40 ±0.02	0.35 ±0.03	0.37 ±0.03
LIAR	0.39 ±0.01	0.40 ±0.01	0.44 ±0.04	0.38 ±0.01	**0.49 ±0.03**	0.44 ±0.03	0.44 ±0.06
Twitter15	0.49 ±0.08	0.51 ±0.05	0.39 ±0.03	0.34 ±0.05	0.48 ±0.01	**0.56 ±0.04**	0.53 ±0.07
Twitter16	0.52 ±0.10	0.48 ±0.03	0.44 ±0.05	0.35 ±0.06	0.50 ±0.02	0.46 ±0.06	**0.59 ±0.05**

Table S13: ROBERTA-LR, ROC-AUC (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**1.00 ±0.00**	0.72 ±0.04	0.55 ±0.01	0.49 ±0.01	0.52 ±0.05	0.52 ±0.02	0.53 ±0.05
WELFake	0.93 ±0.01	**0.96 ±0.00**	0.47 ±0.04	0.47 ±0.05	0.46 ±0.03	0.62 ±0.03	0.58 ±0.07
PolitiFact	0.78 ±0.04	0.60 ±0.03	**0.90 ±0.02**	0.55 ±0.01	0.49 ±0.03	0.47 ±0.03	0.48 ±0.08
GossipCop	0.64 ±0.08	0.41 ±0.05	0.61 ±0.03	**0.77 ±0.04**	0.55 ±0.03	0.45 ±0.05	0.51 ±0.06
LIAR	0.66 ±0.10	0.51 ±0.09	0.61 ±0.08	0.51 ±0.03	**0.61 ±0.03**	0.49 ±0.02	0.54 ±0.04
Twitter15	0.39 ±0.06	0.56 ±0.05	0.48 ±0.06	0.53 ±0.07	0.49 ±0.04	**0.85 ±0.04**	0.57 ±0.07
Twitter16	0.61 ±0.08	0.57 ±0.03	0.42 ±0.03	0.50 ±0.03	0.45 ±0.06	0.55 ±0.05	**0.93 ±0.01**

Table S14: ROBERTA-LR, macro-F1 at $t = 0.5$ (rows: training corpus; columns: test corpus; mean ± s.d. over five seeds).

	ISOT	WELFake	PolitiFact	GossipCop	LIAR	Tw15	Tw16
ISOT	**0.99 ±0.01**	0.56 ±0.03	0.37 ±0.01	0.20 ±0.01	0.51 ±0.03	0.42 ±0.01	0.44 ±0.06
WELFake	0.79 ±0.04	**0.89 ±0.01**	0.41 ±0.04	0.28 ±0.07	0.46 ±0.03	0.41 ±0.04	0.35 ±0.02
PolitiFact	0.50 ±0.07	0.42 ±0.05	**0.83 ±0.03**	0.42 ±0.03	0.48 ±0.04	0.42 ±0.03	0.36 ±0.03
GossipCop	0.49 ±0.09	0.42 ±0.02	0.46 ±0.03	**0.58 ±0.05**	0.46 ±0.06	0.36 ±0.03	0.38 ±0.04
LIAR	0.55 ±0.11	0.51 ±0.04	0.56 ±0.10	0.40 ±0.03	**0.55 ±0.03**	0.46 ±0.01	0.54 ±0.04
Twitter15	0.42 ±0.05	0.53 ±0.03	0.46 ±0.04	0.49 ±0.05	0.42 ±0.05	**0.75 ±0.02**	0.54 ±0.07
Twitter16	0.52 ±0.13	0.49 ±0.10	0.44 ±0.03	0.38 ±0.07	0.40 ±0.02	0.52 ±0.05	**0.85 ±0.03**

S3.2 Per-cell decomposition

Table S15: Per-cell transfer gap decomposition, TFIDF-LR, mean of five seeds (macro-F1 points). Gap = target in-domain F1 minus transfer F1 at $t = 0.5$ = ranking + threshold + prior; "difficulty" is source minus target in-domain F1; "EM" is the change produced by EM prior adaptation.

Source	Target	Gap	Ranking	Threshold	Prior	Difficulty	EM
GossipCop	ISOT	0.620	0.497	0.003	0.121	-0.230	-0.009
GossipCop	LIAR	0.263	0.091	0.006	0.166	0.127	-0.009
GossipCop	PolitiFact	0.382	0.213	0.018	0.151	-0.049	-0.055
GossipCop	Twitter15	0.555	0.306	0.038	0.211	-0.168	-0.043
GossipCop	Twitter16	0.527	0.391	0.076	0.059	-0.161	-0.028
GossipCop	WELFake	0.575	0.454	0.005	0.116	-0.193	-0.012
ISOT	GossipCop	0.550	0.268	0.005	0.277	0.230	-0.020
ISOT	LIAR	0.187	0.086	0.005	0.095	0.357	-0.135
ISOT	PolitiFact	0.310	0.126	0.026	0.158	0.181	-0.195
ISOT	Twitter15	0.567	0.371	0.029	0.166	0.062	-0.021
ISOT	Twitter16	0.518	0.254	0.046	0.219	0.069	-0.086
ISOT	WELFake	0.411	0.312	0.003	0.096	0.038	-0.087
LIAR	GossipCop	0.279	0.233	0.005	0.041	-0.127	-0.292
LIAR	ISOT	0.471	0.426	0.003	0.042	-0.357	-0.131
LIAR	PolitiFact	0.313	0.271	0.019	0.022	-0.176	-0.191
LIAR	Twitter15	0.461	0.419	0.040	0.002	-0.294	-0.127
LIAR	Twitter16	0.438	0.379	0.055	0.004	-0.287	-0.167
LIAR	WELFake	0.410	0.352	0.003	0.055	-0.319	-0.176
PolitiFact	GossipCop	0.294	0.241	0.004	0.049	0.049	-0.177
PolitiFact	ISOT	0.531	0.246	0.003	0.282	-0.181	-0.141
PolitiFact	LIAR	0.135	0.123	0.007	0.005	0.176	-0.018
PolitiFact	Twitter15	0.406	0.386	0.046	-0.027	-0.119	-0.179
PolitiFact	Twitter16	0.551	0.458	0.026	0.067	-0.112	-0.048
PolitiFact	WELFake	0.632	0.466	0.005	0.161	-0.143	-0.019
Twitter15	GossipCop	0.308	0.223	0.003	0.083	0.168	-0.060
Twitter15	ISOT	0.446	0.386	0.005	0.054	-0.062	-0.189
Twitter15	LIAR	0.123	0.099	0.006	0.018	0.294	-0.060
Twitter15	PolitiFact	0.308	0.256	0.027	0.025	0.119	-0.102
Twitter15	Twitter16	0.347	0.273	0.048	0.025	0.007	-0.020
Twitter15	WELFake	0.509	0.435	0.003	0.071	-0.025	-0.137
Twitter16	GossipCop	0.356	0.251	0.004	0.101	0.161	-0.080
Twitter16	ISOT	0.477	0.356	0.002	0.118	-0.069	-0.082
Twitter16	LIAR	0.182	0.116	0.009	0.056	0.287	-0.067
Twitter16	PolitiFact	0.358	0.240	0.031	0.087	0.112	-0.050
Twitter16	Twitter15	0.346	0.294	0.041	0.011	-0.007	-0.030
Twitter16	WELFake	0.564	0.477	0.006	0.081	-0.032	-0.056
WELFake	GossipCop	0.560	0.246	0.003	0.311	0.193	-0.011
WELFake	ISOT	0.235	0.223	0.002	0.010	-0.038	-0.011
WELFake	LIAR	0.290	0.105	0.005	0.180	0.319	-0.036

Source	Target	Gap	Ranking	Threshold	Prior	Difficulty	EM
WELFake	PolitiFact	0.458	0.182	0.014	0.262	0.143	-0.043
WELFake	Twitter15	0.588	0.340	0.028	0.221	0.025	+0.001
WELFake	Twitter16	0.606	0.296	0.043	0.267	0.032	+0.001

S3.3 Per-cell operating points

Table S16: Per-cell macro-F1 under each operating point, TFIDF-LR, mean of five seeds.

Source	Target	$t = 0.5$	EM	rank	0.5 rate	GMM	π_B	oracle
GossipCop	ISOT	0.368	0.360	0.460	0.487	0.487	0.489	0.492
GossipCop	LIAR	0.368	0.359	0.512	0.530	0.520	0.535	0.541
GossipCop	PolitiFact	0.425	0.370	0.552	0.573	0.529	0.576	0.595
GossipCop	Twitter15	0.371	0.328	0.552	0.578	0.579	0.582	0.620
GossipCop	Twitter16	0.392	0.364	0.485	0.457	0.465	0.452	0.528
GossipCop	WELFake	0.376	0.364	0.474	0.493	0.493	0.492	0.497
ISOT	GossipCop	0.208	0.188	0.466	0.456	0.422	0.485	0.490
ISOT	LIAR	0.444	0.310	0.539	0.537	0.540	0.540	0.545
ISOT	PolitiFact	0.497	0.302	0.658	0.667	0.562	0.655	0.681
ISOT	Twitter15	0.359	0.338	0.545	0.530	0.499	0.526	0.555
ISOT	Twitter16	0.401	0.314	0.620	0.624	0.593	0.620	0.665
ISOT	WELFake	0.539	0.452	0.636	0.633	0.629	0.635	0.638
LIAR	GossipCop	0.479	0.188	0.501	0.487	0.402	0.521	0.526
LIAR	ISOT	0.518	0.387	0.559	0.560	0.553	0.560	0.563
LIAR	PolitiFact	0.495	0.303	0.519	0.502	0.475	0.517	0.536
LIAR	Twitter15	0.465	0.338	0.468	0.465	0.443	0.466	0.507
LIAR	Twitter16	0.481	0.314	0.492	0.491	0.375	0.485	0.540
LIAR	WELFake	0.541	0.364	0.597	0.592	0.577	0.596	0.599
PolitiFact	GossipCop	0.464	0.287	0.491	0.474	0.480	0.514	0.517
PolitiFact	ISOT	0.457	0.316	0.739	0.733	0.714	0.739	0.742
PolitiFact	LIAR	0.497	0.478	0.501	0.501	0.498	0.502	0.509
PolitiFact	Twitter15	0.520	0.342	0.489	0.486	0.492	0.493	0.540
PolitiFact	Twitter16	0.368	0.320	0.438	0.418	0.432	0.435	0.461
PolitiFact	WELFake	0.319	0.300	0.479	0.469	0.415	0.480	0.484
Twitter15	GossipCop	0.450	0.390	0.476	0.479	0.513	0.533	0.535
Twitter15	ISOT	0.542	0.353	0.592	0.594	0.588	0.597	0.602
Twitter15	LIAR	0.509	0.448	0.527	0.528	0.525	0.526	0.532
Twitter15	PolitiFact	0.499	0.398	0.536	0.538	0.501	0.524	0.551
Twitter15	Twitter16	0.572	0.553	0.600	0.602	0.517	0.597	0.646
Twitter15	WELFake	0.442	0.305	0.503	0.505	0.493	0.512	0.515
Twitter16	GossipCop	0.402	0.322	0.472	0.462	0.426	0.503	0.507
Twitter16	ISOT	0.511	0.429	0.630	0.628	0.603	0.630	0.632
Twitter16	LIAR	0.450	0.383	0.506	0.503	0.506	0.506	0.516
Twitter16	PolitiFact	0.449	0.399	0.528	0.527	0.511	0.536	0.568
Twitter16	Twitter15	0.580	0.549	0.595	0.590	0.562	0.591	0.631
Twitter16	WELFake	0.387	0.331	0.465	0.463	0.414	0.468	0.473

Source	Target	$t = 0.5$	EM	rank	0.5 rate	GMM	π_B	oracle
WELFake	GossipCop	0.198	0.188	0.491	0.474	0.366	0.509	0.512
WELFake	ISOT	0.753	0.742	0.762	0.759	0.757	0.763	0.765
WELFake	LIAR	0.341	0.305	0.521	0.520	0.490	0.521	0.526
WELFake	PolitiFact	0.349	0.306	0.610	0.603	0.407	0.612	0.625
WELFake	Twitter15	0.338	0.338	0.547	0.557	0.543	0.558	0.586
WELFake	Twitter16	0.313	0.314	0.584	0.574	0.535	0.580	0.623

S3.4 Learning curves

Table S17: Learning curves: in-domain ROC-AUC of TFIDF-LR trained on n items (mean of five seeds).

Corpus	32	64	128	256	512	1024	2048	4096
ISOT	0.973	0.983	0.988	0.991	0.994	0.996	0.998	0.999
WELFake	0.850	0.894	0.927	0.941	0.956	0.968	0.977	0.984
PolitiFact	0.653	0.742	0.799	0.850	0.885	–	–	–
GossipCop	0.563	0.610	0.651	0.723	0.767	0.803	0.832	0.850
LIAR	0.568	0.567	0.585	0.607	0.631	0.654	0.671	0.691
Twitter15	0.670	0.793	0.897	0.962	–	–	–	–
Twitter16	0.810	0.890	0.949	–	–	–	–	–
PHEME	0.657	0.734	0.784	0.838	0.858	0.888	0.912	–
ClickbaitEN	0.823	0.864	0.916	0.945	0.967	0.979	0.987	0.991

S3.5 Vocabulary ablation

Table S18: Vocabulary and n-gram ablation (TFIDF-LR, ROC-AUC, three seeds).

Train	Features	In-domain	Pair	All targets
ISOT	word(1, 1)-1000	0.999	0.703	0.604
ISOT	word(1, 1)-5000	0.999	0.677	0.613
ISOT	word(1, 1)-20000	0.998	0.679	0.614
ISOT	word(1, 2)-100000	0.998	0.675	0.614
ISOT	word(1, 3)-200000	0.998	0.663	0.609
ISOT	char(3, 5)-100000	1.000	0.734	0.620
WELFake	word(1, 1)-1000	0.975	0.783	0.608
WELFake	word(1, 1)-5000	0.980	0.811	0.615
WELFake	word(1, 1)-20000	0.982	0.813	0.624
WELFake	word(1, 2)-100000	0.981	0.823	0.627
WELFake	word(1, 3)-200000	0.981	0.819	0.624
WELFake	char(3, 5)-100000	0.988	0.811	0.608

Table S19: BanglaBait leave-one-publisher-out (character 3–5-gram LR on titles): each row is a held-out publisher.

Publisher	n	clickbait rate	accuracy	AUC	predicted rate
twentyfourbd.com	2,584	0.37	0.674	0.709	0.35
topdhaka.com	1,732	0.46	0.735	0.819	0.29
rtvonline.com	1,071	0.07	0.920	0.882	0.08
nbtimes24.com	967	0.23	0.775	0.715	0.08
kureghornews.com	950	0.36	0.786	0.833	0.20
newzcitizen.com	907	0.34	0.750	0.799	0.30
authoritynewz.com	842	0.40	0.678	0.706	0.35
citynewszet.com	841	0.46	0.772	0.854	0.48
thebasenewz.com	724	0.66	0.715	0.841	0.46
newzauthority.com	531	0.47	0.627	0.704	0.29
newsholder21.com	453	0.25	0.792	0.751	0.16
somoynews.tv	414	0.09	0.908	0.813	0.06
techzoom.tv	375	0.13	0.864	0.787	0.01
kalerkantho.com	321	0.11	0.879	0.797	0.10
channeldhaka.news	321	0.12	0.869	0.783	0.15
earki.com	280	0.30	0.782	0.793	0.26
motikontho.wordpress.com	195	0.08	0.918	0.651	0.01
bengalbeats.com	192	0.19	0.891	0.911	0.18
other (<100 items each)	180	0.51	0.789	0.889	0.37
beanibazarview24.com	161	0.32	0.764	0.787	0.19

S3.6 Bengali: per-publisher results

S4 Additional figures

S5 Code map

`src/prep.py`	corpora, label harmonisation, deduplication, cross-corpus flags
`src/label_probe.py`	label-direction probes
`src/transfer.py`	transfer matrices (5 models × 3 regimes × 5 seeds)
`src/roberta.py`	RoBERTa representations and paired TF-IDF baseline
`src/mechanism.py`	style, group, learning-curve, top-K, masking, topic, PAD, weights, vocabulary
`src/fix.py`	leave-one-corpus-out repairs
`src/bangla.py`	BanglaBait replication, leave-one-publisher-out, translate-test
`src/analysis.py`, `analysis_extra.py`	aggregation, intervals, decomposition, tests
`src/figures.py`, `paper_numbers.py`	every figure, number and table

References

Marco Saerens, Patrice Latinne, and Christine Decaestecker. Adjusting the outputs of a classifier to new a priori probabilities: A simple procedure. *Neural Computation*, 14(1):21–41, 2002. doi: 10.1162/089976602753284446.




Figure S1: Left: macro-F1 at $t = 0.5$ for TFIDF-LR. Right: ROC-AUC for frozen RoBERTa representations on the 1,500-item subsets.




Figure S2: ROC curves (seed 0) for models trained on ISOT and WELFake, in-domain and on four other corpora.




Figure S3: Left: in-domain learning curves. Right: proxy $\mathcal{A}$-distance between corpora against transfer AUC (Spearman $\rho = -0.01$).




Figure S4: Top-K feature deletion: in-domain and transfer AUC as the K highest-weight features are removed.




Figure S5: Leave-one-corpus-out repairs: mean over held-out corpora and seeds.