

FD شركة نفط أبوظبي المحدودة (البيدي) Abu Dhabi Oil Co., Ltd (Jopco)								DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS					
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002								Rev. 1	LINE LIST FOR MUBARRAZ ISLAND																Date:	06/02/2026							
LINE NUMBER						INSULATION			SERVICE INFORMATION					OPERATING		DESIGN					TEST		FABRICATION & INSTALLATION							OTHER			
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO				FLUID SERVICE	FLUID PHASE	DENSITY(LIQ / MW (Vap)	OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX		DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	WACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)		NDE (MT / PT)	Rho V2 (lb/in ²)
	(inch)							(mm)			P&ID NO			(kg/m ³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig									REV. No.		
MUBARRAZ ISLAND																																	
1	6	CD	8183	AC3N	-	-	-	-	30 inch Pipeline	12"-PL-AC3N-8114	PJ6-EXD-MRI-BQDA-0022, PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
2	4	CD	8184	AC3N	-	-	-	-	6"-CD-AC3N-8183	4"-CD-AC3N-8251	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
3	2	PL	8101	DC3N	-	-	-	-	30 inch Pipeline	SDV-8002-TF	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL	MULTI PHASE	712 - 801	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
4	2	PL	8102	DC3N	-	-	-	-	SDV-8002-TF	30 inch Pipeline	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL	MULTI PHASE	712 - 801	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
5	20	PL	8106	DC3N	-	-	-	-	30 inch Pipeline	MRD Oil Slug Catcher V-803-TF	PJ6-EXD-MRI-BQDA-0022, PJ6-EXD-MRI-BQDA-0023	CRUDE OIL	MULTI PHASE	712 - 801	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
6	3/4	PL	8118	DC3N	-	-	-	-	20"-PL-DC3N-8106	SC-8001-TF	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL	MULTI PHASE	712 - 801	150	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
7	3/4	CD	8263	AC3N	-	-	-	-	SC-8001-TF	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0022, PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
8	2	CD	8255	AC3N	-	-	-	-	20"-PL-DC3N-8106	4"-CD-AC3N-8184	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
9	2	CD	8254	AC3N	-	-	-	-	30 inch Pipeline	4"-CD-AC3N-8184	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
10	4	CD	8264	AC3N	-	-	-	-	MRD Oil Pig Receiver V-805-TF	4"-CD-AC3N-8184	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
11	4	PL	8108	DC3N	-	-	-	-	MRD Oil Pig Receiver V-805-TF	14"-PL-DC3N-8107	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
12	14	PL	8107	DC3N	-	-	-	-	MRD Oil Pig Receiver V-805-TF	20"-PL-DC3N-8106	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL	MULTI PHASE	712 - 801	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
13	2	CD	8252	AC3N	-	-	-	-	14"-PL-DC3N-8107	4"-CD-AC3N-8184	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
14	4	PL	8110	DC3N	-	-	-	-	MRD Oil Pig Receiver V-805-TF	4"-CD-AC3N-8251	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL	MULTI PHASE	712 - 801	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
15	2	OD	8101	AC3	-	-	-	-	4"-PL-DC3N-8110	PIT	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	ATM	60 - 105	125	-	259	36	NO	187.5	WATER	No	NO	A-14	10%	10%					
16	2	OD	8102	AC3	-	-	-	-	DRIP TRAY	PIT	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	ATM	60 - 105	125	-	259	36	NO	187.5	WATER	No	NO	A-14	10%	10%					
17	4	CD	8251	AC3N	-	-	-	-	4"-PL-DC3N-8110	4"-CD-AC3N-8256	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%					
18	4	CD	8256	AC3N	-	-	-	-	4"-CD-AC3N-8251	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0022, PJ6-EXD-MRI-BQDA-0009	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%					
19	2	PL	8103	DC3N	-	-	-	-	UTILITY CONNECTION	MRD Oil Pig Receiver V-805-TF	PJ6-EXD-MRI-BQDA-0022	NITROGEN / WATER	GAS / LIQUID	N2 DENSITY: 12.21 / N2 MW : 28 WATER DENSITY 1000	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					
20	3	PL	8104	DC3N	-	-	-	-	MRD Oil Pig Receiver V-805-TF	PSV-8001-TF	PJ6-EXD-MRI-BQDA-0022	HYDROCARBON VAPOR	GAS	MW - 33 DENSITY - 17.22	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%					

 شركة نفط أبوظبي المحدودة (البيدر) Abu Dhabi Oil Co., Ltd (Japan)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																							AREJLERS							
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002										Rev. 1	LINE LIST FOR MUBARRAZ ISLAND																	Date:	06/02/2026											
			LINE NUMBER				INSULATION			SERVICE INFORMATION											OPERATING		DESIGN						TEST		FABRICATION & INSTALLATION							OTHER		
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO	P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(Lb/l) / MW (VAP)	OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho V2 (lb/ft ²)	NOTES	REV. No.									
	(inch)							(mm)						(kg/m ³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig																		
MUBARRAZ ISLAND																																								
21	4	FL	8109	AC6N	-	-	-	-	PSV-8001-TF	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0022, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 33 DENSITY - 3.875	20	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%	13412	Note 2,3										
22	2	PL	8105	DC3N	-	-	-	-	MRD Oil Pig Receiver V-805-TF	2"-FL-AC6N-8110	PJ6-EXD-MRI-BQDA-0022	HYDROCARBON VAPOR	GAS	MW - 33 DENSITY - 17.22	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%												
23	2	FL	8110	AC6N	-	-	-	-	2"-PL-DC3N-8105	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0022, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 33 DENSITY - 3.875	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%												
24	2	PL	8701	DC3N	-	-	-	-	14"-PL-DC3N-8107 (K2 UPSTREAM)	14"-PL-DC3N-8107 (K2 DOWNSTREAM)	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL	MULTI PHASE	712 - 801	170	60 - 105	600	FV	259	36	NO	900	WATER	YES	YES	A-14	100%	100%												
25	2	CD	8714	AC3N	-	-	-	-	20"-PL-DC3N-8106	4"-CD-AC3N-8184	PJ6-EXD-MRI-BQDA-0022	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	712 - 801	3 - 10	60 - 105	125	FV	185	36	NO	187.5	WATER	YES	YES	A-14	100%	100%												
26	4	SG	8109	AC3N	-	-	-	-	MRD Oil Slug Catcher V-803-TF	BDV-8001-TF	PJ6-EXD-MRI-BQDA-0023	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
27	4	SG	8108	AC3N	-	-	-	-	MRD Oil Slug Catcher V-803-TF	4"-SG-AC3N-8111	PJ6-EXD-MRI-BQDA-0023	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
28	4	SG	8111	AC3N	-	-	-	-	4"-SG-AC3N-8108	PSV-8002-TF / PSV-8003-TF	PJ6-EXD-MRI-BQDA-0023	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
29	6	FL	8112	AC6N	-	-	-	-	PSV-8002-TF / PSV-8003-TF	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3.47	1.4-12.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%	22254	Note 2,3										
30	2	SG	8110	AC3N	-	-	-	-	4"-SG-AC3N-8108	2"-FL-AC6N-8128	PJ6-EXD-MRI-BQDA-0023	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
31	2	FL	8128	AC6N	-	-	-	-	2"-SG-AC3N-8110	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%												
32	8	FL	8114	AC6N	-	-	-	-	BDV-8001-TF	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3.47	1.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%												
33	6	SG	8112	AC3N	-	-	-	-	MRD Oil Slug Catcher V-803-TF	10"-SG-AC3N-8122	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	45	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
34	6	FL	8115	AC6N	-	-	-	-	PCV-8004A-TF	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3.47	1.4-8.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%	854	Note 2,3										
35	6	SG	8113	AC3N	-	-	-	-	6"-SG-AC3N-8112	6"-FL-AC6N-8115	PJ6-EXD-MRI-BQDA-0023	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
36	4	CD	8110	AC3N	-	-	-	-	MRD Oil Slug Catcher V-803-TF	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%												
37	12	PL	8113	AC3N	-	-	-	-	MRD Oil Slug Catcher V-803-TF	12"-PL-AC3N-8114	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL	MULTI PHASE	955 - 996	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
38	12	PL	8114	AC3N	-	-	-	-	12"-PL-AC3N-8113	MRD Three Phase Separator V-804-TF	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0024	CRUDE OIL	MULTI PHASE	925 - 954	110	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
39	4	CD	8107	AC3N	-	-	-	-	4"-CD-AC3N-8256	6"-DC-A59AN-5054 (TP-623A/B)	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0009	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%												
40	20	PL	8700	AC3N	-	-	-	-	20"-PL-AC3N-8106	MRD Oil Slug Catcher V-803-TF	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL	MULTI PHASE	712 - 801	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												
41	1	SG	8701	AC3N	-	-	-	-	6"-SG-AC3N-8113	1"-FL-AC6N-8706	PJ6-EXD-MRI-BQDA-0023	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%												

 AD شركة نفط أبوظبي المحدودة (أبوظبي) Abu Dhabi Oil Co., Ltd (Uapen)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				JREJLERS								
COMPANY DOC NO: PJ6-EXD-GEN-BZ0L-0002										Rev. 1		LINE LIST FOR MUBARRAZ ISLAND																		Date: 06/02/2026								
		LINE NUMBER					INSULATION			SERVICE INFORMATION										OPERATING		DESIGN						TEST		FABRICATION & INSTALLATION							OTHER	
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVIATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO	PKID NO	FLUID SERVICE	FLUID PHASE	DENSITY (LB / IN ³)	OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho V2 (lb/in ³)	NOTES	REV. No.							
	(inch)							(mm)						(kg/m ³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig																
MUBARRAZ ISLAND																																						
42	1	SG	8702	AC3N	-	-	-	-	6"-SG-AC3N-8112	1"-FL-AC6N-8707	PJ6-EXD-MRI-BQDA-0023	SOUR GAS	GAS	MW - 21 - 24 DENSITY - 8.2	150	60 - 105	195	FV	185	-13.2	NO	292.5	WATER	YES	YES	A-14	100%	100%										
43	1	FL	8706	AC6N	-	-	-	-	1"-SG-AC3N-8701	1"-FL-AC6N-8707	PJ6-EXD-MRI-BQDA-0023	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%										
44	1	FL	8707	AC6N	-	-	-	-	1"-SG-AC3N-8702	6"-FL-AC6N-8112	PJ6-EXD-MRI-BQDA-0023	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%										
45	1	FL	8708	AC6N	-	-	-	-	V-803-TF -Level Measuring Instruments	2"-FL-AC6N-8128	PJ6-EXD-MRI-BQDA-0023	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%										
46	2	CD	8703	AC3N	-	-	-	-	12"-PL-AC3N-8713 & 12"-PL-AC3N-8714	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%										
47	1	CD	8702	AC3N	-	-	-	-	V-803-TF -Level Measuring Instruments	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%										
48	1	FL	8726	AC6N	-	-	-	-	LT 8001A Level stand pipe	1"-FL-AC6N-8708	PJ6-EXD-MRI-BQDA-0023	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%										
49	1	CD	8710	AC3N	-	-	-	-	LT 8001A Level stand pipe	1"-CD-AC3N-8702	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%										
50	1	FL	8727	AC6N	-	-	-	-	LT 8001B Level stand pipe	1"-FL-AC6N-8708	PJ6-EXD-MRI-BQDA-0023	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%										
51	1	CD	8711	AC3N	-	-	-	-	LT 8001B Level stand pipe	1"-CD-AC3N-8702	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%										
52	1	FL	8728	AC6N	-	-	-	-	LT 8003A Level stand pipe	1"-FL-AC6N-8708	PJ6-EXD-MRI-BQDA-0023	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%										
53	1	CD	8712	AC3N	-	-	-	-	LT 8003A Level stand pipe	1"-CD-AC3N-8702	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%										
54	1	FL	8729	AC6N	-	-	-	-	LT 8003B Level stand pipe	1"-FL-AC6N-8708	PJ6-EXD-MRI-BQDA-0023	FLARE GAS	GAS	MW - 21 - 24 DENSITY - 3 - 5	1.4	60 - 105	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%										
55	1	CD	8715	AC3N	-	-	-	-	LT 8003B Level stand pipe	1"-CD-AC3N-8702	PJ6-EXD-MRI-BQDA-0023	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	955 - 996	3 - 10	60 - 105	125	FV	185	-13.2	NO	187.5	WATER	YES	YES	A-14	100%	100%										
56	2	FG	8709	AC3	-	-	-	-	2"-FG-AC3-8105	MRD Oil Slug Catcher V-803-TF	PJ6-EXD-MRI-BQDA-0012, PJ6-EXD-MRI-BQDA-0023	SWEET GAS	GAS	MW - 30.18 DENSITY - 3.96	37	128	75	-	185	-	NO	112.5	WATER	No	NO	A-14	10%	10%										
57	2	FG	8710	AC3	-	-	-	-	2"-FG-AC3-8709	MRD Three Phase Separator V-804-TF	PJ6-EXD-MRI-BQDA-0023, PJ6-EXD-MRI-BQDA-0024	SWEET GAS	GAS	MW - 30.18 DENSITY - 3.96	37	128	75	-	185	-	NO	112.5	WATER	No	NO	A-14	10%	10%										
58	2	SG	8114	AC3N	-	-	-	-	MRD Three Phase Separator V-804-TF	2"-SG-AC3N-8115	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 8.7 - 9.2	110	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%										
59	2	SG	8115	AC3N	-	-	-	-	2"-SG-AC3N-8114	PSV-8004-TF / PSV-8005-TF	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 8.7 - 9.2	110	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%										
60	3	FL	8121	AC6N	-	-	-	-	PSV-8004-TF / PSV-8005-TF	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	8.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%	854	Note 2,3								
61	2	SG	8720	AC3N	-	-	-	-	2"-SG-AC3N-8114	2"-FL-AC6N-8126	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 8.7 - 9.2	110	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%										
62	2	FL	8126	AC6N	-	-	-	-	2"-SG-AC3N-8720	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%										

FD شركة نفط أبوظبي المحدودة (البيدي) Abu Dhabi Oil Co., Ltd (Jopco)								DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS				
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002								Rev. 1	LINE LIST FOR MUBARRAZ ISLAND															Date:	06/02/2026							
		LINE NUMBER				INSULATION			SERVICE INFORMATION		P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(Lb/l) / MW (VAP)	OPERATING		DESIGN				STEAM OUT CONDITION (Yes / No)	TEST		FABRICATION & INSTALLATION					OTHER		REV. No.	
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVIATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO					OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN		TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho V2 (lb/ft ²)	NOTES		
																																(inch)
MUBARRAZ ISLAND																																
63	3	SG	8116	AC3N	-	-	-	-	MRD Three Phase Separator V-804-TF	10"-SG-AC3N-8122	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 5 - 9.2	45	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
64	3	SG	8117	AC3N	-	-	-	-	3"-SG-AC3N-8116	PCV-8006A-TF	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 8.7 - 9.2	110	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
65	3	FL	8123	AC6N	-	-	-	-	PCV-8006A-TF	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%				
66	3/4	SG	8118	AC3N	-	-	-	-	3"-SG-AC3N-8116	SC-8002-TF	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 5	45	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
67	3/4	FL	8122	AC6N	-	-	-	-	SC-8002-TF	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%				
68	10	SG	8122	AC3N	-	-	-	-	3"-SG-AC3N-8116, 6"-SG-AC3N-8112	MRD MEA INLET SCRUBBER V-806-TF	PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0014, PJ6-EXD-MRI-BQDA-0008, PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 23 TO 27 DENSITY - 5.5	45	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
69	12	PW	8104	AL0N	-	-	-	-	MRD Three Phase Separator V-804-TF	12"-PW-ANO-8104	PJ6-EXD-MRI-BQDA-0024	PRODUCED WATER	LIQUID	981 - 1155	81.2	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%				
70	10	PL	8116	AC3N	-	-	-	-	MRD Three Phase Separator V-804-TF	10"-P-A59AN-5084 (TP-621A / B)	PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0007	CRUDE OIL	LIQUID	838 - 855	85	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
71	3/4	PL	8261	AC3N	-	-	-	-	10"-PL-AC3N-8116	SC-8004-TF	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL	LIQUID	838 - 855	110	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
72	3/4	CD	8262	AC3N	-	-	-	-	SC-8004-TF	2"-CD-AC3N-8705	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%				
73	1	SG	8703	AC3N	-	-	-	-	3"-SG-AC3N-8117	1"-FL-AC6N-8709	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 8.7 - 9.2	110	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
74	1	SG	8717	AC3N	-	-	-	-	3"-SG-AC3N-8116	1"-FL-AC6N-8709	PJ6-EXD-MRI-BQDA-0024	SOUR GAS	GAS	MW - 23 - 27 DENSITY - 8.7 - 9.2	110	60 - 105	185	FV	185	25	NO	277.5	WATER	YES	YES	A-14	100%	100%				
75	1	FL	8709	AC6N	-	-	-	-	1"-SG-AC3N-8717	2"-FL-AC6N-8126	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%				
76	1	FL	8710	AC6N	-	-	-	-	V-804-TF - Level Measuring Instruments	2"-FL-AC6N-8126	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%				
77	2	CD	8704	AC3N	-	-	-	-	12"-PL-AC3N-8114	3"-CD-AC3N-8738	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	925 - 954	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%				
78	3	CD	8737	AC3N	-	-	-	-	MRD Three Phase Separator V-804-TF	3"-CD-AC3N-8738	PJ6-EXD-MRI-BQDA-0024	PRODUCED WATER / HYDROCARBON DRAIN	LIQUID	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%				
79	3	CD	8738	AC3N	-	-	-	-	MRD Three Phase Separator V-804-TF	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%				
80	2	PW	8700	AL0N	-	-	-	-	12"-PW-AL0N-8104	2"-CD-AC3N-8705	PJ6-EXD-MRI-BQDA-0024	PRODUCED WATER	LIQUID	981 - 1155	110	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%				
81	2	CD	8705	AC3N	-	-	-	-	2"-PW-ALON-8700	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%				
82	2	CD	8709	AC3N	-	-	-	-	Sight Glass	3"-CD-AC3N-8738	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%				
83	12	PW	8713	ALON	-	-	-	-	12"-PW-ALON-8104	12"-PW-ALON-8724	PJ6-EXD-MRI-BQDA-0024, PJ6-EXD-MRI-BQDA-0028	PRODUCED WATER	LIQUID	981 - 1155	81.2	60 - 105	185	FV	185	60	NO	277.5	WATER	No	YES	A-14	10%	10%				

FD شركة نفط أبوظبي المحدودة (البيدي) Abu Dhabi Oil Co., Ltd (Jopco)								DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS							
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002								Rev. 1	LINE LIST FOR MUBARRAZ ISLAND															Date:	06/02/2026										
LINE NUMBER						INSULATION			SERVICE INFORMATION		P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (VAP)	OPERATING		DESIGN				STEAM OUT CONDITION (Yes / No)	TEST		FABRICATION & INSTALLATION					OTHER		REV. No.				
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO					OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN		TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho v2 (lb/ft ²)	NOTES					
																																(mm)	(kg/m ³)	Psig	(°F)
MUBARRAZ ISLAND																																			
84	3/4	PW	8258	ALON	-	-	-	-	12"-PW-ALON-8104	SC-8003-TF	PJ6-EXD-MRI-BQDA-0024	PRODUCED WATER	LIQUID	981 - 1155	110	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%							
85	3/4	CD	8259	AC3N	-	-	-	-	SC-8003-TF	2"-CD-AC3N-8705	PJ6-EXD-MRI-BQDA-0024	PRODUCED WATER / HYDROCARBON DRAIN	LIQUID	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
86	1	FL	8730	AC6N	-	-	-	-	LT 8004A Level stand pipe	1"-FL-AC6N-8710	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20.0	NO	127.5	WATER	YES	YES	A-14	100%	100%							
87	1	CD	8716	AC3N	-	-	-	-	LT 8004A Level stand pipe	1"-CD-AC3N-8706	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
88	1	FL	8731	AC6N	-	-	-	-	LT 8004B Level stand pipe	1"-FL-AC6N-8710	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20.0	NO	127.5	WATER	YES	YES	A-14	100%	100%							
89	1	CD	8717	AC3N	-	-	-	-	LT 8004B Level stand pipe	1"-CD-AC3N-8706	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
90	1	FL	8732	AC6N	-	-	-	-	LT 8005 Level stand pipe	1"-FL-AC6N-8710	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20.0	NO	127.5	WATER	YES	YES	A-14	100%	100%							
91	1	CD	8718	AC3N	-	-	-	-	LT 8005 Level stand pipe	1"-CD-AC3N-8706	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
92	1	FL	8733	AC6N	-	-	-	-	LT 8006A Level stand pipe	1"-FL-AC6N-8710	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20.0	NO	127.5	WATER	YES	YES	A-14	100%	100%							
93	1	CD	8719	AC3N	-	-	-	-	LT 8006A Level stand pipe	1"-CD-AC3N-8706	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
94	1	FL	8734	AC6N	-	-	-	-	LT 8006B Level stand pipe	1"-FL-AC6N-8710	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20.0	NO	127.5	WATER	YES	YES	A-14	100%	100%							
95	1	CD	8720	AC3N	-	-	-	-	LT 8006B Level stand pipe	1"-CD-AC3N-8706	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
96	1	FL	8735	AC6N	-	-	-	-	LT 8007A Level stand pipe	1"-FL-AC6N-8710	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20.0	NO	127.5	WATER	YES	YES	A-14	100%	100%							
97	1	CD	8721	AC3N	-	-	-	-	LT 8007A Level stand pipe	1"-CD-AC3N-8706	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
98	1	FL	8736	AC6N	-	-	-	-	LT 8007B Level stand pipe	1"-FL-AC6N-8710	PJ6-EXD-MRI-BQDA-0024	FLARE GAS	GAS	MW - 23 - 27 DENSITY -3.17	1.4	60 - 105	85	FV	185	20.0	NO	127.5	WATER	YES	YES	A-14	100%	100%							
99	1	CD	8722	AC3N	-	-	-	-	LT 8007B Level stand pipe	1"-CD-AC3N-8706	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	MULTI PHASE	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
100	1	CD	8706	AC3N	-	-	-	-	V-804-TF -Level Measuring Instruments	4"-CD-AC3N-8107	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
101	2	CD	8707	AC3N	-	-	-	-	10"-PL-AC3N-8116	2"-CD-AC3N-8705	PJ6-EXD-MRI-BQDA-0024	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	838 - 855	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%							
102	2	FG	8101	AC3	-	-	-	-	2"-FG-WA8-301A	12"-SG-AS0-8101	PJ6-EXD-MRI-BQDA-0012, PJ6-EXD-MRI-BQDA-0025	SWEET GAS	GAS	MW - 30.18 DENSITY - 3.96	37	115	75	-	185	-	NO	112.5	WATER	No	NO	A-14	10%	10%							
103	1	FG	8700	AC3	-	-	-	-	2"-FG-AC3-8101	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-019)	PJ6-EXD-MRI-BQDA-0025	SWEET GAS	GAS	MW - 30.18 DENSITY - 3.96	37	115	75	-	185	-	NO	112.5	WATER	No	NO	A-14	10%	10%							
104	16	SG	8718	AS0	-	-	-	-	16"-P-WA2-113 (TP-601)	12"-SG-AS0-8101	PJ6-EXD-MRI-BQDA-0014	SOUR GAS	GAS	MW - 40 DENSITY - 1.8	3	115	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							

 شركة نفط أبوظبي المحدودة (البيد) Abu Dhabi Oil Co., Ltd (Japan)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS					
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002										Rev. 1	LINE LIST FOR MUBARRAZ ISLAND														Date: 06/02/2026										
		LINE NUMBER				INSULATION			SERVICE INFORMATION					OPERATING		DESIGN					TEST		FABRICATION & INSTALLATION					OTHER							
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO				P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ / MW (VAP))	OPERATING PRESSURE	OPERATING TEMPERATURE		DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PAINT (Yes / No)	NACE (Yes / No)		PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho V2 (lb/ft ²)	NOTES
	(inch)							(mm)						(kg/m ³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig										REV. No.			
MUBARRAZ ISLAND																																			
105	12	SG	8101	ASO	-	-	-	-	16"-SG-ASO-8718	MRD SOUR GAS COMPRESSOR SUCTION SCRUBBER V-010C-TF (IP-SG-001)	PJ6-EXD-MRI-BQDA-0025	SOUR GAS	GAS	MW - 40 DENSITY - 1.8	3	130	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
106	2	CD	8102	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR SUCTION SCRUBBER V-010C-TF (IP-SG-013)	2"-DR-WA3-202 (TP-609)	PJ6-EXD-MRI-BQDA-0025, PJ6-EXD-MRI-BQDA-0014	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%							
107	8	FL	8102	AC6N	-	-	-	-	6"-FL-AC6N-8719	8"-F-WA4A-110 (TP-611)	PJ6-EXD-MRI-BQDA-0025, PJ6-EXD-MRI-BQDA-0014	FLARE GAS	GAS	MW : 41.8 DENSITY - 5.04	6.65	127	85	FV	185	27	NO	127.5	WATER	YES	YES	A-14	100%	100%	12967	Note 2,3					
108	8	SG	8708	ASO	-	-	-	-	MRD SOUR GAS COMPRESSOR DISCHARGE SCRUBBER V-016C-TF (IP-SG-010)	6"-SG-ASO-8103	PJ6-EXD-MRI-BQDA-0025	SOUR GAS	GAS	MW : 40.6 DENSITY - 6.8	50	140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
109	2	SG	8709	ASO	-	-	-	-	6"-SG-ASO-8103	3"-FL-AC6N-8718	PJ6-EXD-MRI-BQDA-0014	SOUR GAS	GAS	MW : 40.6 DENSITY - 6.8	50	130 - 140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
110	6	SG	8103	ASO	-	-	-	-	8"-SG-ASO-8708	10"-SG-ASO-8719	PJ6-EXD-MRI-BQDA-0025, PJ6-EXD-MRI-BQDA-0014	SOUR GAS	GAS	MW : 40.6 DENSITY - 6.8	50	140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
111	10	SG	8719	ASO	-	-	-	-	6"-SG-ASO-8103	10"-P-WA2-101 (TP-602)	PJ6-EXD-MRI-BQDA-0014	SOUR GAS	GAS	MW : 40.6 DENSITY - 6.8	50	130 - 140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
112	2	CD	8103	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR DISCHARGE SCRUBBER V-016C-TF (IP-SG-014)	2"-DR-WA3-201 (TP-610)	PJ6-EXD-MRI-BQDA-0025, PJ6-EXD-MRI-BQDA-0014	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	800 - 1010	3 - 10	140	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%							
113	3/4	CD	8708	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR SUCTION SCRUBBER V-010C-TF (IP-SG-003)	2"-CD-AC3N-8102	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%							
114	3/4	CD	8740	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR SUCTION SCRUBBER V-010C-TF (IP-SG-011)	3/4"-CD-AC3N-8708	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	800 - 1010	3 - 10	140	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%							
115	2	SG	8710	ASO	-	-	-	-	6"-SG-ASO-8103	2"-FL-AC6N-8702	PJ6-EXD-MRI-BQDA-0025	SOUR GAS	GAS	MW : 40.6 DENSITY - 6.8	50	140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
116	6	FL	8719	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR DISCHARGE SCRUBBER (V-016C-TF) (IP-SG-012)	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 41.8 DENSITY - 5.04	6.65	127	85	FV	185	27	NO	127.5	WATER	YES	YES	A-14	100%	100%	12967	Note 2,3					
117	2	SG	8711	ASO	-	-	-	-	8"-SG-ASO-8708	2"-FL-AC6N-8720	PJ6-EXD-MRI-BQDA-0025	SOUR GAS	GAS	MW : 40.6 DENSITY - 6.8	50	140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
118	2	SG	8712	ASO	-	-	-	-	MRD SOUR GAS COMPRESSOR SUCTION SCRUBBER (V-010C-TF) (IP-SG-002)	2"-FL-AC6N-8721	PJ6-EXD-MRI-BQDA-0025	SOUR GAS	GAS	MW : 40.6 DENSITY - 6.8	50	140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	10%	10%							
119	2	FL	8720	AC6N	-	-	-	-	2"-SG-ASO-8711	6"-FL-AC6N-8719	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 41.8 DENSITY - 5.04	0.1	32	85	FV	185	27	NO	127.5	WATER	YES	YES	A-14	100%	100%							
120	2	FL	8721	AC6N	-	-	-	-	2"-SG-ASO-8712	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 41.8 DENSITY - 5.04	0.1	32	85	FV	185	27	NO	127.5	WATER	YES	YES	A-14	100%	100%							
121	3	FL	8718	AC6N	-	-	-	-	RO-018C-TF	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 40.6 DENSITY - 2 - 6.8	0.1	140	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%							
122	2	FL	8702	AC6N	-	-	-	-	2"-SG-ASO-8710	6"-FL-AC6N-8719	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 40.6 DENSITY - 2 - 5	0.1	140	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%							
123	2	IA	8703	AG1	-	-	-	-	2"-IA-A7-451 (TP 586)	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-026)	PJ6-EXD-MRI-BQDA-0045, PJ6-EXD-MRI-BQDA-0025	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-							
124	1	IA	8713	AG1	-	-	-	-	2"-IA-AG1-8703	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-027)	PJ6-EXD-MRI-BQDA-0025	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-							
125	2"	UW	8703	AG1	-	-	-	-	2"-UW-A1C-5001 (TP-660 A/B)	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-031)	PJ6-EXD-MRI-BQDA-0025, PJ6-EXD-MRI-BQDA-0049	UTILITY WATER	LIQUID	DENSITY-1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-							

FD شركة نفط أبوظبي المحدودة (البريد) Abu Dhabi Oil Co., Ltd (Japan)								DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS												
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002								Rev. 1	LINE LIST FOR MUBARRAZ ISLAND																	Date:	06/02/2026													
			LINE NUMBER				INSULATION			SERVICE INFORMATION											OPERATING		DESIGN						TEST		FABRICATION & INSTALLATION							OTHER		
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVIATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO	P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (VAP)	OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho v2 (lb/ft ²)	NOTES	REV. No.									
	(inch)							(mm)						(kg/m ³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig																		
MUBARRAZ ISLAND																																								
126	2	FL	8748	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-046)	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 30.18 DENSITY - 3.96	0.1	60-115	75	-	185	-	NO	112.5	WATER	No	NO	A-14	100%	100%												
127	2	FL	8749	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-025)	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 30.18 DENSITY - 3.96	0.1	60-115	75	-	185	-	NO	112.5	WATER	No	NO	A-14	100%	100%												
128	2	FL	8750	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-024)	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 30.18 DENSITY - 3.96	0.1	60-115	75	-	185	-	NO	112.5	WATER	No	NO	A-14	100%	100%												
129	2	FL	8751	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-021)	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 30.18 DENSITY - 3.96	0.1	60-115	75	-	185	-	NO	112.5	WATER	No	NO	A-14	100%	100%												
130	3/4	FL	8752	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-047)	3/4"-FL-AC6N-8753	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 41.8 DENSITY - 5.04	0.1	128	75	FV	185	27	NO	112.5	WATER	YES	YES	A-14	100%	100%												
131	3/4	FL	8753	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-048)	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 40.6 DENSITY - 6.8	0.1	140	75	FV	285	27	NO	112.5	WATER	No	YES	A-14	100%	100%												
132	6	FL	8722	AC6N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-004)	8"-FL-AC6N-8102	PJ6-EXD-MRI-BQDA-0025	FLARE GAS	GAS	MW : 40.6 DENSITY - 2 - 5	0.1	140	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%												
133	2	CD	8741	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-022)	2"-CD-AC3N-8102	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%												
134	2	CD	8742	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-023)	2"-CD-AC3N-8102	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%												
135	2	CD	8743	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-029)	2"-CD-AC3N-8102	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%												
136	2	CD	8744	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-030)	2"-CD-AC3N-8102	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%												
137	2	CD	8745	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-044)	2"-CD-AC3N-8102	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%												
138	2	CD	8746	AC3N	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-045)	2"-CD-AC3N-8102	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	125	FV	185	27	NO	187.5	WATER	YES	YES	A-14	100%	100%												
139	2	OD	8703	AC3	-	-	-	-	MRD SOUR GAS COMPRESSOR C-010C-TF (IP-SG-020)	TO DRAIN DRUM	PJ6-EXD-MRI-BQDA-0025	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	51	FV	185	27	NO	76.5	WATER	YES	YES	A-14	10%	10%												
140	12	FG	8129	AC3	-	-	-	-	12"-FG-B1-321	MRD SWEET GAS COMPRESSOR SUCTION SCRUBBER V-101E-TF (IP-SW-001)	PJ6-EXD-MRI-BQDA-0016, PJ6-EXD-MRI-BQDA-0026,	SWEET GAS	GAS	MW : 28.97 DENSITY - 3.8	35	115	453	FV	170	-	NO	679.5	WATER	No	NO	A-14	10%	10%												
141	2	CD	8106	AC3N	-	-	-	-	MRD SWEET GAS COMPRESSOR SUCTION SCRUBBER V-101E-TF (IP-SW-051)	2"-DR-B1-230 (TP-626)	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0055	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	559 - 986	3 - 10	115	125	FV	185	-	NO	187.5	WATER	YES	YES	A-14	100%	100%												
142	2	CD	8729	AC3N	-	-	-	-	MRD SWEET GAS COMPRESSOR INTERSTAGE & DISCHARGE SCRUBBER V-103E-TF & V-105E-TF (IP-SW-052)	2"-D-05-A	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0016	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	559 - 986	3 - 10	140	125	FV	185	-	NO	187.5	WATER	YES	YES	A-14	100%	100%												
143	4	FG	8130	BC3	-	-	-	-	MRD SWEET GAS COMPRESSOR DISCHARGE SCRUBBER V-105E-TF (IP-SW-008B)	6"-FG-C1-329 (TP-622 A/B)	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0016	SWEET GAS	GAS	MW : 28.04 DENSITY - 34.17	403	140	453	FV	170	-	NO	679.5	WATER	No	NO	A-14	10%	10%												
144	3	FL	8125	AC6N	-	-	-	-	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-056)	3"-F-B1-131 (TP-624)	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0055	FLARE GAS	GAS	MW : 28.04 DENSITY - 3.63	14.83	125	100	FV	185	-5.0	NO	150	WATER	YES	YES	A-14	100%	100%	7829	Note 2,3										
145	2	FL	8703	AC6N	-	-	-	-	12"-FG-AC3-8129	2"-FL-AC6N-8744	PJ6-EXD-MRI-BQDA-0016, PJ6-EXD-MRI-BQDA-0026	FLARE GAS	GAS	MW : 28.97 DENSITY - 1 - 3	0.1	140	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%												
146	2	FL	8744	AC6N	-	-	-	-	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-055)	3"-FL-AC6N-8125	PJ6-EXD-MRI-BQDA-0026	FLARE GAS	GAS	MW : 28.97 DENSITY - 1 - 3	0.1	60-115	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%												

COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002								Rev. 1		LINE LIST FOR MUBARRAZ ISLAND																		Date: 06/02/2026			
LINE NUMBER								INSULATION		SERVICE INFORMATION		P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (VAP)	OPERATING		DESIGN				STEAM OUT CONDITION (Yes / No)	TEST		FABRICATION & INSTALLATION					OTHER	REV. No.
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVIATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO	OPERATING PRESSURE					OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - IMAX	DESIGN TEMPERATURE - MIN	TEST PRESSURE		TEST MEDIUM	PWMT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / FT)	Rho V2 (lb/ft ²)		
	(inch)							(mm)					(kg/m ³)	Psig	(°F)	Psig	Psig	(°F)	(°F)	Psig											
MUBARRAZ ISLAND																															
147	1 1/2	FL	8745	AC6N	-	-	-	-	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-009)	TO ATM	PJ6-EXD-MRI-BQDA-0026	FLARE GAS	GAS	MW : 28.97 DENSITY - 1 - 3	0.1	60-115	51	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%			
148	1 1/2	FL	8746	AC6N	-	-	-	-	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-011)	TO ATM	PJ6-EXD-MRI-BQDA-0026	FLARE GAS	GAS	MW : 28.97 DENSITY - 1 - 3	0.1	60-115	51	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%			
149	2	IA	8706	AG1	-	-	-	-	2"-IA-WA1-422 (TP 646)	1"-IA-AG1-8707, 1"-IA-AG1-8708, 1"-IA-AG1-8709, 1"-IA-AG1-8710, 1"-IA-AG1-8711	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0045	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	210	WATER	No	NO	-	-	-			
150	1	IA	8707	AG1	-	-	-	-	2"-IA-AG1-8706	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-031)	PJ6-EXD-MRI-BQDA-0026	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-			
151	1	IA	8708	AG1	-	-	-	-	2"-IA-AG1-8706	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-032)	PJ6-EXD-MRI-BQDA-0026	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-			
152	1	IA	8709	AG1	-	-	-	-	2"-IA-AG1-8706	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-033)	PJ6-EXD-MRI-BQDA-0026	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-			
153	1	IA	8710	AG1	-	-	-	-	2"-IA-AG1-8706	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-049)	PJ6-EXD-MRI-BQDA-0026	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-			
154	1	IA	8711	AG1	-	-	-	-	2"-IA-AG1-8706	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-050)	PJ6-EXD-MRI-BQDA-0026	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-			
155	1	UW	8704	AG1	-	-	-	-	1"-UW-A6-548 (TP-662 A/B)	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-045)	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0055	UTILITY WATER	LIQUID	DENSITY-1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-			
156	1	OD	8700	AC3	-	-	-	-	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-053)	DRAI POT V-840-TF (TP-663)	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0055	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	51	FV	185	27	NO	76.5	WATER	YES	YES	A-14	10%	10%			
157	1	OD	8701	AC3	-	-	-	-	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-054)	DRAI POT V-840-TF	PJ6-EXD-MRI-BQDA-0026, PJ6-EXD-MRI-BQDA-0055	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	650 - 750	3 - 10	122 - 130	51	FV	185	27	NO	76.5	WATER	YES	YES	A-14	10%	10%			
158	1	CW	8700	AC3	-	-	-	-	MRD SWEET GAS COMPRESSOR K-101E-TF (IP-SW-048)	END FLANGED	PJ6-EXD-MRI-BQDA-0026	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	DENSITY-1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	A-14	10%	10%			
159	2	FG	8107	AC3	-	-	-	-	10"-FG-WA2X-307 (TP-632)	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-16)	PJ6-EXD-MRI-BQDA-0015, PJ6-EXD-MRI-BQDA-0028	SWEET GAS	GAS	MW - 30.18 DENSITY - 3.96	37	128	85	-	185	-	NO	127.5	WATER	No	NO	A-14	10%	10%			
160	12	PW	8724	ALON	-	-	-	-	12"-PW-ALON-8713	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-01)	PJ6-EXD-MRI-BQDA-0028	PRODUCED WATER	LIQUID	981 - 1155	81.2	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%			
161	2	UW	8101	AG1	-	-	-	-	4"-DW-WA11X-504 (TP 645)	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-02)	PJ6-EXD-MRI-BQDA-0046, PJ6-EXD-MRI-BQDA-0028	UTILITY WATER	LIQUID	1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-			
162	1	UW	8710	AG1	-	-	-	-	2"-UW-AG1-8101	SUBSTATION HVAC SYSTEM	PJ6-EXD-MRI-BQDA-0028	UTILITY WATER	LIQUID	1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-			
163	1	UW	8706	AG1	-	-	-	-	2"-UW-AG1-8101	3/4"-UW-AG1-8707, 3/4"-UW-AG1-8708, 3/4"-UW-AG1-8709	PJ6-EXD-MRI-BQDA-0028, PJ6-EXD-MRI-BQDA-0042	UTILITY WATER	LIQUID	1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-			
164	1	UW	8705	AG1	-	-	-	-	2"-UW-AG1-8101	4"-CD-AC3N-8750	PJ6-EXD-MRI-BQDA-0028	UTILITY WATER	LIQUID	1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-			
165	2	IA	8700	AG1	-	-	-	-	2"-IA-A7-462 (TP 644 A/B)	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-03)	PJ6-EXD-MRI-BQDA-0045, PJ6-EXD-MRI-BQDA-0028	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-			
166	2	IA	8714	AG1	-	-	-	-	2"-IA-AG1-8700	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF	PJ6-EXD-MRI-BQDA-0028	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-			
167	10	PW	8741	ALON	-	-	-	-	10"-DR-XXX-402 (TP 634A/B/C)	FUTURE CONNECTION FROM EXISTING PWT TO NEW PWT	PJ6-EXD-MRI-BQDA-0019	PRODUCED WATER	LIQUID	981 - 1155	81.2	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%			

شركة نفط أبوظبي المحدودة (البيدي) Abu Dhabi Oil Co., Ltd (Japan)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS									
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002										Rev. 1	LINE LIST FOR MUBARRAZ ISLAND															Date:	06/02/2026												
		LINE NUMBER				INSULATION			SERVICE INFORMATION					OPERATING		DESIGN					TEST		FABRICATION & INSTALLATION					OTHER											
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO				P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (VAP)	OPERATING PRESSURE	OPERATING TEMPERATURE		DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWRT (Yes / No)	NACE (Yes / No)		PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho v2 (lb/ft ²)	NOTES				
	(inch)							(mm)						(kg/m³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig										REV. No.							
MUBARRAZ ISLAND																																							
168	4	PW	8715	ALON	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-05)	SKIMMER PIT M-850-TF	PJ6-EXD-MRI-BQDA-0028, PJ6-EXD-MRI-BQDA-0019	PRODUCED WATER	LIQUID	981 - 1155	81.2	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%											
169	2	SG	8132	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-15)	RECOVERY GAS COMPRESSOR INLET SCRUBBER (V-790-TF)	PJ6-EXD-MRI-BQDA-0028 PJ6-EXD-MRI-BQDA-0013	RECOVERED GAS	GAS	MW: 41 DENSITY - 2	3	60 - 140	120	-	176	60	NO	180.6	WATER	YES	YES	A-14	100%	100%											
170	2	SG	8721	AC3N	-	-	-	-	2"-SG-AC3N-8132	DRAIN PIT V-853-TF	PJ6-EXD-MRI-BQDA-0028	RECOVERED GAS	GAS	MW: 41 DENSITY - 2	3	60 - 140	120	-	185	40	NO	180.6	WATER	YES	YES	A-14	100%	100%											
171	2	SG	8722	AC3N	-	-	-	-	DRAIN PIT V-853-TF	2"-SG-AC3N-8132	PJ6-EXD-MRI-BQDA-0028	RECOVERED GAS	GAS	MW: 41 DENSITY - 2	3	60 - 140	120	-	185	40	NO	180.6	WATER	YES	YES	A-14	100%	100%											
172	1	PL	8711	AC3N	-	-	-	-	DRAIN PIT V-853-TF	WILDEN PUMP P-853-TF	PJ6-EXD-MRI-BQDA-0028	RECOVERED OIL	LIQUID	800 - 1010	81 - 100	60 - 140	120	-	185	40	NO	180	WATER	YES	YES	A-14	100%	100%											
173	1	PL	8706	AC3N	-	-	-	-	WILDEN PUMP P-853-TF	2"-P-81-167 (TP-667 A/B)	PJ6-EXD-MRI-BQDA-0028, PJ6-EXD-MRI-BQDA-0057	RECOVERED OIL	LIQUID	800 - 1010	81 - 100	60 - 140	120	-	185	40	NO	180	WATER	YES	YES	A-14	100%	100%											
174	6	CD	8754	AC3N	-	-	-	-	RELIEF PIT V-854-TF	SLUDGE PIT M-851-TF	PJ6-EXD-MRI-BQDA-0028	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	800 - 1010	ATM	60 - 140	125	-	185	40	NO	187.5	WATER	YES	YES	A-14	100%	100%											
175	2	PL	8707	AC3N	-	-	-	-	RELIEF PIT V-854-TF	WILDEN PUMP P-854-TF	PJ6-EXD-MRI-BQDA-0028	RECOVERED OIL	LIQUID	800 - 1010	81 - 100	60 - 140	120	-	185	40	NO	180	WATER	YES	YES	A-14	100%	100%											
176	2	PL	8712	AC3N	-	-	-	-	WILDEN PUMP P-854-TF	6"-DR-81-6334 (TP-592)	PJ6-EXD-MRI-BQDA-0028, PJ6-EXD-MRI-BQDA-0060	RECOVERED OIL	LIQUID	800 - 1010	81 - 100	60 - 140	120	-	185	40	NO	180	WATER	YES	YES	A-14	100%	100%											
177	2	PL	8710	AC3N	-	-	-	-	RELIEF PIT V-854-TF	SLUDGE PIT M-851-TF	PJ6-EXD-MRI-BQDA-0028	RECOVERED OIL	LIQUID	800 - 1010	81 - 100	60 - 140	120	-	185	40	NO	180	WATER	YES	YES	A-14	100%	100%											
178	2	CD	8752	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-04)	4"-CD-AC3N-8750	PJ6-EXD-MRI-BQDA-0028	SLUDGE	LIQUID	800 - 1010	81	60 - 140	125	-	185	40	NO	187.5	WATER	YES	YES	A-14	100%	100%											
179	2	CD	8747	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-07)	4"-CD-AC3N-8750	PJ6-EXD-MRI-BQDA-0028	SLUDGE	LIQUID	800 - 1010	81	60 - 140	125	-	185	40	NO	187.5	WATER	YES	YES	A-14	100%	100%											
180	2	CD	8748	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-08)	4"-CD-AC3N-8750	PJ6-EXD-MRI-BQDA-0028	SLUDGE	LIQUID	800 - 1010	81	60 - 140	125	-	185	40	NO	187.5	WATER	YES	YES	A-14	100%	100%											
181	2	CD	8749	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-09)	4"-CD-AC3N-8750	PJ6-EXD-MRI-BQDA-0028	SLUDGE	LIQUID	800 - 1010	81	60 - 140	125	-	185	40	NO	187.5	WATER	YES	YES	A-14	100%	100%											
182	4	CD	8750	AC3N	-	-	-	-	2"-CD-AC3N-8747, 2"-CD-AC3N-8748, 2"-CD-AC3N-8749, 2"-CD-AC3N-8752	SLUDGE PIT M-851-TF	PJ6-EXD-MRI-BQDA-0028	SLUDGE	LIQUID	800 - 1010	81	60 - 140	125	-	185	40	NO	187.5	WATER	YES	YES	A-14	100%	100%											
183	3	PL	8109	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-11)	4"-P-81-163 (TP-636 A/B)	PJ6-EXD-MRI-BQDA-0028, PJ6-EXD-MRI-BQDA-0019	RECOVERED OIL	LIQUID	800 - 1010	81 - 100	60 - 140	120	-	176	25	NO	180	WATER	YES	YES	A-14	100%	100%											
184	2	PW	8702	ALON	-	-	-	-	12"-PW-ALON-8724	4"-PW-ALON-8715	PJ6-EXD-MRI-BQDA-0028	PRODUCED WATER	LIQUID	981 - 1155	81.2	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%											
185	10	SG	8123	AC3N	-	-	-	-	MRD MEA INLET SCRUBBER V-806-TF	12"-SG-AC3N-8700	PJ6-EXD-MRI-BQDA-0021, PJ6-EXD-MRI-BQDA-0008	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%											
186	10	FL	8116	AC6N	-	-	-	-	PCV-8017-TF	12"-FL-AC6N-8117	PJ6-EXD-MRI-BQDA-0021, PJ6-EXD-MRI-BQDA-0020	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1	109 - 125	85	FV	185	15	NO	127.5	WATER	YES	YES	A-14	100%	100%											
187	12	SG	8127	AC3N	-	-	-	-	MRD MEA INLET SCRUBBER V-806-TF	12"-SG-AC3N-8128	PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%											
188	12	SG	8128	AC3N	-	-	-	-	12"-SG-AC3N-8127	PSV-8006-TF / PSV-8007-TF	PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%											

FD شركة نفط أبوظبي المحدودة (البيدي) Abu Dhabi Oil Co., Ltd (agps)								DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS					
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002								Rev. 1	LINE LIST FOR MUBARRAZ ISLAND																Date:	06/02/2026							
LINE NUMBER						INSULATION			SERVICE INFORMATION		P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (Vap)	OPERATING		DESIGN				STEAM OUT CONDITION (Yes / No)	TEST		FABRICATION & INSTALLATION					OTHER		REV. No.		
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO					OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN		TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho V2 (lb/in ²)	NOTES			
(inch)							(mm)				(kg/m ³)	Psig	(°F)	Psig	Psig	(°F)	(°F)	Psig															
MUBARRAZ ISLAND																																	
189	2	SG	8126	AC3N	-	-	-	-	12"-SG-AC3N-8127	2"-FL-AC6N-8739	PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%					
190	12	FL	8118	AC6N	-	-	-	-	PSV-8006-TF / PSV-8007-TF	12"-FL-AC6N-8117	PJ6-EXD-MRI-BQDA-0021	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1-7.1	109 - 125	75	FV	185	15	NO	112.5	WATER	YES	YES	A-14	100%	100%	10857	Note 2,3			
191	12	FL	8117	AC6N	-	-	-	-	12"-FL-AC6N-8118	16"-F-B1-101 (TP-617 A/B)	PJ6-EXD-MRI-BQDA-0021, PJ6-EXD-MRI-BQDA-0020	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1-7.1	109 - 125	75	FV	185	15	NO	112.5	WATER	YES	YES	A-14	100%	100%	10857	Note 2,3			
192	10	SG	8713	AC3N	-	-	-	-	10"-SG-AC3N-8123	PCV-8017-TF	PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%					
193	2	SG	8716	AC3N	-	-	-	-	10"-SG-AC3N-8713	2"-FL-AC6N-8704	PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%					
194	2	FL	8704	AC6N	-	-	-	-	2"-SG-AC3N-8716	10"-FL-AC6N-8116	PJ6-EXD-MRI-BQDA-0021	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1	109 - 125	75	FV	185	15	NO	112.5	WATER	YES	YES	A-14	100%	100%					
195	1	FL	8705	AC6N	-	-	-	-	1"-FL-AC6N-8740, 1"-FL-AC6N-8741	12"-FL-AC6N-8117	PJ6-EXD-MRI-BQDA-0021	FLARE GAS	GAS	MW - 31.63 DENSITY - 5.4	0.1	109 - 125	75	FV	185	29.8	NO	112.5	WATER	YES	YES	A-14	100%	100%					
196	2	FL	8739	AC6N	-	-	-	-	2"-SG-AC3N-8126	10"-FL-AC6N-8116	PJ6-EXD-MRI-BQDA-0021	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1	109 - 125	75	FV	185	15	NO	112.5	WATER	YES	YES	A-14	100%	100%					
197	1	FL	8740	AC6N	-	-	-	-	LG 8004 Level stand pipe	1"-FL-AC6N-8705	PJ6-EXD-MRI-BQDA-0021	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1	109 - 125	75	FV	185	15	NO	112.5	WATER	YES	YES	A-14	100%	100%					
198	1	FL	8741	AC6N	-	-	-	-	LT 8015, LT 8017 & LT 8018 Level stand pipe	1"-FL-AC6N-8705	PJ6-EXD-MRI-BQDA-0021	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1	109 - 125	75	FV	185	15	NO	112.5	WATER	YES	YES	A-14	100%	100%					
199	1	SG	8707	AC3N	-	-	-	-	10"-SG-AC3N-8133	1"-FL-AC6N-8717	PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%					
200	1	FL	8717	AC6N	-	-	-	-	1"-SG-AC3N-8707	1"-FL-AC6N-8741	PJ6-EXD-MRI-BQDA-0021	FLARE GAS	GAS	MW - 31.63 DENSITY - 1.6	0.1	109 - 125	75	FV	185	15	NO	112.5	WATER	YES	YES	A-14	100%	100%					
201	2	CD	8101	AC3N	-	-	-	-	MRD MEA INLET SCRUBBER V-806-TF	TO DEGASSING BOOT 2"-DR-B1-221 (TP-618 A/B)	PJ6-EXD-MRI-BQDA-0021, PJ6-EXD-MRI-BQDA-0008	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	700 - 740	3 - 10	110 - 120	125	FV	185	29.8	NO	187.5	WATER	YES	YES	A-14	100%	100%					
202	2	FG	8105	AC3	-	-	-	-	2"-FG-WA8-301	2"-FL-AC6N-8716	PJ6-EXD-MRI-BQDA-0012, PJ6-EXD-MRI-BQDA-0010	SWEET GAS	GAS	MW - 30.18 DENSITY - 3.96	37	128	75	-	185	-	NO	112.5	WATER	No	NO	A-14	10%	10%					
203	2	UN	8700	AC1	-	-	-	-	UTILITY CONNECTION	2"-FG-AC3-8105	PJ6-EXD-MRI-BQDA-0010	NITROGEN PURGING	GAS	28	35	AMB	75	-	170	-	NO	112.5	WATER	NO	YES	A-14	10%	10%					
204	2	FL	8716	AC6N	-	-	-	-	2"-FG-AC3-8105	12"-FL-AC6N-8127	PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 24 - 26 DENSITY - 1.6	1.4	140	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%					
205	12	FL	8127	AC6N	-	-	-	-	3"-FL-AC6N-8121, 3/4"-FL-AC6N-8122, 8"-FL-AC6N-8114, 2"-FL-AC6N-8128, 2"-FL-AC6N-8126, 4"-FL-AC6N-8109, 6"-FL-AC6N-8112, 6"-FL-AC6N-8115, 3"-FL-AC6N-8123, 2"-FL-AC6N-8110	12"-FL-AC6N-5001 (TP 630)	PJ6-EXD-MRI-BQDA-0010	FLARE GAS	GAS	MW - 24 - 26 DENSITY - 3.17	1.4	128	85	FV	185	20	NO	127.5	WATER	YES	YES	A-14	100%	100%					
206	12	PW	8110	DLON	-	-	-	-	12"-PW-DLON-8727	10"-PW-DLON-8111 10"-PW-DLON-8112 10"-PW-DLON-8115	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1059	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%					
207	10	PW	8111	DLON	-	-	-	-	12"-PW-DLON-8110	WD-4A, DISPOSAL WATER INJECTION WELL A	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1000	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%					

FD شركة نفط أبوظبي المحدودة (البيدي) Abu Dhabi Oil Co., Ltd (agpec)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS				
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002										Rev. 1		LINE LIST FOR MUBARRAZ ISLAND																		Date: 06/02/2026				
LINE NUMBER						INSULATION			SERVICE INFORMATION						OPERATING		DESIGN					TEST		FABRICATION & INSTALLATION							OTHER			
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO					FLUID PHASE	DENSITY(LIQ) / MW (Vap)	OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN		DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWRT (Yes / No)	WACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)		Rho V2 (lb/ft^2)	NOTES
	(inch)							(mm)				(kg/m³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig														
MUBARRAZ ISLAND																																		
208	10	PW	8112	DLON	-	-	-	-	12"-PW-DLON-8110	WD-4B, DISPOSAL WATER INJECTION WELL B	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1000	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%						
209	10	PW	8115	DLON	-	-	-	-	12"-PW-DLON-8110	WD-4C, DISPOSAL WATER INJECTION WELL C	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1000	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%						
210	3/4	CD	8728	AC3N	-	-	-	-	2"-SG-AC3N-8132	1" DRAIN LINE (TP-652 A/B)	PJ6-EXD-MRI-BQDA-0013	CRUDE OIL / HYDROCARBON DRAIN	LIQUID	981 - 1155	3 - 10	60 - 105	125	FV	185	25	NO	187.5	WATER	YES	YES	A-14	100%	100%						
211	10	SG	8133	AC3N	-	-	-	-	10"-FG-B1-330 (TP-641 A/B)	MRD MEA INLET SCRUBBER V-806-TF	PJ6-EXD-MRI-BQDA-0008, PJ6-EXD-MRI-BQDA-0021	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%						
212	2	SG	8704	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-10)	2"-SG-AC3N-8132	PJ6-EXD-MRI-BQDA-0028	SOUR GAS	GAS	MW-28 DENSITY- 5	45	5	120	-	176	60	NO	180.6	WATER	YES	YES	A-14	100%	100%						
213	2	SG	8705	AC3N	-	-	-	-	10"-SG-AC3N-8133	2"-FL-AC6N-8714	PJ6-EXD-MRI-BQDA-0008	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%						
214	2	FL	8714	AC6N	-	-	-	-	2"-SG-AC3N-8705	2"-FL-AC6N-8700	PJ6-EXD-MRI-BQDA-0008	FLARE GAS	GAS	MW - 31.63 DENSITY - 5.4	0.1	109 - 125	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%						
215	2	FL	8700	AC6N	-	-	-	-	10"-SG-AC3N-8123	4"-F-B1-115 (TP-642 A/B)	PJ6-EXD-MRI-BQDA-0008	FLARE GAS	GAS	MW - 31.63 DENSITY - 5.4	0.1	109 - 125	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%						

FD شركة نفط أبوظبي المحدودة Abu Dhabi Oil Co., Ltd (Japan)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS					
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002										Rev. 1		LINE LIST FOR MUBARRAZ ISLAND																		Date: 06/02/2026					
		LINE NUMBER				INSULATION				SERVICE INFORMATION						OPERATING		DESIGN						TEST		FABRICATION & INSTALLATION						OTHER			
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVIATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE.1)	FROM	TO	P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (VAP)	OPERATING PRESSURE	OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho V2 (lb/ft ²)	NOTES	REV. No.				
	(inch)							(mm)						(kg/m³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig													
MUBARRAZ ISLAND																																			
216	2	FL	8725	AC6N	-	-	-	-	10"-SG-AC3N-8725	2"-FL-AC6N-8700	PJ6-EXD-MRI-BQDA-0008	FLARE GAS	GAS	MW - 31.63 DENSITY - 5.4	0.1	109 - 125	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%							
217	12	SG	8700	AC3N	-	-	-	-	MEA INLET SCRUBBER V-509-TF	12"-FG-B1-303 (TP 612 A/B)	PJ6-EXD-MRI-BQDA-0008, PJ6-EXD-MRI-BQDA-0015	SOUR GAS	GAS	MW - 31.63 DENSITY - 5.4	45	110 - 120	185	FV	185	29.8	NO	277.5	WATER	YES	YES	A-14	100%	100%							
218	2	PW	8707	ALON	-	-	-	-	12"-PW-DLON-8110, 2"-PW-ALON-8726, 1"-PW-ALON-8708	4"-CD-ACON-8750	PJ6-EXD-MRI-BQDA-0042, PJ6-EXD-MRI-BQDA-0028	PRODUCED WATER	LIQUID	981 - 1155	81.2	60 - 105	185	FV	185	40	NO	277.5	WATER	YES	YES	A-14	100%	100%							
219	6	CD	8751	AC3N	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-06)	RELIEF POT V-854-TF	PJ6-EXD-MRI-BQDA-0028	CRUDE OIL / PRODUCED WATER	LIQUID	800 - 1010	ATM	60 - 140	125	-	185	40	NO	187.5	WATER	YES	YES	A-14	100%	100%							
220	2	FL	8715	AC6N	-	-	-	-	12"-SG-ASO-8101	2"-FL-AC6N-8701	PJ6-EXD-MRI-BQDA-0014	FLARE GAS	GAS	MW - 40 DENSITY - 1.8	0.1	130	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%							
221	2	FL	8701	AC6N	-	-	-	-	10"-SG-AC3N-8122	10"-SG-AC3N-8122	PJ6-EXD-MRI-BQDA-0014	FLARE GAS	GAS	MW - 23 TO 27 DENSITY - 1 - 3	0.1	109 - 125	85	FV	185	40	NO	127.5	WATER	YES	YES	A-14	100%	100%							
222	8	PW	8721	ALON	-	-	-	-	8"-PW-ALON-8723	MRD PWT PACKAGE DEGASSER V-852-TF (IP-PW-18)	PJ6-EXD-MRI-BQDA-0042, PJ6-EXD-MRI-BQDA-0028	PRODUCED WATER	LIQUID	981 - 1155	3.4	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%							
223	16	PW	8703	ALON	-	-	-	-	MRD PRODUCED WATER TREATMENT PACKAGE PX-851-TF (IP-PW-14)	16"-PW-ALON-8725	PJ6-EXD-MRI-BQDA-0028, PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%							
224	12	PW	8704	ALON	-	-	-	-	16"-PW-ALON-8725	12"-PW-DLON-8714	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%							
225	12	PW	8714	DLON	-	-	-	-	12"-PW-ALON-8704	MRD PRODUCED WATER DISPOSAL PUMP P-851A-TF	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
226	12	PW	8705	ALON	-	-	-	-	16"-PW-ALON-8725	12"-PW-DLON-8739	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%							
227	12	PW	8739	DLON	-	-	-	-	12"-PW-ALON-8705	MRD PRODUCED WATER DISPOSAL PUMP P-851B-TF	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
228	12	PW	8706	ALON	-	-	-	-	16"-PW-ALON-8725	12"-PW-DLON-8716	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%							
229	12	PW	8716	DLON	-	-	-	-	12"-PW-ALON-8706	MRD PRODUCED WATER DISPOSAL PUMP P-851C-TF	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
230	10	PW	8730	DLON	-	-	-	-	MRD PRODUCED WATER DISPOSAL PUMP P-851A-TF	12"-PW-DLON-8727	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
231	10	PW	8731	DLON	-	-	-	-	MRD PRODUCED WATER DISPOSAL PUMP P-851B-TF	12"-PW-DLON-8727	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
232	10	PW	8732	DLON	-	-	-	-	MRD PRODUCED WATER DISPOSAL PUMP P-851C-TF	12"-PW-DLON-8727	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
233	3/4	PW	8733	DLON	-	-	-	-	12"-PW-DLON-8714	2"-PW-DLON-8718	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
234	3/4	PW	8734	DLON	-	-	-	-	12"-PW-DLON-8739	2"-PW-DLON-8718	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
235	3/4	PW	8709	DLON	-	-	-	-	12"-PW-DLON-8716	2"-PW-DLON-8718	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							
236	6	PW	8728	DLON	-	-	-	-	10"-PW-DLON-8730	8"-PW-ALON-8719	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%							

 شركة نفط أبوظبي المحدودة (البيدرا) Abu Dhabi Oil Co., Ltd (Japan)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																							AREJLERS					
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002										Rev. 1	LINE LIST FOR MUBARRAZ ISLAND																		Date:	06/02/2026								
		LINE NUMBER					INSULATION			SERVICE INFORMATION		P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (VAP)	OPERATING		DESIGN				STEAM OUT CONDITION (Yes / No)	TEST		FABRICATION & INSTALLATION						OTHER		REV. No.					
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO	OPERATING PRESSURE					OPERATING TEMPERATURE	DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	TEST PRESSURE		TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE	NDE (RT)	NDE (MT / PT)	Rho v2 (lb/ft²)	NOTES								
																															(mm)	(kg/m³)		Psig	(°F)	Psig	Psig	(°F)
MUBARRAZ ISLAND																																						
237	6	PW	8701	DLON	-	-	-	-	10"-PW-DLON-8731	8"-PW-ALON-8720	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
238	6	PW	8729	DLON	-	-	-	-	10"-PW-DLON-8732	8"-PW-ALON-8722	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
239	2	PW	8718	DLON	-	-	-	-	12"-PW-DLON-8714, 12"-PW-DLON-8739, 12"-PW-DLON-8716	2"-PW-ALON-8726	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
240	2	PW	8726	ALON	-	-	-	-	2"-PW-DLON-8718	2"-PW-ALON-8707	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	3.4	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%										
241	3/4	PW	8712	DLON	-	-	-	-	6"-PW-DLON-8728	3/4"-PW-DLON-8738	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
242	3/4	PW	8740	DLON	-	-	-	-	10"-PW-DLON-8730	3/4"-PW-DLON-8738	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
243	3/4	PW	8738	DLON	-	-	-	-	6"-PW-DLON-8728, 3/4"-PW-DLON-8712, 3/4"-PW-DLON-8740	1"-PW-DLON-8708	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
244	3/4	PW	8735	DLON	-	-	-	-	6"-PW-DLON-8701	3/4"-PW-DLON-8710	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
245	3/4	PW	8737	DLON	-	-	-	-	10"-PW-DLON-8731	3/4"-PW-DLON-8710	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
246	3/4	PW	8710	DLON	-	-	-	-	6"-PW-DLON-8701, 3/4"-PW-DLON-8735, 3/4"-PW-DLON-8737	1"-PW-DLON-8708	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
247	3/4	PW	8736	DLON	-	-	-	-	6"-PW-DLON-8729	3/4"-PW-DLON-8711	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
248	3/4	PW	8717	DLON	-	-	-	-	10"-PW-DLON-8732	3/4"-PW-DLON-8711	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
249	3/4	PW	8711	DLON	-	-	-	-	6"-PW-DLON-8729, 3/4"-PW-DLON-8736, 3/4"-PW-DLON-8717	1"-PW-DLON-8708	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
250	1	PW	8708	ALON	-	-	-	-	MRD PRODUCED WATER DISPOSAL PUMPS P-851 A/B/C-TF	2"-PW-ALON-8707	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	3.4	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%										
251	8	PW	8719	ALON	-	-	-	-	6"-PW-DLON-8728	8"-PW-ALON-8723	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	3.4	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%										
252	8	PW	8720	ALON	-	-	-	-	6"-PW-DLON-8701	8"-PW-ALON-8723	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	3.4	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%										
253	8	PW	8722	ALON	-	-	-	-	6"-PW-DLON-8729	8"-PW-ALON-8723	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	3.4	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%										
254	8	PW	8723	ALON	-	-	-	-	8"-PW-ALON-8719, 8"-PW-ALON-8720, 8"-PW-ALON-8722	8"-PW-ALON-8721	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	3.4	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%										
255	12	PW	8727	DLON	-	-	-	-	10"-PW-DLON-8730, 10"-PW-DLON-8731, 10"-PW-DLON-8732	12"-PW-DLON-8110	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	1061	60 - 105	1412	FV	185	40	NO	2118	WATER	YES	YES	A-14	100%	100%										
256	16	PW	8725	ALON	-	-	-	-	16"-PW-ALON-8703	12"-PW-ALON-8704, 12"-PW-ALON-8705, 12"-PW-ALON-8706	PJ6-EXD-MRI-BQDA-0042	PRODUCED WATER	LIQUID	981 - 1155	17.8	60 - 105	120.4	FV	176	40	NO	180.6	WATER	YES	YES	A-14	100%	100%										
257	1	UW	8700	AG1	-	-	-	-	1"-UW-A6-535 (TP 651 A/B)	MRD MEA INLET SCRUBBER V-806-TF	PJ6-EXD-MRI-BQDA-0046	UTILITY WATER	LIQUID	DENSITY-1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-										

FD شركة نفط أبوظبي المحدودة (البيد) Abu Dhabi Oil Co., Ltd (agpc)										DETAILED ENGINEERING FOR MUBARRAZ REDEVELOPMENT PROJECT (EPC PHASE)																				AREJLERS				
COMPANY DOC NO: PJ6-EXD-GEN-BZOL-0002										Rev. 1	LINE LIST FOR MUBARRAZ ISLAND																	Date:	06/02/2026					
LINE NUMBER						INSULATION			SERVICE INFORMATION							OPERATING		DESIGN					TEST		FABRICATION & INSTALLATION							OTHER		
SERIAL NUMBER	SIZE	SERVICE CODE	LINE NUMBER	SPECIFICATION	DEVIATION	INSULATION TYPE	INSULATION - MATERIAL	INSULATION - THICKNESS (NOTE 1)	FROM	TO						P&ID NO	FLUID SERVICE	FLUID PHASE	DENSITY(LIQ) / MW (VAP)	OPERATING PRESSURE	OPERATING TEMPERATURE		DESIGN PRESSURE - MAX	DESIGN PRESSURE - MIN	DESIGN TEMPERATURE - MAX	DESIGN TEMPERATURE - MIN	STEAM OUT CONDITION (Yes / No)	TEST PRESSURE	TEST MEDIUM	PWHT (Yes / No)	NACE (Yes / No)	PAINT SPECIFICATION SYSTEM CODE		NDE (RT)
	(inch)							(mm)						(kg/m³)	Psig	(°F)	Psig	Psig	(°F)	(°F)		Psig												
MUBARRAZ ISLAND																																		
258	2	IA	8702	AG1	-	-	-	-	2"-IA-A7-403 (TP 585)	MRD MEA INLET SCRUBBER V-806-TF	PJ6-EXD-MRI-BQDA-0045	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-						
259	2	UW	8701	AG1	-	-	-	-	2"-UW-A1C-5002 (TP 654 A/B)	MRD THREE PHASE SEPARATOR V-804-TF	PJ6-EXD-MRI-BQDA-0049	UTILITY WATER	LIQUID	DENSITY-1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-						
260	2	UW	8702	AG1	-	-	-	-	2"-UW-AG1-8701	MRD OIL SLUG CATCHER V-803-TF	PJ6-EXD-MRI-BQDA-0049	UTILITY WATER	LIQUID	DENSITY-1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-						
261	2	UW	8711	AG1	-	-	-	-	2"-UW-A1C-5002 (TP 672 A/B)	MRD PIG RECEIVER V-805-TF	PJ6-EXD-MRI-BQDA-0049	UTILITY WATER	LIQUID	DENSITY-1000	140 - 150	AMB	200	-	200	-	NO	300	WATER	NO	NO	-	-	-						
262	2	UA	8701	AG1	-	-	-	-	2"-UA-A1C-5005 (TP 653 A/B)	MRD OIL SLUG CATCHER V-803-TF MRD THREE PHASE SEPARATOR V-804-TF	PJ6-EXD-MRI-BQDA-0053	UTILITY AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	210	WATER	No	NO	-	-	-						
263	2	IA	8701	AG1	-	-	-	-	2"-IA-A1C-5005 (TP 650 A/B)	MRD THREE PHASE SEPARATOR V-804-TF	PJ6-EXD-MRI-BQDA-0053	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-						
264	2	IA	8704	AG1	-	-	-	-	2"-IA-AG1-8701	MRD OIL SLUG CATCHER V-803-TF	PJ6-EXD-MRI-BQDA-0053	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-						
265	2	IA	8715	AG1	-	-	-	-	2"-IA-A1C-5005 (TP 673 A/B)	MRD OIL PIG RECEIVER V-805-TF	PJ6-EXD-MRI-BQDA-0053	INSTRUMENT AIR	GAS	MW : 28.96 DENSITY - 6.79	80 - 89	AMB	140	-	200	-	NO	154	AIR	NO	NO	-	-	-						
266	10	FG	8711	AC3	-	-	-	-	FUEL GAS INTERSTAGE SCRUBBER V-795-TF	12"-FG-01-A (TP-666B)	PJ6-EXD-MRI-BQDA-0062	SWEET GAS	GAS	MW - 26.97-28.97 DENSITY - 0.25	37	74	100	FV	200	-	NO	150	WATER	No	NO	A-14	10%	10%						
267	6	FG	8712	AC3	-	-	-	-	10"-FG-AC3-8711	6"-F-B1-101 (TP-666C)	PJ6-EXD-MRI-BQDA-0062	SWEET GAS	GAS	MW - 26.97-28.97 DENSITY - 0.25	37	74	100	FV	200	-	NO	150	WATER	No	NO	A-14	10%	10%						