

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-103 (DEMO-WELL-103) — PAGE 1

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.292054 N, Lon 95.329128 E	Total Depth:	3574.2 m
Spud Date:	2025-02-23	Current Report Page:	Page 1 of 5

Operations Log (Depth interval: 0m - 700m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

Routine drilling progress maintained with no critical incidents logged during this reporting window.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-103 (DEMO-WELL-103) — PAGE 2

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.292054 N, Lon 95.329128 E	Total Depth:	3574.2 m
Spud Date:	2025-02-23	Current Report Page:	Page 2 of 5

Operations Log (Depth interval: 700m - 1400m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

• EVENT: OTHER at 3570.1m (Severity: LOW)

Description: LWD telemetry transmission drop out during penetration of Basement at 3570.1m.

• EVENT: TORQUE_ANOMALY at 1323.0m (Severity: HIGH)

Description: Severe rotational torque oscillation (up to 28,000 ft-lbs) at 1323.0m.

Mitigation Action: Reduced WOB, adjusted RPM to eliminate torsional stick-slip.

Outcome: Drilling smoothed out.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-103 (DEMO-WELL-103) — PAGE 3

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.292054 N, Lon 95.329128 E	Total Depth:	3574.2 m
Spud Date:	2025-02-23	Current Report Page:	Page 3 of 5

Operations Log (Depth interval: 1400m - 2100m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

• **EVENT: MUD_LOSS at 2758.2m (Severity: CRITICAL)**

Description: CORRELATED CLUSTER INCIDENT: Sudden mud loss of 95 bbl/hr in Barail Coal-Shale (F3) at 2758.2m matching offset incidents in Well A and Well B.

Mitigation Action: Pulled string 4 stands off bottom. Pumped dual-density fibrous LCM blend and reduced circulation rate to 350 gpm.

Outcome: Loss zone sealed successfully. Non-productive time limited to 11 hours.

• **EVENT: KICK at 1609.6m (Severity: MEDIUM)**

Description: Gas kick influx of 17 bbls in Tipam at 1609.6m. SIDPP reached 410 psi.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-103 (DEMO-WELL-103) — PAGE 4

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.292054 N, Lon 95.329128 E	Total Depth:	3574.2 m
Spud Date:	2025-02-23	Current Report Page:	Page 4 of 5

Operations Log (Depth interval: 2100m - 2800m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

Routine drilling progress maintained with no critical incidents logged during this reporting window.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-103 (DEMO-WELL-103) — PAGE 5

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.292054 N, Lon 95.329128 E	Total Depth:	3574.2 m
Spud Date:	2025-02-23	Current Report Page:	Page 5 of 5

Operations Log (Depth interval: 2800m - 3500m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

- **EVENT: KICK at 1076.8m (Severity: MEDIUM)**
Description: Gas kick influx of 20 bbls in Tipam at 1076.8m. SIDPP reached 473 psi.