

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-108 (DEMO-WELL-108) — PAGE 1

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.264821 N, Lon 95.289631 E	Total Depth:	3401.1 m
Spud Date:	2025-06-13	Current Report Page:	Page 1 of 5

Operations Log (Depth interval: 0m - 700m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

• EVENT: KICK at 3078.7m (Severity: MEDIUM)

Description: Gas kick influx of 21 bbls in Kopili at 3078.7m. SIDPP reached 462 psi.

Mitigation Action: Shut in on annular BOP, circulated out kick using Wait & Weight.

Outcome: Pore pressure controlled; weighted up mud.

• EVENT: PRESSURE_ANOMALY at 1940.6m (Severity: HIGH)

Description: Unexpected 450 psi standpipe pressure spike at 1940.6m in Tipam.

Mitigation Action: Checked surface lines, inspected bit nozzles.

Outcome: Flow verified normal.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-108 (DEMO-WELL-108) — PAGE 2

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.264821 N, Lon 95.289631 E	Total Depth:	3401.1 m
Spud Date:	2025-06-13	Current Report Page:	Page 2 of 5

Operations Log (Depth interval: 700m - 1400m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

Routine drilling progress maintained with no critical incidents logged during this reporting window.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-108 (DEMO-WELL-108) — PAGE 3

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.264821 N, Lon 95.289631 E	Total Depth:	3401.1 m
Spud Date:	2025-06-13	Current Report Page:	Page 3 of 5

Operations Log (Depth interval: 1400m - 2100m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

Routine drilling progress maintained with no critical incidents logged during this reporting window.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-108 (DEMO-WELL-108) — PAGE 4

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.264821 N, Lon 95.289631 E	Total Depth:	3401.1 m
Spud Date:	2025-06-13	Current Report Page:	Page 4 of 5

Operations Log (Depth interval: 2100m - 2800m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

- **EVENT: PRESSURE_ANOMALY at 2800.2m (Severity: LOW)**
Description: Unexpected 450 psi standpipe pressure spike at 2800.2m in Barail.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-108 (DEMO-WELL-108) — PAGE 5

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.264821 N, Lon 95.289631 E	Total Depth:	3401.1 m
Spud Date:	2025-06-13	Current Report Page:	Page 5 of 5

Operations Log (Depth interval: 2800m - 3500m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

- EVENT: STUCK_PIPE at 3064.3m (Severity: LOW)

Description: Tight hole and mechanical drag in Kopili at 3064.3m with 72 klbs overpull.