

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-110 (DEMO-WELL-110) — PAGE 1

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.371453 N, Lon 95.411313 E	Total Depth:	3692.4 m
Spud Date:	2025-07-27	Current Report Page:	Page 1 of 5

Operations Log (Depth interval: 0m - 700m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

Routine drilling progress maintained with no critical incidents logged during this reporting window.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-110 (DEMO-WELL-110) — PAGE 2

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.371453 N, Lon 95.411313 E	Total Depth:	3692.4 m
Spud Date:	2025-07-27	Current Report Page:	Page 2 of 5

Operations Log (Depth interval: 700m - 1400m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

- **EVENT: KICK at 1472.6m (Severity: HIGH)**
Description: Gas kick influx of 25 bbls in Kopili at 1472.6m. SIDPP reached 381 psi.
Mitigation Action: Shut in on annular BOP, circulated out kick using Wait & Weight.
Outcome: Pore pressure controlled; weighted up mud.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-110 (DEMO-WELL-110) — PAGE 3

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.371453 N, Lon 95.411313 E	Total Depth:	3692.4 m
Spud Date:	2025-07-27	Current Report Page:	Page 3 of 5

Operations Log (Depth interval: 1400m - 2100m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

- **EVENT: STUCK_PIPE at 191.0m (Severity: LOW)**
Description: Tight hole and mechanical drag in Alluvium at 191.0m with 52 klbs overpull.
Mitigation Action: Pumped high-viscosity sweep pill and reamed section.
Outcome: String freed; hole cleared.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-110 (DEMO-WELL-110) — PAGE 4

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.371453 N, Lon 95.411313 E	Total Depth:	3692.4 m
Spud Date:	2025-07-27	Current Report Page:	Page 4 of 5

Operations Log (Depth interval: 2100m - 2800m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

- **EVENT:** PRESSURE_ANOMALY at 1809.6m (Severity: MEDIUM)
Description: Unexpected 450 psi standpipe pressure spike at 1809.6m in Sylhet.
Mitigation Action: Checked surface lines, inspected bit nozzles.
Outcome: Flow verified normal.

OIL INDIA LIMITED (SIMULATED OPERATIONS)

SYNTHETIC DATA — NOT OIL INDIA DATA · DEMO USE ONLY

DAILY DRILLING REPORT — Nahorkatiya Exploration DEMO-WELL-110 (DEMO-WELL-110) — PAGE 5

Field / Block:	Nahorkatiya Basin	Well Status:	COMPLETED
Coordinates:	Lat 27.371453 N, Lon 95.411313 E	Total Depth:	3692.4 m
Spud Date:	2025-07-27	Current Report Page:	Page 5 of 5

Operations Log (Depth interval: 2800m - 3500m):

Drilling string operated with PDC bit. Rotational speed maintained between 100-120 RPM. Circulated drilling fluid; monitored flow-out and return temperatures. Continuous mud-gas chromatograph readings recorded. Formation markers evaluated against seismic prognoses.

CRITICAL DRILLING INCIDENTS & ACTIONS TAKEN ON THIS PAGE:

- EVENT: OTHER at 1648.8m (Severity: MEDIUM)

Description: LWD telemetry transmission drop out during penetration of Kopili at 1648.8m.