

Cucumber Report

Aug 23, 2024, 11:56:44 AM

Start : Aug 23, 11:56:16.174 AM

End : Aug 23, 11:56:42.895 AM

Duration : 26.721 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 15
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 90




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Linked List Navigation and Interaction</u>	26.721 s	15	0	15	0	90	0	0	90

#	Feature Name	Scenario Name
1	<u>Linked List Navigation and Interaction</u>	<u>User navigates to tryEditor from Introductionpage</u>
2		<u>User navigates to Implement Linked List in Python from linkedlistpage</u>
3		<u>User navigates to Introduction from linkedlistpage</u>
4		<u>User navigates to tryEditor from ImplementLinkedListinPythonpage</u>
5		<u>User navigates to Traversal from linkedlistpage</u>
6		<u>User navigates to tryEditor from Creating Linked List page</u>
7		<u>User navigates to tryEditor from Traversalpage</u>
8		<u>User navigates to tryEditor from Insertionpage</u>
9		<u>User navigates to Practice Questions from linkedlistpage</u>
10		<u>User navigates to tryEditor from Deletionpage</u>
11		<u>User navigates to Insertion from linkedlistpage</u>
12		<u>User navigates to Creating Linked List page from linkedlistpage</u>
13		<u>User navigates to tryEditor from Types of Linked List page</u>


#	Feature Name	Scenario Name
14	<u>Linked List Navigation and Interaction</u>	<u>User navigates to Deletion from linkedlistpage</u>
15		<u>User navigates to Types of Linked List from linkedlistpage</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Linked List Navigation and Interaction</u>	15	0	15	0	26.721 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Linked List Navigation and Interaction</u>	<u>User navigates to tryEditor from Introductionpage</u>	6	0	0	6	26.693 s
2		<u>User navigates to Implement Linked List in Python from linkedlistpage</u>	6	0	0	6	26.656 s
3		<u>User navigates to Introduction from linkedlistpage</u>	6	0	0	6	26.656 s
4		<u>User navigates to tryEditor from ImplementLinkedListinPythonpage</u>	6	0	0	6	26.665 s
5		<u>User navigates to Traversal from linkedlistpage</u>	6	0	0	6	26.656 s
6		<u>User navigates to tryEditor from Creating Linked Llist page</u>	6	0	0	6	26.656 s
7		<u>User navigates to tryEditor from Traversalpage</u>	6	0	0	6	26.650 s
8		<u>User navigates to tryEditor from Insertionpage</u>	6	0	0	6	26.660 s
9		<u>User navigates to Practice Questions from linkedlistpage</u>	6	0	0	6	26.649 s
10		<u>User navigates to tryEditor from Deletionpage</u>	6	0	0	6	26.650 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Linked List Navigation and Interaction</u>	<u>User navigates to Insertion from linkedlistpage</u>	6	0	0	6	26.650 s
12		<u>User navigates to Creating Linked List page from linkedlistpage</u>	6	0	0	6	26.647 s
13		<u>User navigates to tryEditor from Types of Linked List page</u>	6	0	0	6	26.657 s
14		<u>User navigates to Deletion from linkedlistpage</u>	6	0	0	6	26.645 s
15		<u>User navigates to Types of Linked List from linkedlistpage</u>	6	0	0	6	26.652 s

Linked List Navigation and Interaction

FAILED	DURATION - 26.721 s	Scenarios Total - 15 Pass - 0 Fail - 15 Skip - 0		Steps Total - 90 Pass - 0 Fail - 0 Skip - 90	
/ 11:56:16.174 AM // 11:56:42.895 AM /					



User navigates to tryEditor from Introductionpage

<div>FAILED</div> <div>DURATION - 26.693 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
/ 11:56:16.196 AM // 11:56:42.889 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60)</p>	FAILED	18.235 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "Introductionpage"	SKIPPED	0.000 s
5	When the user selects "Try Here" button	SKIPPED	0.001 s
6	Then the user should land on the "Assessment" page	SKIPPED	0.001 s



User navigates to Implement Linked List in Python from linkedlistpage

FAILED	DURATION - 26.656 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:16.221 AM // 11:56:42.877 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	14.891 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Mic..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58) </pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "linkedListpage"	SKIPPED	0.001 s
5	When the user selects "Implement Linked List in Python" button	SKIPPED	0.000 s
6	Then the user should land on the "Implement Linked List in Python" page	SKIPPED	0.000 s

User navigates to Introduction from linkedlistpage

<div>FAILED</div> <div>DURATION - 26.656 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:56:16.222 AM // 11:56:42.878 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	11.511 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedge driver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58) </pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "linkedlistpage"	SKIPPED	0.000 s
5	When the user selects "Introduction" button	SKIPPED	0.000 s
6	Then the user should land on the "Introduction" page	SKIPPED	0.001 s



User navigates to tryEditor from ImplementLinkedListInPythonpage

FAILED	DURATION - 26.665 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:16.223 AM // 11:56:42.888 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	19.859 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession </pre>		

#	Step / Hook Details	Status	Duration
	<pre>{capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Mic..., extensions: []}]}</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</pre> <pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)</pre> <pre>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44)</pre> <pre>at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58)</pre> <pre>at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)</pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.001 s
4	Given the user is on "ImplementLinkedListinPythonpage"	SKIPPED	0.000 s
5	When the user selects "Try Here" button	SKIPPED	0.000 s
6	Then the user should land on the "Assessment" page	SKIPPED	0.000 s



User navigates to Traversal from linkedlistpage

<div>FAILED</div> <div>DURATION - 26.656 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:56:16.224 AM // 11:56:42.880 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	6.490 s



#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedge driver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)</pre>		
1	Given the user navigates to the login page	SKIPPED	0.001 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "linkedlistpage"	SKIPPED	0.000 s
5	When the user selects "Traversal" button	SKIPPED	0.001 s
6	Then the user should land on the "Traversal" page	SKIPPED	0.000 s

User navigates to tryEditor from Creating Linked List page

FAILED		DURATION - 26.656 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>		
/ 11:56:16.225 AM // 11:56:42.881 AM /							
Linked List Navigation and Interaction							



#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)</p>	FAILED	4.762 s
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.001 s
4	Given the user is on "CreatingLinkedListpage"	SKIPPED	0.000 s
5	When the user selects "Try Here" button	SKIPPED	0.000 s
6	Then the user should land on the "Assessment" page	SKIPPED	0.000 s

User navigates to tryEditor from Traversalpage

<div>FAILED</div>	<div>DURATION - 26.650 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:56:16.226 AM // 11:56:42.876 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)	FAILED	3.124 s
1	Given the user navigates to the login page	SKIPPED	0.002 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.001 s
4	Given the user is on "Traversalpage"	SKIPPED	0.000 s
5	When the user selects "Try Here" button	SKIPPED	0.001 s
6	Then the user should land on the "Assessment" page	SKIPPED	0.000 s



User navigates to tryEditor from Insertionpage

<div>FAILED</div> <div>DURATION - 26.660 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
/ 11:56:16.227 AM // 11:56:42.887 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)	FAILED	24.965 s
1	Given the user navigates to the login page	SKIPPED	0.001 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "Insertionpage"	SKIPPED	0.000 s
5	When the user selects "Try Here" button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then the user should land on the "Assessment" page	SKIPPED	0.000 s

User navigates to Practice Questions from linkedlistpage

FAILED	DURATION - 26.649 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:56:16.228 AM // 11:56:42.877 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedge driver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)	FAILED	13.208 s
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "Deletionpage"	SKIPPED	0.000 s
5	When the user selects "Practice Questions" button	SKIPPED	0.000 s
6	Then the user should land on the "Practice Questions" page	SKIPPED	0.000 s



User navigates to tryEditor from Deletionpage

FAILED		DURATION - 26.650 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:16.229 AM // 11:56:42.879 AM /					
Linked List Navigation and Interaction					

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedge driver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)</p> <p>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114)</p> <p>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60)</p> <p>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56)</p> <p>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48)</p> <p>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44)</p> <p>at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58)</p>	FAILED	8.149 s

#	Step / Hook Details	Status	Duration
	at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "Deletionpage"	SKIPPED	0.000 s
5	When the user selects "Try Here" button	SKIPPED	0.000 s
6	Then the user should land on the "Assessment" page	SKIPPED	0.000 s

User navigates to Insertion from linkedlistpage

FAILED	DURATION - 26.650 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:16.229 AM // 11:56:42.879 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	9.802 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.001 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "linkedlistpage"	SKIPPED	0.000 s
5	When the user selects "Insertion" button	SKIPPED	0.000 s
6	Then the user should land on the "Insertion" page	SKIPPED	0.000 s



User navigates to Creating Linked List page from linkedlistpage

FAILED		<i>DURATION - 26.647 s</i>			Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:16.230 AM // 11:56:42.877 AM /						
<i>Linked List Navigation and Interaction</i>						

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	16.548 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Mic..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58) </pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "linkedlistpage"	SKIPPED	0.000 s
5	When the user selects "Creating Linked List" button	SKIPPED	0.000 s
6	Then the user should land on the "Creating Linked List" page	SKIPPED	0.000 s

User navigates to tryEditor from Types of Linked List page

FAILED	DURATION - 26.657 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:56:16.231 AM // 11:56:42.888 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	21.567 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedge driver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58) </pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.001 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "TypesofLinkedListpage"	SKIPPED	0.000 s
5	When the user selects "Try Here" button	SKIPPED	0.001 s
6	Then the user should land on the "Assessment" page	SKIPPED	0.000 s



User navigates to Deletion from linkedlistpage

FAILED	DURATION - 26.645 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:16.232 AM // 11:56:42.877 AM /				
Linked List Navigation and Interaction				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	23.281 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession </pre>		

#	Step / Hook Details	Status	Duration
	<pre>{capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Mic..., extensions: []}]}</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</pre> <pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)</pre> <pre>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48)</pre> <pre>at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44)</pre> <pre>at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58)</pre> <pre>at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58)</pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "linkedlistpage"	SKIPPED	0.001 s
5	When the user selects "Deletion" button	SKIPPED	0.000 s
6	Then the user should land on the "Deletion" page	SKIPPED	0.001 s

User navigates to Types of Linked List from linkedlistpage

FAILED		DURATION - 26.652 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:16.243 AM // 11:56:42.895 AM /					
Linked List Navigation and Interaction					

#	Step / Hook Details	Status	Duration
	BEFORE - com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(io.cucumber.java.Scenario)	FAILED	26.623 s

#	Step / Hook Details	Status	Duration
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: crashed. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'NIKACHOO', ip: '192.168.0.20' Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], binary: C:\Program Files (x86)\Micr..., extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.dsAlgoWebDriverManager.DriverManager.initializedriver(DriverManager.java:58) at com.dsAlgoProject.Hooks.dsAlgoHooks.setUp(dsAlgoHooks.java:58) </pre>		
1	Given the user navigates to the login page	SKIPPED	0.000 s
2	When the user enters a valid username and password	SKIPPED	0.000 s
3	Then clicks the login button	SKIPPED	0.000 s
4	Given the user is on "linkedlistpage"	SKIPPED	0.000 s
5	When the user selects "Types of Linked List" button	SKIPPED	0.000 s
6	Then the user should land on the "Types of Linked List" page	SKIPPED	0.000 s