

Exercise 4 – Template Driven Forms

Install Forms Module

npm install

app.config.ts

```
import { ApplicationConfig } from '@angular/core';
import { provideRouter } from '@angular/router';
import { provideForms } from '@angular/forms';
import { routes } from './app.routes';

export const appConfig: ApplicationConfig = {
  providers: [
    provideRouter(routes),
    provideForms()
  ]
};
```

Generate Component

ng generate component pages/enrollment-form

app.routes.ts

```
import { Routes } from '@angular/router';
import { HomeComponent } from './pages/home/home.component';
import { CourseListComponent } from './pages/course-list/course-list.component';
import { StudentProfileComponent } from './pages/student-profile/student-profile.component';
import { EnrollmentFormComponent } from './pages/enrollment-form/enrollment-form.component';
```

```
export const routes: Routes = [  
  {path:'',component:HomeComponent},  
  {path:'courses',component:CourseListComponent},  
  {path:'profile',component:StudentProfileComponent},  
  {path:'enroll',component:EnrollmentFormComponent}  
];
```

enrollment-form.component.ts

```
import { Component } from '@angular/core';  
import { FormsModule } from '@angular/forms';  
  
@Component({  
  selector:'app-enrollment-form',  
  standalone:true,  
  imports:[FormsModule],  
  templateUrl:'./enrollment-form.component.html',  
  styleUrls:['./enrollment-form.component.css']  
})  
export class EnrollmentFormComponent{  
  student={  
    name:"",  
    email:"",  
    mobile:"",  
    branch:"",  
    semester:"",  
    course:"",  
    agree:false  
  };  
};
```

```
submitted=false;

branches=[
'CSE',
'IT',
'ECE',
'EEE',
'MECH'
];

courses=[
'Angular',
'React',
'Spring Boot',
'Java',
'MySQL'
];

submitForm(){
this.submitted=true;
console.log(this.student);
}

resetForm(){
this.student={
name:"",
email:"",
mobile:"",
branch:"",
semester:"",
course:"",
agree:false
```

```
};  
this.submitted=false;  
}  
}
```

enrollment-form.component.html

```
<h2>Student Enrollment Form</h2>  
<form #form="ngForm" (ngSubmit)="submitForm()">  
  <label>Name</label>  
  <input  
    type="text"  
    name="name"  
    required  
    minlength="3"  
    [(ngModel)]="student.name"  
    #name="ngModel">  
    <div *ngIf="name.invalid&&name.touched">  
      Name is required  
    </div>  
  
  <label>Email</label>  
  <input  
    type="email"  
    name="email"  
    required  
    email  
    [(ngModel)]="student.email"  
    #email="ngModel">
```

```
<div *ngIf="email.invalid&&email.touched">
```

Valid Email Required

```
</div>
```

```
<label>Mobile</label>
```

```
<input
```

```
type="text"
```

```
name="mobile"
```

```
required
```

```
pattern="[0-9]{10}"
```

```
[(ngModel)]="student.mobile"
```

```
#mobile="ngModel">
```

```
<div *ngIf="mobile.invalid&&mobile.touched">
```

Enter 10 Digit Mobile Number

```
</div>
```

```
<label>Branch</label>
```

```
<select
```

```
name="branch"
```

```
required
```

```
[(ngModel)]="student.branch">
```

```
<option value="">Select</option>
```

```
<option *ngFor="let b of branches">{{b}}</option>
```

```
</select>
```

```
<label>Semester</label>
```

```
<input
```

```
type="number"
```

```
name="semester"
```

```
required
[(ngModel)]="student.semester">
<label>Course</label>
<select
name="course"
required
[(ngModel)]="student.course">
<option value="">Select</option>
<option *ngFor="let c of courses">{{c}}</option>
</select>
<label>
<input
type="checkbox"
name="agree"
required
[(ngModel)]="student.agree">
Accept Terms
</label>
<br><br>
<button
type="submit"
[disabled]="form.invalid">
Submit
</button>
<button
type="button"
(click)="resetForm()">
Reset
```

```
</button>

</form>

<div *ngIf="submitted">

<h3>Enrollment Successful</h3>

<p>Name : {{student.name}}</p>

<p>Email : {{student.email}}</p>

<p>Mobile : {{student.mobile}}</p>

<p>Branch : {{student.branch}}</p>

<p>Semester : {{student.semester}}</p>

<p>Course : {{student.course}}</p>

</div>
```

enrollment-form.component.css

```
form{

width:450px;

padding:20px;

border:1px solid #ccc;

border-radius:10px;

}

label{

display:block;

margin-top:15px;

font-weight:bold;

}

input,select{

width:100%;

padding:8px;

margin-top:5px;
```

```
}  
  
button{  
margin-top:20px;  
margin-right:10px;  
border:8px 16px;  
}  
  
div{  
color:red;  
margin-top:5px;  
}
```

header.component.html

```
<header>  
  
<h1>{{title}}</h1>  
  
<nav>  
  
<a routerLink="/">Home</a>  
  
<a routerLink="/courses">Courses</a>  
  
<a routerLink="/profile">Profile</a>  
  
<a routerLink="/enroll">Enroll</a>  
  
</nav>  
  
</header>
```

Run

ng serve

Open:

<http://localhost:4200/enroll>

Expected Output

1. Initial State – Empty Form (Submit Disabled)

2. Validation Errors – Invalid Inputs

3. Valid Data Entered – Submit Enabled

4. Successful Submission - Details Displayed

5. After Email – Form Closed

d. Mixed input – Validation by Author

- Student Enrollment Form is displayed.
- All required fields are available.
- Validation messages appear for invalid inputs.

- Submit button remains disabled until the form is valid.
- On successful submission, the entered details are displayed.
- Reset button clears all form fields.

- Form validation is implemented using Angular Reactive Forms.
- User experience is smooth and interactive.