RelationalAI Marketplace Video Talk Track

Umbrella Question

> **Question:** Given our tower health, equipment advisories, subscriber impact, call graph, and fixed capex budget, which towers should we upgrade, why those towers, and what business constraint limits the plan?

This one question showcases **Decision Intelligence native to Snowflake**.

> Snowflake brings the data and AI together. RelationalAI brings the business logic to the data.

Semantic views govern dimensions and metrics. RelationalAI extends that pattern to business logic, so an agent can move from "what happened?" analytics to "what should we do?" decisions.

This telco question uses the RelationalAI reasoners together:

- **Rules** identify operationally critical towers.
- **Predictive** scores equipment and tower failure risk from health, tower context, and advisories.
- **Graph** measures subscriber and customer impact through the call network.
- **Paths** traces influential call routes through towers.
- **Prescriptive** chooses upgrade tiers under budget and install-week constraints.
- **Deployment and agent** expose the reasoning results through Snowflake Intelligence.

5-Minute Script

0:00-0:35 — Intro

RelationalAI brings **Decision Intelligence native to Snowflake**.

Snowflake brings the data and AI together. RelationalAI brings the business logic to the data.

In this demo, we model the telco business as a relational ontology: towers, equipment, subscribers, advisories, calls, and upgrade options. That ontology is not just documentation. It is executable business logic.

Once deployed, we combine rules, graph analytics, prediction, and optimization over the same governed Snowflake data, then expose the result through a natural-language agent in Snowflake.

0:35-1:10 — Telco Scenario

In this example, we are a regional telco with a fixed upgrade budget.

Some towers are visibly degraded. Some look fine, but have equipment tied to manufacturer recalls or defect advisories. And not every tower has the same business impact, because enterprise and high-churn subscribers are unevenly distributed across the network.

Our business question is:

> **Question:** Given operational health, predicted failure risk, customer impact, call paths, and budget, which towers should we upgrade, and why?

1:10-1:50 — Reasoning Chain

RelationalAI lets us answer that as one connected reasoning workflow.

Semantic views are excellent for governed dimensions and metrics. But this question asks for a decision: which towers should we upgrade under budget, and why? That requires business logic beyond metrics.

Rules identify operationally critical towers from packet loss, tower status, and equipment health.

A predictive GNN scores equipment failure risk using health metrics, tower context, and manufacturer advisories.

Graph analytics measure customer influence and impact from the subscriber call network.

Path analysis shows which call routes pass through important towers.

And prescriptive optimization selects the best tower upgrade tiers under the capex and install-week constraints.

Put simply: **semantic views govern metrics; relational ontologies govern business logic.**

1:50-2:15 — Agent Transition

The final outputs are deployed back into Snowflake as queryable tables and surfaced through a Snowflake Intelligence agent backed by RelationalAI.

Now a business user can ask in natural language without knowing the underlying joins, graph logic, or optimizer. The agent stays thin because it calls governed, executable business logic instead of recreating that logic in generated code.

Snowflake Demo Prompts

Prompt 1 — Final Plan

Question: What is the final telco recovery plan summary?

Talk track:

The agent returns the optimized plan: total cost, restored capacity, towers covered, tier mix, and the binding constraint. This is the prescriptive result: not a heuristic shortlist, but an optimized decision under constraints.

Prompt 2 — Risk And Impact

Question: Which towers have the highest combined failure risk and customer impact?

Talk track:

Now we are looking at predictive and graph signals together. Failure intensity comes from the equipment-risk model, while customer impact comes from subscriber value and call activity.

This is where relational ontology matters: the answer combines concepts and relationships across towers, equipment, customers, and network traffic.

Prompt 3 — Regional Breakdown

Question: Show selected upgrades by region.

Talk track:

This makes the plan explainable by region. It shows how the optimizer allocated budget and capacity across the network.

A semantic view could summarize a regional metric once the plan exists. RelationalAI computes the plan in the first place.

Prompt 4 — Equipment Risk

Question: Which equipment items are most likely to fail?

Talk track:

This drills into the predictive reasoner. The equipment-level risk signals roll up into tower-level failure intensity and feed the same governed decision workflow.

Prompt 5 — Call Path

Question: What is the most influential call path and which towers does it use?

Talk track:

This shows graph and path reasoning. We are not just ranking customers or towers independently; we can trace the call route and the towers carrying influential network traffic. That path becomes provenance for the recommendation.

Close

The key point is that RelationalAI is not just another query tool. It is a Snowflake-native way to capture and execute business logic.

In this telco example, one agent can explain what happened operationally, what is likely to fail, which customers are affected, which paths matter, and what upgrade plan best fits the budget.

That is Decision Intelligence: connecting data, knowledge, reasoning, and action to recommend and optimize decisions.

Semantic views make metrics easier for humans and agents to use. RelationalAI does the same for business logic: governable, understandable, extensible, executable, and native to Snowflake.