

Code	Type	Description
2836	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_VARIABLE	SqlScript
2837	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_VARIABLE_VECTOR	SqlScript
2838	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_SCALAR_VALUE	SqlScript
2839	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_SQLIDENT_VECTOR	SqlScript
2840	ERR_SQLSCRIPT_BUILTIN_PARAM_ATTRIBUTE_WITH_SCHEMA	SqlScript
2841	ERR_SQLSCRIPT_BUILTIN_MISSING_ATTRIBUTE_IN_PROJECTION	SqlScript
2842	ERR_SQLSCRIPT_BUILTIN_MISSING_JOIN_ATTR_IN_PROJECTION	SqlScript
2843	ERR_SQLSCRIPT_TEMPL_FUNCTION_CAN_NOT_BE_CALLED	SqlScript
2844	ERR_SQLSCRIPT_PARAM_COUNT_MISMATCH	SqlScript
2845	ERR_SQLSCRIPT_PARAM_WRONG_TYPE	SqlScript
2846	ERR_SQLSCRIPT_PARAM_WRONG_TYPE_COMPARED_TO_SIGNATURE	SqlScript
2847	ERR_SQLSCRIPT_PARAM_WRONG_TABLE_TYPE	SqlScript
2848	ERR_SQLSCRIPT_PARAM_MODE_MISMATCH	SqlScript
2849	ERR_SQLSCRIPT_PARAM_UNSUPPORTED_TYPE	SqlScript
2850	ERR_SQLSCRIPT_NO_OUTPUT_PARAM	SqlScript
2851	ERR_SQLSCRIPT_OUTPUT_PARAM_NOT_TABLE_TYPE	SqlScript
2852	ERR_SQLSCRIPT_BUILTIN_NOT_DEFINED	SqlScript
2853	ERR_SQLSCRIPT_VAR_DEPENDS_ON_UNASSIGNED_VAR	SqlScript
2854	ERR_SQLSCRIPT_VAR_CYCLIC_DEPENDENCY	SqlScript
2855	ERR_SQLSCRIPT_PARAM_NOT_INITIALIZED	SqlScript
2856	ERR_SQLSCRIPT_PARAM_MISMATCH_TABLE_TYPE	SqlScript
2857	ERR_SQLSCRIPT_CALL_OPEN_MISSING_CALL_CLOSE	SqlScript
2858	ERR_SQLSCRIPT_BUILTIN_IN_PARAM_NOT_SAME_TABLE_TYPE	SqlScript
2859	ERR_SQLSCRIPT_BUILTIN_JOINATTR_NOT_FOUND_IN_VAR	SqlScript
2860	ERR_SQLSCRIPT_FUNCTION_NOT_NESTABLE	SqlScript
2861	ERR_SQLSCRIPT_CALL_CLOSE_MISSING_CALL_OPEN	SqlScript
2862	ERR_SQLSCRIPT_TABLE_TYPE_NOT_DERIVABLE	SqlScript
2863	ERR_SQLSCRIPT_MISSING_FTC_TYPE_MAPPING	SqlScript
2864	ERR_SQLSCRIPT_INVALID_TABLE_TYPE_NAME	SqlScript
2865	ERR_SQLSCRIPT_DUPLICATE_ATTRIBUTE_NAME	SqlScript
2866	ERR_SQLSCRIPT_FUNCTION_EXISTING	SqlScript

Code	Type	Description
2867	ERR_SQLSCRIPT_FUNCTION_TYPE_NOT_SUPPORTED	SqlScript
2868	ERR_SQLSCRIPT_FUNCTION_NAME_MAX_LEN	SqlScript
2869	ERR_SQLSCRIPT_BUILTIN_PARAM_ATTRIBUTE_WITH_ALIAS	SqlScript
2870	ERR_SQLSCRIPT_INTERNAL_ERR	SqlScript
2871	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_AGGREGFUN_VECTOR	SqlScript
2872	ERR_SQLSCRIPT_FUNCTION_NAME_INVALID	SqlScript
2873	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_PROJECTION_VECTOR	SqlScript
2874	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_FILTER_EXPRESSION	SqlScript
2875	ERR_SQLSCRIPT_RLANG_EXACTLY_ONE_OUTPUT_PARAM	SqlScript
2876	ERR_SQLSCRIPT_JSLANG_EXACTLY_ONE_OUTPUT_PARAM	SqlScript
2877	ERR_SQLSCRIPT_SQLLANG_EXACTLY_ONE_OUTPUT_PARAM	SqlScript
2878	ERR_SQLSCRIPT_GENERICLANG_EXACTLY_ONE_OUTPUT_PARAM	SqlScript
2879	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_TABLE_TYPE	SqlScript
2880	ERR_SQLSCRIPT_VARIABLE_NOT_TABLE_TYPE	SqlScript
2881	ERR_SQLSCRIPT_BUILTIN_CALCATTR_EXPRESSION_SYNTAX	SqlScript
2882	ERR_SQLSCRIPT_BUILTIN_UNEVEN_NR_OF_PARAMS	SqlScript
2883	ERR_SQLSCRIPT_CALC_ATTR_NOT_ALLOWED	SqlScript
2884	ERR_SQLSCRIPT_BUILTIN_DUPLICATE_COLUMN_NAME	SqlScript
2885	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_KEY_VALUE_VECTOR	SqlScript
2886	ERR_SQLSCRIPT_BUILTIN_CALCATTR_REFERENCED_FIELD_MISSING	SqlScript
2887	ERR_SQLSCRIPT_BUILTIN_FILTER_REFERENCED_FIELD_MISSING	SqlScript
2888	ERR_SQLSCRIPT_BUILTIN_FILTER_EXPRESSION_SYNTAX	SqlScript
2889	ERR_SQLSCRIPT_BUILTIN_PARAM_NOT_COL_OR_AGGR_VECTOR	SqlScript
2890	ERR_SQLSCRIPT_TABLE_INPUT_PARAMS_NOT_SUPPORTED	SqlScript
2891	ERR_SQLSCRIPT_TABLE_INOUT_PARAMS_NOT_SUPPORTED	SqlScript
3584	ERR_DIST_SQL	Distributed SQL error
3585	ERR_DIST_SQL_EXPR SHIPPING_FAILURE	Expression shipping failure
3586	ERR_DIST_SQL_OPERATOR SHIPPING_FAILURE	Operator shipping failure
3587	ERR_DIST_SQL_INVALID_PROTOCOL	Invalid protocol or service shutdown during distributed query execution
3588	ERR_DIST_SQL_SEQUENCE SHIPPING_FAILURE	Sequence shipping failure

Code	Type	Description
3589	ERR_DIST_SQL_REMOTE_EXECUTION_FAILURE	Remote query execution failure
3840	ERR_AUDITING	General auditing error
3841	ERR_AUDITING_NO_PRIV_NAME	Invalid privilege
3842	ERR_AUDITING_TRAIL_WRITER_BLOCKED	Audit trail writer is blocked
3843	ERR_AUDITING_POLICY_ALREADY_EXISTS	Audit policy with current name already exists
3844	ERR_AUDITING_INV_POLICY_TYPE	Invalid combination of audit action and policy type
3845	ERR_AUDITING_INV_ACTION_STATUS	Invalid action status for auditing
3846	ERR_AUDITING_INV_LEVEL	Invalid auditing level
3847	ERR_AUDITING_INV_POLICY_NAME	Invalid policy name
3848	ERR_AUDITING_INV_ACTION_OBJECT_TYPE	Invalid combination of audit action and object type
3849	ERR_AUDITING_INV_OBJECT_TYPE	Audit policy for this object type not supported
3850	ERR_AUDITING_INV_ACTION	Invalid action for tenant specific audit policy
3851	ERR_AUDITING_INV_RETENTION	Number of days for retention too low or no retention for used trail types at all
4096	ERR_PLANVIZ_GENERAL	[PlanViz] general error
4097	ERR_PLANVIZ_PIN_GENERAL	[PlanViz] invalid pin request
4098	ERR_PLANVIZ_INVALID_PLAN_GENERAL	[PlanViz] invalid plan
4099	ERR_PLANVIZ_PLAN_CACHE_GENERAL	[PlanViz] plan cache error
4100	ERR_PLANVIZ_NO_PVPARAM	[PlanViz] PlanVizParam does not exist
4101	ERR_PLANVIZ_PROC_LANG_SUPPORT	[PlanViz] procedure language not supported
4102	ERR_PLANVIZ_MARK_MIN_COST_PLAN	[PlanViz] cannot mark min-cost plan
4103	ERR_PLANVIZ_PARSE_TREE_NOT_FOUND	[PlanViz] parse tree not found
4104	ERR_PLANVIZ_PLAN_NOT_FOUND	[PlanViz] plan not found
4105	ERR_PLANVIZ_UNSUPPORTED_STMT_TYPE	[PlanViz] unsupported statement type
4106	ERR_PLANVIZ_REMOTE_EXEC_STATS	[PlanViz] error while gathering remote execution stats
4107	ERR_PLANVIZ_ENV_NO_STATS_COLLECTOR	[PlanViz] exec stats collector not found
4108	ERR_PLANVIZ_EXPLAIN_PLAN_GENERAL	[PlanViz] explain plan failed
4109	ERR_PLANVIZ_TRACE_ONLY_GENERAL	[PlanViz] error in trace-only mode

Code	Type	Description
4110	ERR_PLANVIZ_PLAN_TRACE_GENERAL	[PlanViz] error in Plan Trace
4161	ERR_REORG_GENERAL	Failed to execute reorganization
4162	ERR_REORG_TRANS_BLOCKED_GENERAL	Transaction blocked since runtime reorganization is in progress
4163	ERR_REORG_TRANS_EXISTS_GENERAL	Cannot start reorganization due to transactions in execution
4192	ERR_LDAP	General LDAP error
4193	ERR_LDAP_CANNOT_AUTHORIZE_LOCALLY	Local authorization not allowed
4194	ERR_LDAP_CANNOT_CHANGE_AUTHORIZATION_MODE	Authorization mode change not allowed
4195	ERR_LDAP_MAPPING_ALREADY_EXISTS	Role to LDAP group mapping already exists
4196	ERR_LDAP_MAPPING_DOESNT_EXIST	Role to LDAP group mapping does not exist
4197	ERR_LDAP_PROVIDER_CREATION_FAILED	Creating LDAP provider failed because of internal error
4198	ERR_LDAP_PROVIDER_DELETION_FAILED	Deleting LDAP provider failed because of internal error
4199	ERR_LDAP_PROVIDER_ALTER_FAILED	Alter LDAP provider failed because of internal error
4200	ERR_LDAP_PROVIDER_VALIDATE_FAILED	Validate LDAP provider failed because of internal error
4201	ERR_LDAP_PROVIDER_ALREADY_EXISTS	LDAP provider already exists
4202	ERR_LDAP_INVALID_PROVIDER_NAME	Invalid LDAP provider name
4203	ERR_LDAP_MALFORMED_CREDENTIALS	Credentials not provided in proper format
4204	ERR_LDAP_PASSWORD_MUTUAL_EXCLUSION_FAILED	Local password authentication and LDAP authentication cannot be enabled together for the same user
4225	ERR_PROVIDER	General provider error
4226	ERR_PROVIDER_INV_SUBJECT_NAME	Invalid subject name layout
4227	ERR_PROVIDER_INV_ISSUER_NAME	Invalid issuer name layout
4228	ERR_PROVIDER_ALREADY_EXISTS	Provider already exists
4229	ERR_PROVIDER_INVALID_PROVIDER_NAME	Invalid provider name
4230	ERR_PROVIDER_INVALID_ASSERTION	Invalid assertion
4231	ERR_PROVIDER_INVALID_MAPPED_USER_NAME	Invalid or empty mapped user name
4232	ERR_PROVIDER_ADDING_USER_MAPPING_FAILED	Adding a new provider user mapping failed

Code	Type	Description
4233	ERR_PROVIDER_CREATION_FAILED	Creating provider failed because of internal error
4234	ERR_PROVIDER_DELETION_FAILED	Deleting provider failed because of internal error
4235	ERR_PROVIDER_ALTER_FAILED	Alter provider failed because of internal error
4236	ERR_PROVIDER_DUPLICATE_ENTITY	EntityID already exists
4237	ERR_PROVIDER_INVALID_ENTITY	Invalid entity id
4238	ERR_PROVIDER_DUPLICATE_ISSUER	Duplicate provider for this issuer
4239	ERR_PROVIDER_INVALID_CLAIM	Invalid claim
4240	ERR_PROVIDER_DUPLICATE_IDENTITY	Duplicate identity for this provider
4241	ERR_PROVIDER_HAS_USER_MAPPINGS	Provider has user mappings
4242	ERR_PROVIDER_DROPPING_USER_MAPPING_FAILED	Dropping a provider user mapping failed
4243	ERR_PROVIDER_DUPLICATE_SUBJECT_ISSUER	Duplicate provider for this subject issuer
4244	ERR_PROVIDER_INVALID_ATTRIBUTE	Invalid attribute
4248	ERR_USER_PARAMETERS	General user parameter error
4249	ERR_USER_PARAM_DUPLICATE_EMAIL_ADDRESS	Same email address cannot be used by different users
4250	ERR_USER_PARAM_PRIORITY_OUT_OF_RANGE	Priority out of range
4251	ERR_USER_PARAM_INVALID_STATEMENT_MEMORY_LIMIT	Invalid statement memory limit
4252	ERR_USER_PARAM_INVALID_STATEMENT_THREAD_LIMIT	Invalid statement thread limit
4253	ERR_USER_PARAM_INVALID_PARAMETER	Invalid parameter name
4273	ERR_KERBEROS	General kerberos error
4274	ERR_KERBEROS_DUPLICATE_PROVIDER	Duplicate specification of identity for KERBEROS
4275	ERR_KERBEROS_MISSING_PROVIDER	Missing specification of identity for KERBEROS
4280	ERR_TICKET	General ticket error
4281	ERR_TICKET_DUPLICATE	Duplicate specification of identity for kind of SAP ticket
4282	ERR_TICKET_MISSING_PROVIDER	Missing specification of identity for kind of SAP ticket
4289	ERR_X509	General X.509 error
4290	ERR_X509_DUPLICATE_SUBJECT_ISSUER	Duplicate specification of subject issuer for X509

Code	Type	Description
4291	ERR_X509_UNKNOWN_SUBJECT_ISSUER	Unknown specification of subject issuer for this user
4292	ERR_X509_INV_SUBJECT_NAME	Invalid subject name layout
4293	ERR_X509_INV_ISSUER_NAME	Invalid issuer name layout
4294	ERR_X509_INV_MATCHING_RULE	Invalid matching rule layout
4295	ERR_X509_DISABLED	X.509 feature disabled
4296	ERR_X509_NO_MATCHING_RULES	Provider has no matching rules
4304	ERR_CLIENTPKI_UNKNOWN	General client PKI error
4305	ERR_CLIENTPKI_ENABLED	Cannot execute when client PKI is enabled
4306	ERR_CLIENTPKI_DISABLED	Cannot execute when client PKI is disabled
4307	ERR_CLIENTPKI_CREATING_ROOTCA	Creating the client PKI root ca failed
4308	ERR_CLIENTPKI_WRITING_ROOTCA_TO_FS	Writing the client PKI root ca to the filesystem failed
4309	ERR_CLIENTPKI_CREATING_CERTIFICATES	Creating the client PKI SSL certificates failed
4310	ERR_CLIENTPKI_DROPPING_ROOTCA	Dropping client PKI root ca failed
4311	ERR_CLIENTPKI_ASSIGN_CERT_TO_PSE	Cannot assign client PKI certificate to another PSE
4320	ERR_SSL	General SSL error
4321	ERR_SSL_ENFORCE	Only secure connections are allowed
4336	ERR_USER_REMOTE	General remote user error
4337	ERR_USER_REMOTE_EXISTS	Remote user mapping already exists
4338	ERR_USER_REMOTE_NOT_EXISTS	Remote user mapping does not exist
4640	ERR_RS_TABLE_LOAD_GENERAL	Failed to load row table
4641	ERR_RS_TABLE_LOAD_WAIT_TIMEOUT	Waiting timeout for loading row table data occurred
4642	ERR_RS_TABLE_POST_DROP	Failed to delete row table data
4672	ERR_DATAPROV	General Unified Data Provisioning error
4673	ERR_DATAPROV_DATASOURCE_DOES_NOT_EXIST	Data source does not exist
4674	ERR_DATAPROV_INVALID_LOGICAL_DATASOURCE_NAME	Invalid logical data source name
4675	ERR_DATAPROV_INVALID_DATAFLOW_PACKAGE_NAME	Invalid data flow package name
4676	ERR_DATAPROV_INVALID_DATAFLOW_OBJECT_NAME	Invalid data flow object name

Code	Type	Description
4677	ERR_DATAPROV_DATAFLOW_DOES_NOT_EXIST	Data flow does not exist
4678	ERR_DATAPROV_INVALID_DATAFLOW	Invalid data flow
4679	ERR_DATAPROV_INVALID_DATASOURCE	Invalid data source
4680	ERR_DATAPROV_COULD_NOT_GENERATE_JOB_ID	Could not generate job ID
4704	ERR_DPSEVER	General dpserver error occurred
4705	ERR_DPSEVER_SCHEMA_CHANGE	Schema of table changed
4706	ERR_DPSEVER_SCHEMA_CHANGE_ON_DATASOURCE	Schema of table changed in the remote source
4707	ERR_DPSEVER_TRUNCATE_TABLE_EVENT	Table truncated in the remote source
4708	ERR_DPSEVER_ADAPTER_FAILURE	Adapter failure occurred on remote source
4709	ERR_DPSEVER_RECEIVER_FAILURE	Receiver failure occurred on remote source
4710	ERR_DPSEVER_DISTRIBUTOR_FAILURE	Distributor failure occurred on remote source
4711	ERR_DPSEVER_ADAPTER_REMOTE_SOURCE_DOWN	Adapter failure
4712	ERR_DPSEVER_OPERATION_NOT_PERMITTED	Operation is not permitted
4713	ERR_DPSEVER_SCHEMA_CHANGE_ON_DATASOURCE_DROPTABLE_OPERATION	Source table dropped in the remote source
4736	ERR_SCHEDULER_JOB_INVALID	Invalid scheduler job name
4737	ERR_SCHEDULER_JOB_EXISTS	Cannot use duplicate scheduler job name
4738	ERR_INV_USABLE_SCHEDULER_JOB	Invalidated scheduler job
4864	ERR_GEM	General GEM error
4865	ERR_GEM_WORKSPACE_NOT_EXISTS	GEM workspace does not exist
4866	ERR_GEM_WORKSPACE_SCHEMA_NOT_EXISTS	Schema specified for GEM workspace does not exist
4867	ERR_GEM_WORKSPACE_ALREADY_EXISTS	GEM workspace already exists
4868	ERR_GEM_WORKSPACE_URI_TOO_LONG	Workspace URI exceeds maximum allowed length
4869	ERR_GEM_ADD_COLUMN	Failed to add column
4870	ERR_GEM_PREP_INSERT	Failed in preparation to add column
4871	ERR_GEM_CALC	Calculation Scenario
4872	ERR_GEM_VISITOR	GEM Visitor
4873	ERR_GEM_GRAMMAR	GEM Grammar

Code	Type	Description
4874	ERR_GEM_TREE_BUILDER	Tree Builder
4875	ERR_GEM_TECHTYPE_UNKNOWN	Techtype unknown in predicate/expression
4876	ERR_GEM_TECHTYPE_MISMATCH	Mismatch of technical types
4877	ERR_GEM_TERM_NOT_EXISTS	Term does not exist
4878	ERR_GEM_TERM_ALREADY_EXISTS	Term already exists
4879	ERR_GEM_VERTEX_NOT_EXISTS	Vertex does not exist
4880	ERR_GEM_VERTEX_ALREADY_EXISTS	Vertex already exists
4881	ERR_GEM_LOCAL_NAME_NOT_FOUND	Local name was not found
4882	ERR_GEM_LOCAL_NAME_ALREADY_EXISTS	Local name already exists
4883	ERR_GEM_UNKNOWN_FUNC	Unknown function
4884	ERR_GEM_FEATURE_NOT_SUPPORTED	This GEM feature is not supported
4885	ERR_GEM_FUNCTION	Error in using GEM function
4886	ERR_GEM_TECHTYPE_MISSING	Techtype not specified
4887	ERR_GEM_URI_MISSING	URI is missing
4888	ERR_GEM_TECHTYPE_ERROR	GEM technical type error
5120	ERR_TEXT_UNKNOWN	Unknown error occurred.
5121	ERR_TEXT_COMMON_REGISTER_OVERWRITE	Attempting to register an already registered object.
5122	ERR_TEXT_COMMON_XML_PARSER_ERROR	Xerces parser error.
5123	ERR_TEXT_COMMON_INVALID_ANALYZER	Invalid analyzer specified in aggregate configuration.
5124	ERR_TEXT_COMMON_ANALYZER_CREATE_FAILED	Analyzer factory create failed.
5125	ERR_TEXT_COMMON_UNKNOWN_ANALYZER_TYPE	Request to create analyzer of unknown type.
5126	ERR_TEXT_COMMON_PIMPL_INIT_FAILED	Failed to create private implementation instance.
5127	ERR_TEXT_COMMON_NO_CONFIGURATION_FOUND	No configuration found.
5128	ERR_TEXT_COMMON_CONFIG_CREATE_FAILED	Failed to create configuration.
5129	ERR_TEXT_COMMON_LANG_DIR_READ_ERROR	Error reading language directory.
5130	ERR_TEXT_COMMON_NO_ANALYZERS_SPECIFIED	No analyzers were specified.
5131	ERR_TEXT_COMMON_PROPERTY_LIST_CREATE_FAILED	Failed to create property list.
5132	ERR_TEXT_COMMON_CHILD_VIEW_CREATE_FAILED	Failed to create child view.

Code	Type	Description
5133	ERR_TEXT_COMMON_FAILED_BUFFER_ALLOCATION	Failed to allocate internal buffer.
5134	ERR_TEXT_COMMON_USE_OF_FOREIGN_ANNOTATION	Attempt to use foreign annotation
5135	ERR_TEXT_COMMON_INSERT_BEFORE_INVALID	Attempt to insert before invalid annotation.
5136	ERR_TEXT_COMMON_ALLOCATION_FAILED	Allocation failed.
5137	ERR_TEXT_COMMON_INVALID_VIEW	Invalid view specified.
5138	ERR_TEXT_COMMON_INDEX_OUT_OF_RANGE	Index out of range.
5139	ERR_TEXT_COMMON_ANALYZER_BEFORE_CONFIG	Attempt to analyze before configu
5140	ERR_TEXT_COMMON_INVALID_ANNOTATION	Invalid annotation found.
5141	ERR_TEXT_COMMON_MISSING_REQUIRED_CONFIG	Configuration error: missing requ configuration parameter.
5142	ERR_TEXT_COMMON_ANNOMGR_CREATED_OUTSIDE_DOC	Annotation Manager created ousi document.
5143	ERR_TEXT_COMMON_ANQUEUE_CREATED_OUTSIDE_DOC	Analysis Queue created outside of document.
5144	ERR_TEXT_COMMON_VIEWMGR_CREATED_OUTSIDE_DOC	View Manager created outside of document.
5145	ERR_TEXT_COMMON_GRPMPGR_CREATED_OUTSIDE_DOC	Grouping Manager created ouside document.
5146	ERR_TEXT_COMMON_TOO_MANY_ANNOTATIONS_ADDED	Too many annotations added to annotation manager.
5147	ERR_TEXT_COMMON_ARCHIVE_READ_ERROR	Archive read error.
5148	ERR_TEXT_COMMON_ARCHIVE_WRITE_ERROR	Archive write error.
5149	ERR_TEXT_COMMON_TYPE_MISMATCH_IN_SET_FIELD	Type mismatch when setting fiel
5150	ERR_TEXT_COMMON_STREAM_ALREADY_OPEN	Attempt to open an already open
5151	ERR_TEXT_COMMON_STREAM_CLOSED	Attempt to transact with a closed
5152	ERR_TEXT_COMMON_READ_PAST_END_OF_STREAM	Attempt to read past end of strea
5153	ERR_TEXT_COMMON_STREAM_FAILED_READ_OPEN	Failed to open stream for reading.
5154	ERR_TEXT_COMMON_STREAM_FAILED_WRITE_OPEN	Failed to open stream for writing.
5155	ERR_TEXT_COMMON_STREAM_READ_ERROR	Stream read error.
5156	ERR_TEXT_COMMON_INVALID_TYPE_DURING_WRITE	Invalid type specifier during strea
5157	ERR_TEXT_COMMON_STREAM_WRITE_FAILED	Stream write failed.
5158	ERR_TEXT_COMMON_INVALID_TYPE_DURING_READ	Invalid type specifier during strea
5159	ERR_TEXT_COMMON_XML_PARSE_DURING_PARSE	Attempt to initiate parsing while progressive parse is in progress.

Code	Type	Description
5160	ERR_TEXT_COMMON_XML_PARSE_DURING_NO_PARSE	Attempt to continue progressive parsing before it has started.
5161	ERR_TEXT_COMMON_MISSING_LANGUAGE_DIR_CONFIG	Language directory property (LanguageDir) was not found in the Configuration.
5162	ERR_TEXT_COMMON_LANGUAGE_DIR_DOES_NOT_EXIST	Language directory specified in the configuration does not exist.
5163	ERR_TEXT_COMMON_LANGUAGE_DIR_NOT_ACCESSIBLE	Language directory specified in the configuration is not accessible.
5164	ERR_TEXT_COMMON_LANGUAGE_DIR_IS_NOT_A_DIRECTORY	Language directory specified in the configuration is not a directory.
5165	ERR_TEXT_COMMON_LANGUAGE_DIR_DIRECTORY_IS_EMPTY	Language directory specified in the configuration is empty.
5166	ERR_TEXT_COMMON_LANGUAGE_DIR_COULD_NOT_BE_READ	Language directory specified in the configuration could not be read.
5167	ERR_TEXT_COMMON_LANGUAGE_DIR_NAME_IS_TOO_LONG	Language directory name specified in the configuration is too long.
5168	ERR_TEXT_COMMON_XML_IS_NOT_A_CONFIGURATOR	Attempt to create a Configurator XML representation of some other object
5169	ERR_TEXT_COMMON_INVALID_CONFIG_TYPE	Configuration error: invalid type for configuration parameter value.
5170	ERR_TEXT_COMMON_FILE_NOT_FOUND	File not found.
5171	ERR_TEXT_COMMON_LOGGER_REGISTER_OVERWRITE	Attempted to register a MessageLogger when one was already registered. unregister previous one first.
5172	ERR_TEXT_COMMON_INVALID_LENGTH	Invalid length.
5173	ERR_TEXT_COMMON_NULL_POINTER	Operation attempted with a NULL pointer.
5174	ERR_TEXT_COMMON_INVALID_ARRAY_ARGUMENT	Attempt to allocate or grow an array that exceeds the maximum allowed size.
5175	ERR_TEXT_COMMON_INVALID_INPUT_BUFFER_LENGTH	Invalid buffer length for XML Input stream.
5176	ERR_TEXT_COMMON_INPUT_BUFFER_EXCEEDS_USTRING_LIMIT_FOR_BASE64_ENCODING	The XML output buffer length exceeds the UString limit required for base64 encoding
5177	ERR_TEXT_COMMON_EXCEEDING_OUTPUT_BUFFER_CAPACITY	Writing more data to the buffer would exceed the buffer capacity.
5178	ERR_TEXT_COMMON_INVALID_CONFIGURATION	Failure when parsing configuration information.

Code	Type	Description
5179	ERR_TEXT_COMMON_LID_INVALID_NGRAM_SIZE	Size of specified n-gram did not n configured size
5180	ERR_TEXT_COMMON_LIB_PATH_NOT_FOUND	Unable to find path to TASDK sha libraries.
5181	ERR_TEXT_COMMON_LANGUAGE_MODEL_NOT_FOUND	Language model file not found fo
5182	ERR_TEXT_COMMON_FAILED_TO_REGISTER_LIB	Unable to register text analysis cl library.
5183	ERR_TEXT_COMMON_LANGUAGE_MODEL_NULL_POINTER	Cancelling XML model string pars to a NULL Language Model pointe
5184	ERR_TEXT_COMMON_LANGUAGE_MODEL_PARSER_LANGUAGE_UNMATCHED	The parser identified language is from the model's assumed langua
5185	ERR_TEXT_COMMON_LANGUAGE_MODEL_UNDEFINED_NGRAM_TYPE	Language model has an undefine type
5186	ERR_TEXT_COMMON_EMPTY_LANGUAGE_SET_FOR_LANGUAGE_IDENTIFICATION	An empty set of candidate langua supplied for language identificat
5187	ERR_TEXT_COMMON_INVALID_LANGUAGE_MODEL_MANAGER	Invalid LanguageModel Manager.
5188	ERR_TEXT_COMMON_GETLOGGER_BEFORE_INIT	Analyzer's getLogger() called bef analyzer was initialized.
5189	ERR_TEXT_COMMON_INVALID_DEFAULT_LANGUAGE	Default language specified is not language list
5190	ERR_TEXT_COMMON_INVALID_MINIMUM_INPUT_LENGTH	Minimum input length has to be r than zero
5191	ERR_TEXT_COMMON_INVALID_EVALUATION_SAMPLE_SIZE	Evaluation sample size has to be i than zero
5192	ERR_TEXT_COMMON_INVALID_MINIMUM_CONFIDENCE	Minimum confidence has to be in range [0..100]
5193	ERR_TEXT_COMMON_OVERFLOW_ERROR	Internal overflow error
5194	ERR_TEXT_COMMON_MUTEX_FAILED	Mutex creation failed
5195	ERR_TEXT_COMMON_LANGUAGE_IDENTIFICATION_MODEL_ACCESS_FAILED	Failed to find one or more langua identification models.
5196	ERR_TEXT_COMMON_FILE_BASED_DICT_PATH_IN_CONFIGURATION_FILE	Filed-based dictionary path is not in Text Analysis configuration file.
5197	ERR_TEXT_COMMON_CONVERTER_OPEN_FAILED	ICU Converter opening failed.
5198	ERR_TEXT_COMMON_CONV_TO_UNI_FAILED	Coverision to Unicode failed.
5199	ERR_TEXT_COMMON_CONV_FROM_UNI_FAILED	Coverision from Unicode failed.
5200	ERR_TEXT_COMMON_U16_APPEND_FAILED	UChar32 character handling faile
5201	ERR_TEXT_COMMON_COMPOSED_FAILED	Conversion to composed form fai

Code	Type	Description
5202	ERR_TEXT_COMMON_DECOMPOSED_FAILED	Conversion to decomposed form
5203	ERR_TEXT_COMMON_USTRING_CONSTRUCTION_FAILED	Constructing a UString from anot failed.
5204	ERR_TEXT_COMMON_CASE_CONVERSION_FAILED	Error converting UChar case.
5205	ERR_TEXT_COMMON_COMPARE_NO_CASE_FAILED	Case insensitive string comparisc
5206	ERR_TEXT_COMMON_FILE_BASED_RULE_SET_PATH_IN_CONFIGURATION_FILE	File-based rule set path is not allc Text Analysis configuration file.
5220	ERR_TEXT_EA_UNKNOWN	Unknown error occurred.
5221	ERR_TEXT_EA_NC_LOAD_ERROR	Error when loading dictionary.
5222	ERR_TEXT_EA_CONFIG_ERROR	Error during configuration.
5223	ERR_TEXT_EA_EXTRACT_ERROR	Error during extraction.
5224	ERR_TEXT_EA_CE_ERROR	Error during core extraction.
5225	ERR_TEXT_EA_NE_ERROR	Error during name extraction.
5226	ERR_TEXT_EA_PE_ERROR	Error during pattern extraction.
5227	ERR_TEXT_EA_PP_ERROR	Error during post processing.
5228	ERR_TEXT_EA_CR_LOAD_ERROR	Error when loading custom rule.
5229	ERR_TEXT_EA_OOB_ENTITY_LOAD	Error when extracting entity type:
5230	ERR_TEXT_EA_OOB_DIR_NOT_FOUND	Error when trying to access direct does not exist.
5231	ERR_TEXT_EA_OOB_RES_INIT	Error when initializing linguistic resources.
5320	ERR_TEXT_LA_UNKNOWN	Unknown error occurred.
5321	ERR_TEXT_LA_INCORRECT_SCENARIO	Incorrect scenario requested.
5322	ERR_TEXT_LA_INXIGHT_SEGMENTATION	Error occurred during segmentati
5323	ERR_TEXT_LA_SEGMENT_STRING_IFACE	Error occurred when creating byt interface for input string pointed document segment.
5324	ERR_TEXT_LA_SEGMENT_GEN_IFACE	Error occurred when creating segmentation interface for input : pointed to by a document segmen
5325	ERR_TEXT_LA_SEGMENT_GEN_ENCODING	Error occurred when setting enco input string pointed to by a docur segment.
5326	ERR_TEXT_LA_SEGMENT_GEN_LANGUAGE	Error occurred when setting langu input string pointed to by a docur segment.

Code	Type	Description
5327	ERR_TEXT_LA_CONTENT_STRING_IFACE	Error occurred when creating byte interface for document content.
5328	ERR_TEXT_LA_CONTENT_GEN_IFACE	Error occurred when creating segmentation interface for document content.
5329	ERR_TEXT_LA_CONTENT_GEN_ENCODING	Error occurred when setting encoding document content.
5330	ERR_TEXT_LA_CONTENT_GEN_LANGUAGE	Error occurred when setting language document content.
5331	ERR_TEXT_LA_ANN_SEGMENT	Error occurred when creating a segment annotation.
5332	ERR_TEXT_LA_ANN_PARAGRAPH	Error occurred when creating a paragraph annotation.
5333	ERR_TEXT_LA_ANN_SENTENCE	Error occurred when creating a sentence annotation.
5334	ERR_TEXT_LA_ANN_TERM	Error occurred when creating a term annotation.
5335	ERR_TEXT_LA_SCENARIO_1	Error occurred when analyzing a segment.
5336	ERR_TEXT_LA_SCENARIO_2	Error occurred when analyzing a segment.
5337	ERR_TEXT_LA_SCENARIO_3	Error occurred when analyzing a segment.
5338	ERR_TEXT_LA_SCENARIO_4	Error occurred when analyzing a segment.
5339	ERR_TEXT_LA_SCENARIO_5	Error occurred when analyzing a segment.
5340	ERR_TEXT_LA_SCENARIO_6	Error occurred when analyzing a segment.
5341	ERR_TEXT_LA_SCENARIO_7	Error occurred when analyzing a segment.
5342	ERR_TEXT_LA_SCENARIO_8	Error occurred when analyzing a segment.
5343	ERR_TEXT_LA_LXP_RES_INIT_1	Error occurred when initializing LXP resource.
5344	ERR_TEXT_LA_LXP_RES_INIT_2	Error occurred when initializing LXP resource.
5345	ERR_TEXT_LA_LXP_RES_INIT_3	Error occurred when initializing LXP resource.

Code	Type	Description
5346	ERR_TEXT_LA_LXP_RES_INIT_4	Error occurred when initializing L resource.
5347	ERR_TEXT_LA_LXP_RES_INIT_5	Error occurred when initializing L resource.
5348	ERR_TEXT_LA_LXP_RES_INIT_6	Error occurred when initializing L resource.
5349	ERR_TEXT_LA_LXP_RES_INIT_7	Error occurred when initializing L resource.
5350	ERR_TEXT_LA_INXIGHT_TEXT_CONV	Error occurred during internal text manipulation.
5351	ERR_TEXT_LA_INXIGHT_OFFSET	Error occurred when getting annotations offsets.
5352	ERR_TEXT_LA_ADD_NORMALIZED	Error occurred when getting normalized case version of a token.
5353	ERR_TEXT_LA_WRONG_LANG_FOLDER	LinguisticAnalyzer was configured with a nonexistent path to language resource files
5354	ERR_TEXT_LA_INXIGHT_FSM_INIT	Error occurred when initializing FSM
5355	ERR_TEXT_LA_INXIGHT_FSM_QUERY	Error occurred when querying FSM
5356	ERR_TEXT_LA_LXP_POOL_ERROR	Error occurred when trying to allocate LA resource pool
5420	ERR_TEXT_FCA_UNKNOWN	Unknown error occurred in ContentAnalyzer
5421	ERR_TEXT_FCA_NULL_POINTER	Operation attempted with a NULL pointer.
5422	ERR_TEXT_FCA_INVALID_ARGUMENT	A method was called with an invalid argument.
5423	ERR_TEXT_FCA_UNSUPPORTED_DOCUMENT_TYPE	The submitted document is of an unsupported type.
5424	ERR_TEXT_FCA_UNSUPPORTED_FILTER	The requested filter is unsupported
5425	ERR_TEXT_FCA_3RD_PARTY_FILTER_INITIALIZATION	Initialization of 3rd party filter failed. Verify that filter is setup correctly
5426	ERR_TEXT_FCA_3RD_PARTY_FILTER_FILTERING	A filtering operation error occurred with 3rd party filter.
5427	ERR_TEXT_FCA_FILE_OPEN	A file open failed.
5428	ERR_TEXT_FCA_FILE_READ	A file read failed.
5429	ERR_TEXT_FCA_FILE_CLOSE	An error occurred while closing a file
5430	ERR_TEXT_FCA_FILE_WRITE	A file write failed.
5431	ERR_TEXT_FCA_UNSUPPORTED_ENCODING	The requested encoding is unsupported

Code	Type	Description
5432	ERR_TEXT_FCA_INTERNAL	An internal FormatConversionAnalyzer error occurred.
5433	ERR_TEXT_FCA_MEMORY_ALLOCATION	An attempt to allocate memory failed.
5434	ERR_TEXT_FCA_NAME_TOO_LONG	The name supplied for a FormatConversionAnalyzer instance is too long.
5435	ERR_TEXT_FCA_NOT_CONFIGURED	Configuration error.
5436	ERR_TEXT_FCA_MIME_TYPE_MISMATCH	Data to mime type mismatch error.
5437	ERR_TEXT_FCA_EXTRACT_TEXT_FROM_MEM_BUFFER	An error occurred while extracting text from the 3rd party filter.
5438	ERR_TEXT_FCA_NOT_INITIALIZED	Initialization error.
5439	ERR_TEXT_FCA_DIRECTORY_NOT_FOUND	Directory was not found.
5440	ERR_TEXT_FCA_FIELD_CREATION	AnnotationManager failed to create Field object.
5441	ERR_TEXT_FCA_NULL_CONFIGURATOR	The provided Configurator object is null.
5442	ERR_TEXT_FCA_CREATE_STREAM_FROM_MEM_BUFFER	An error occurred while creating 3 filter stream from the memory buffer.
5443	ERR_TEXT_FCA_OPEN_STREAM_FROM_MEM_BUFFER	An error occurred while opening 3 filter stream created from the memory buffer.
5444	ERR_TEXT_FCA_SHUTDOWN	An error occurred while closing 3rd party filter.
5445	ERR_TEXT_FCA_INVALID_OUTPUT_FORMAT	The requested output format is unsupported.
5446	ERR_TEXT_FCA_INVALID_FILE_HANDLE	The binary data memory handle is invalid.
5447	ERR_TEXT_FCA_INIT_WITH_EMPTY_NAMESPACE	Attempted to initialize document converter with empty namespace.
5448	ERR_TEXT_FCA_UNSUPPORTED_FORMAT	The input is in an unsupported format.
5449	ERR_TEXT_FCA_FORMAT_WITH_NO_TEXT	The input contains no text for Text Analysis to process.
5450	ERR_TEXT_FCA_UNDEFINED	Undefined error code.
5520	ERR_TEXT_SA_UNKNOWN	Unknown error occurred in Structural Analyzer.
5521	ERR_TEXT_SA_LA_CALL	Lxplatform call failed.
5522	ERR_TEXT_SA_TEXT_CONFIGURE	Failed to configure TextNormalizer.
5523	ERR_TEXT_SA_TEXT_PROCESS	Failed to process TextNormalizer.
5524	ERR_TEXT_SA_HTML_CONFIGURE	Failed to configure HTMLDetagger.

Code	Type	Description
5525	ERR_TEXT_SA_HTML_PROCESS	Failed to process HTMLDetagger.
5526	ERR_TEXT_SA_XML_CONFIGURE	Failed to configure XMLDetagger.
5527	ERR_TEXT_SA_XML_PROCESS	Failed to process XMLDetagger.
5528	ERR_TEXT_SA_LANGUAGE_CONFIGURE	Failed to configure LanguageDete
5529	ERR_TEXT_SA_LANGUAGE_PROCESS	Failed to process LanguageDetec
5530	ERR_TEXT_SA_INVALID_TEXT_LIMIT	Invalid text limit value.
5531	ERR_TEXT_SA_LANGUAGE_MODEL_NOT_LOADED	Requested language not loaded.
5533	ERR_TEXT_PREPROCESSOR_FAILED	Preprocessor: failed
5534	ERR_TEXT_PREPROCESSOR_INCONSISTENT_DATA	Preprocessor: inconsistent data
5535	ERR_TEXT_PREPROCESSOR_EXCEPTION	Preprocessor: exception
5536	ERR_TEXT_PREPROCESSOR_INVALID_INPUT_DOCUMENT	Preprocessor: invalid input docum
5537	ERR_TEXT_PREPROCESSOR_INVALID_OUTPUT_DOCUMENT	Preprocessor: invalid output docu
5538	ERR_TEXT_PREPROCESSOR_DOC_NOT_CHANGED	Preprocessor: doc not changed
5539	ERR_TEXT_PREPROCESSOR_FILTER_ERROR	Preprocessor: filter error
5540	ERR_TEXT_PREPROCESSOR_NOT_REACHABLE	PreprocessorClient: Communicat error
5541	ERR_TEXT_PREPROCESSOR_ACTIVITY_ERROR	Preprocessor: Error in Activity
5542	ERR_TEXT_PREPROCESSOR_COMMUNICATION_ERROR	Preprocessor: Communication er
5543	ERR_TEXT_PREPROCESSOR_PROTOCOL_MISMATCH	Preprocessor: protocol mismatch
5544	ERR_TEXT_PREPROCESSOR_REQUEST_CANCELED	Preprocessor: request canceled
5547	ERR_TEXT_LEXICON_ERROR	Lexicon: general failure
5549	ERR_TEXT_DAF_TA_RESULT_INCONSISTENT	Inconsistent TAResult
5550	ERR_TEXT_DAF_INVALID	Invalid DAF
5633	ERR_CERTADM_UNKNOWN	Unknown certificate administratio occurred
5634	ERR_CERTADM_INVALID_CERT_DEFINITION	Certificate definition inconsistent
5635	ERR_CERTADM_EXST_CERTIFICATE	Certificate already exists
5636	ERR_CERTADM_NON_EXST_CERTIFICATE	Certificate could not be found in certificate store
5637	ERR_CERTADM_CERTIFICATE_IN_USE	Certificate could not be dropped b it is still in use by at least one PSE
5638	ERR_CERTADM_EXST_PSE	PSE with same name already exis
5639	ERR_CERTADM_NON_EXST_PSE	PSE could not be found

Code	Type	Description
5640	ERR_CERTADM_INVALID_PURPOSE	Invalid purpose for PSE
5641	ERR_CERTADM_NO_SUCH_CERTIFICATE_IN_PSE	PSE does not contain such certificate
5642	ERR_CERTADM_PSE_WITH_DIFFERENT_PURPOSE	PSE is already set to a different purpose
5643	ERR_CERTADM_INVALID_PRIVATE_KEY	Private key provided with own certificate is missing or invalid
5644	ERR_CERTADM_NO_CERT_FOR_PRIVATE_KEY	No certificate found for provided private key
5645	ERR_CERTADM_INCOMPLETE_CHAIN	Incomplete certificate chain
5646	ERR_CERTADM_INVALID_CHAIN	Invalid certificate chain
5647	ERR_CERTADM_DANGLING_CERTIFICATES	Invalid certificate chain: dangling certificates in PEM
5648	ERR_CERTADM_PSE_WITH_NO_PURPOSE	PSE is not set to any purpose
5649	ERR_CERTADM_OBJECT_NOT_FOUND	Purpose object not found
5650	ERR_CERTADM_OBJECT_ALREADY_IN_USE	Purpose object already in use by another PSE
5651	ERR_CERTADM_INVALID_HOSTNAME	Invalid hostname format
5652	ERR_CERTADM_PSE_WITHOUT_OTHER_PURPOSE_OBJECT	PSE has no other purpose object
5653	ERR_CERTADM_PSE_WITHOUT_OTHER_HOST	PSE has no other host
5654	ERR_CERTADM_CERTIFICATE_EXPIRED	Certificate is already expired
5655	ERR_CERTADM_CHAIN_CERTIFICATE_EXPIRED	Invalid certificate chain: contains expired certificates
5656	ERR_CERTADM_UNSET_OWN_WITH_PURPOSE	Can't unset own certificate if the PSE has the purpose SSL
5657	ERR_CERTADM_PSE_PURPOSE_BLOCKED_BY_CONFIG	PSE purpose blocked by configuration
5658	ERR_CERTADM_INVALID_PUBKEY_DEFINITION	Public key definition invalid or not supported
5659	ERR_CERTADM_EXST_PUBKEY	Public key with same name already exists
5660	ERR_CERTADM_NON_EXST_PUBKEY	Public key could not be found
5661	ERR_CERTADM_PUBKEY_IN_USE	Public key could not be dropped because it is still in use by at least one PSE
5662	ERR_CERTADM_NO_SUCH_PUBKEY_IN_PSE	PSE does not contain such public key
5663	ERR_CERTADM_RELOAD_PSE_FAILURE	Error reloading file-based PSEs
5712	ERR_PFCG_INVALID_CONFIGURATION	Pfcg: invalid configuration
5734	ERR_MASKING_UNKNOWN	Masking: unknown error occurred
5735	ERR_MASKING_INVALID_MASK_EXPRESSION	Masking: invalid mask expression

Code	Type	Description
5736	ERR_MASKING_INVALID_COLUMN_DATATYPE	Masking: not supported data type
5737	ERR_MASKING_INVALID_MASK_COLUMN	Masking: invalid mask column
0	ERR_LTT_NO_ERROR	Default constructed empty exception object

Related Information

[M_ERROR_CODES System View](#)

[SQL Error Reference \(SAP HANA Troubleshooting Guide\)](#)

ANSI SQL Compliance

Information about SAP HANA's compliance with the mandatory features of the ANSI SQL/2016 standard.

Compliance With Mandatory ANSI SQL Features

Compliance with mandatory ANSI SQL features by feature ID.

ID	Feature	Support	Description	Links
E011	Numeric data types	Full Support		
E011-01	INTEGER and SMALLINT data types (including all spellings)	Full Support		Numeric Data Types
E011-02	REAL, DOUBLE PRECISION, and FLOAT data types	Full Support		Numeric Data Types
E011-03	DECIMAL and NUMERIC data types	Full Support		Numeric Data Types
E011-04	Arithmetic operators	Full Support		Operators
E011-05	Numeric comparison	Full Support		Operators
E011-06	Implicit casting among the numeric data types	Full Support		Data Type Conversion
E021	Character string types	Partial Support		
E021-01	CHARACTER data type	No Support	Fixed length character is not supported	Character String Data Types
E021-02	CHARACTER VARYING data type	Full Support		Character String Data Types

ID	Feature	Support	Description	Links
E021-03	Character literals	Full Support		Null and zero length are distinguished
E021-04	CHARACTER_LENGTH function	Equivalent Support		LENGTH Function (String)
E021-05	OCTET_LENGTH function	No Support		
E021-06	SUBSTRING function	Equivalent Support	SUBSTRING is supported with some syntax differences.	SUBSTRING Function (String)
E021-07	Character concatenation	Full Support	Both CONCAT and is supported	CONCAT Function (String)
E021-08	UPPER and LOWER functions	Full Support		UPPER Function (String) LOWER Function (String)
E021-09	TRIM function	Full Support		TRIM Function (String)
E021-10	Implicit casting among the fixed-length and variable-length character string types	No Support	Fixed-length character is not supported. Therefore, comparison or casting against the different type is not supported.	
E021-11	POSITION function	Partial Support	The LOCATE function is not supported for character and binary positions.	LOCATE Function (String)
E021-12	Character comparison	Partial Support	Fixed-length character is not supported.	
E031	Identifiers	Full Support	"Special characters" are allowed in identifier names.	
E031-01	Delimited identifiers	Full Support		
E031-02	Lower case identifiers	Full Support		
E031-03	Trailing underscore	Full Support		
E051	Basic query specification	Partial Support		
E051-01	SELECT DISTINCT	Full Support		SELECT Statement (Data Manipulation)
E051-02	GROUP BY clause	Full Support		
E051-04	GROUP BY can contain columns not in the <select list>	Full Support	For example, SELECT COUNT(<table_name>) FROM tables GROUP BY <schema_name>	

ID	Feature	Support	Description	Links
E051-05	Select list items can be renamed	Full Support		
E051-06	HAVING clause	Full Support		
E051-07	Qualified * in select list	Full Support		
E051-08	Correlation names in the FROM clause	Full Support		
E051-09	Rename columns in the FROM clause	Partial Support	Supported by a derived table or subquery.	
E061	Basic predicates and search conditions	Full Support		
E061-01	Comparison predicate	Full Support		
E061-02	BETWEEN predicate	Full Support		BETWEEN Predicate
E061-03	IN predicate with list of values	Full Support		IN Predicate
E061-04	LIKE predicate	Full Support		LIKE Predicate
E061-05	LIKE predicate: ESCAPE clause	Full Support		LIKE Predicate
E061-06	NULL predicate	Full Support		NULL Predicate
E061-07	Quantified comparison predicate	Full Support		Comparison Predicates (ANY, SOME, and ALL)
E061-08	EXISTS predicate	Full Support		EXISTS Predicate
E061-09	Subqueries in comparison predicate	Full Support		
E061-11	Subqueries in IN predicate	Full Support		
E061-12	Subqueries in quantified comparison predicate	Full Support		
E061-13	Correlated subqueries	Full Support		
E061-14	Search condition	Full Support		
E071	Basic query expressions	Full Support		

ID	Feature	Support	Description	Links
E071-01	UNION DISTINCT table operator	Full Support		
E071-02	UNION ALL table operator	Full Support		
E071-03	EXCEPT DISTINCT table operator	Full Support	EXCEPT is EXCEPT DISTINCT	
E071-05	Columns combined via table operators need not have exactly the same data type.	Full Support		
E071-06	Table operators in subqueries	Full Support		
E081	Basic Privileges	Full Support		GRANT Statement (Access Control)
E081-01	SELECT privilege at the table level	Full Support		
E081-02	DELETE privilege	Full Support		
E081-03	INSERT privilege at the table level	Full Support		
E081-04	UPDATE privilege at the table level	Full Support		
E081-05	UPDATE privilege at the column level	No Support	Column level privilege is currently not supported.	
E081-06	REFERENCES privilege at the table level	Full Support		
E081-07	REFERENCES privilege at the column level	No Support	Column level privilege is currently not supported.	
E081-08	WITH GRANT OPTION	Full Support		
E081-09	USAGE privilege	Partial Support	REFERENCES instead of USAGE for schema and tables is used	
E081-10	EXECUTE privilege	Full Support		
E091	Set functions	Full Support		
E091-01	AVG	Full Support		AVG Function (Aggregate)
E091-02	COUNT	Full Support		COUNT Function (Aggregate)

ID	Feature	Support	Description	Links
E091-03	MAX	Full Support		MAX Function (Aggregate)
E091-04	MIN	Full Support		MIN Function (Aggregate)
E091-05	SUM	Full Support		SUM Function (Aggregate)
E091-06	ALL quantifier	Full Support		
E091-07	DISTINCT quantifier	Full Support		
E101	Basic data manipulation	Full Support		
E101-01	INSERT statement	Full Support		
E101-03	Searched UPDATE statement	Full Support		
E101-04	Searched DELETE statement	Full Support		
E111	Single row SELECT statement	Full Support		
E121	Basic cursor support	Partial Support		
E121-01	DECLARE CURSOR	Partial Support	FOR READ ONLY is not supported.	
E121-02	ORDER BY columns don't need to be in the select list.	Full Support		
E121-03	Value expressions in ORDER BY clause	Full Support	SELECT (id2-id) AS test, city FROM table4 ORDER BY id2 - id;	
E121-04	OPEN statement	Full Support		
E121-06	Positioned UPDATE statement	Full Support	Updateable cursor supported from HANA 2 SPS03	
E121-07	Positioned DELETE statement	Full Support	Updateable cursor supported from HANA 2 SPS03	
E121-08	CLOSE statement	Full Support		
E121-10	FETCH statement: implicit NEXT	Partial Support	Fetch orientation is not supported. Always implicit NEXT.	

ID	Feature	Support	Description	Links
E121-17	WITH HOLD cursors	Full Support	Cursor on HOLD supported from HANA 2 SPS04	
E131	Null value support (nulls in lieu of values)	Full Support		
E141	Basic integrity constraints	Partial Support		
E141-01	NOT NULL constraints	Full Support		
E141-02	UNIQUE constraints of NOT NULL columns	Full Support		
E141-03	PRIMARY KEY constraints	Full Support		
E141-04	Basic FOREIGN KEY constraint with the NO ACTION default for both referential delete action and referential update action.	Partial Support	Support as RESTRICT mode as default	
E141-06	CHECK constraints	Full Support		
E141-07	Column defaults	Partial Support	Does not include USER, CURRENT_ROLE, SYSTEM_USER, CURRENT_CATALOG, CURRENT_PATH	
E141-08	NOT NULL inferred on PRIMARY KEY	Full Support		
E141-10	Names in a foreign key can be specified in any order	Full Support		
E151	Transaction support	Full Support		
E151-01	COMMIT statement	Full Support		
E151-02	ROLLBACK statement	Full Support		
E152	Basic SET TRANSACTION statement	Full Support		
E152-01	SET TRANSACTION statement: ISOLATION LEVEL SERIALIZABLE clause	Full Support		
E152-02	SET TRANSACTION statement: READ ONLY and READ WRITE clauses	Full Support		

ID	Feature	Support	Description	Links
E153	Updatable queries with subqueries	Full Support		
E161	SQL comments using leading double minus	Full Support		
E171	SQLSTATE support	Full Support		
E182	Module language	Partial Support		
F021	Basic information schema	Equivalent Support		
F021-01	COLUMNS view	Equivalent Support	Supported with different views.	
F021-02	TABLES view	Equivalent Support	Supported with different views.	
F021-03	VIEWS view	Equivalent Support	Supported with different views.	
F021-04	TABLE_CONSTRAINTS view	Equivalent Support	Supported with different views.	
F021-05	REFERENTIAL_CONSTRAINTS view	Full Support		
F021-06	CHECK_CONSTRAINTS view	Equivalent Support	Supported with different views.	
F031	Basic schema manipulation	Partial Support		
F031-01	CREATE TABLE statement to create persistent base tables	Full Support		CREATE TABLE Statement (Data Definition)
F031-02	CREATE VIEW statement	Full Support		CREATE VIEW Statement (Data Definition)
F031-03	GRANT statement	Full Support		
F031-04	ALTER TABLE statement: ADD COLUMN clause	Equivalent Support	The optional keyword COLUMN in this syntax is not supported. Also, it requires that the column definition be enclosed in parentheses, unlike the standard.	ALTER TABLE Statement (Data Definition)
F031-13	DROP TABLE statement: RESTRICT clause	Full Support		DROP TABLE Statement (Data Definition)
F031-16	DROP VIEW statement: RESTRICT clause	Full Support		DROP VIEW Statement (Data Definition)
F031-19	REVOKE statement: RESTRICT clause	No Support		REVOKE Statement (Access Control)

ID	Feature	Support	Description	Links
F041	Basic joined table	Full Support		
F041-01	Inner join (but not necessarily the INNER keyword)	Full Support		
F041-02	INNER keyword	Full Support		
F041-03	LEFT OUTER JOIN	Full Support		
F041-04	RIGHT OUTER JOIN	Full Support		
F041-05	Outer joins can be nested	Full Support		
F041-07	The inner table in a left or right outer join can also be used in an inner join	Full Support		
F041-08	All comparison operators are supported (rather than just =)	Full Support		
F051	Basic date and time	Equivalent Support		
F051-01	DATE data type (including support of DATE literal)	Full Support	DATE is a synonym for DAYDATE	Datetime Data Types
F051-02	TIME data type (including support of TIME literal) with fractional seconds precision of at least 0.	Full Support		Datetime Data Types
F051-03	TIMESTAMP data type (including support of TIMESTAMP literal) with fractional seconds precision of at least 0 and 6.	Full Support		Datetime Data Types
F051-04	Comparison predicate on DATE, TIME, and TIMESTAMP data types	Full Support	DATE is a synonym for DAYDATE	Datetime Data Types
F051-05	Explicit CAST between date-time types and character string types	Full Support		CAST Function (Data Type Conversion)
F051-06	CURRENT_DATE	Equivalent Support	SYSDATE can be used. UTCDATE, UTCTIME, UTCTIMESTAMP can be used instead.	CURRENT_DATE Function (Datetime)
F051-07	LOCALTIME	Equivalent Support	LOCALTIME = CURRENT_TIME without timezone	CURRENT_DATE Function (Datetime)

ID	Feature	Support	Description	Links
F051-08	LOCALTIMESTAMP	Equivalent Support	LOCALTIMESTAMP = CURRENT_TIMESTAMP without timezone	CURRENT_DATE Function (Datetime) , UTCTOLOCAL Function (Datetime)
F081	UNION and EXCEPT in views	Full Support		
F131	Grouped operations	Full Support		
F131-01	WHERE, GROUP BY, and HAVING clauses supported in queries with grouped views	Full Support		
F131-02	Multiple tables supported in queries with grouped views	Full Support		
F131-03	Set functions supported in queries with grouped views	Full Support		
F131-04	Subqueries with GROUP BY and HAVING clauses and grouped views	Full Support		
F131-05	Single row SELECT with GROUP BY and HAVING clauses and grouped views	Full Support		SELECT Statement (Data Manipulation)
F181	Multiple module support	No Support	NOTE 510 — The ability to associate multiple host compilation units with a single SQL- session at one time.	
F201	CAST function	Full Support		CAST Function (Data Type Conversion)
F221	Explicit defaults	Full Support		
F261	CASE expression	Full Support		Expressions
F261-01	Simple CASE	Full Support		
F261-02	Searched CASE	Full Support		
F261-03	NULLIF	Full Support		NULLIF Function (Miscellaneous)
F261-04	COALESCE	Full Support		COALESCE Function (Miscellaneous)
F311	Schema definition statement	Partial Support		
F311-01	CREATE SCHEMA	Full Support	Only users with "CREATE SCHEMA" privilege can create schemas.	CREATE SCHEMA Statement (Data Definition)

ID	Feature	Support	Description	Links
F311-02	CREATE TABLE for persistent base tables	Partial Support	CREATE TABLE is supported as a separate statement from CREATE SCHEMA	CREATE TABLE Statement (Data Definition)
F311-03	CREATE VIEW	Partial Support	CREATE VIEW is supported as a separate statement from CREATE SCHEMA	CREATE VIEW Statement (Data Definition)
F311-04	CREATE VIEW: WITH CHECK OPTION	Partial Support	CASCADE check is performed on row store. Not supported on column store.	CREATE VIEW Statement (Data Definition)
F311-05	GRANT statement	Partial Support	GRANT is supported as a separate statement from CREATE SCHEMA	GRANT Statement (Access Control)
F471	Scalar subquery values	Full Support		
F481	Expanded NULL predicate	Full Support		NULL Predicate
F501	Features and conformance views	Partial Support		
F501-01	SQL_FEATURES view	Equivalent Support	Supported with a different view.	
F501-02	SQL_SIZING view	No Support		
F501-03	SQL_LANGUAGES view	No Support		
F812	Basic flagging	No Support		
S011	Distinct data types	No Support	User-defined types are not supported.	
T321	Basic SQL-invoked routines	Equivalent Support		
T321-01	User-defined functions with no overloading	Equivalent Support	The AS clause must be defined after the return type, but before the definition of the routine body.	
T321-02	User-defined stored procedures with no overloading	Equivalent Support	The AS clause must be defined after the return type, but before the definition of the routine body	
T321-03	Function invocation	Full Support		
T321-04	CALL statement	Full Support		CALL Statement (Procedural)
T321-05	RETURN statement	Full Support		

ID	Feature	Support	Description	Links
T321-06	ROUTINES view	Equivalent Support	Supported with a different view.	
T321-07	PARAMETERS view	Equivalent Support	Supported with a different view.	
T631	IN predicate with one list element	Full Support		IN Predicate