Torn Utilities — User Agreement and Data Use Disclosure

DRAFT FOR REVIEW — NOT PUBLISHED OR EFFECTIVE

Proposed version: 1.4 Proposed agreement number: 5, subject to availability Effective date: to be set when the deletion feature is available

This draft describes a requested feature that is not yet implemented or deployed. The active agreement remains version 1.3 / number 4. Publishing this draft must wait until the client and server deletion flow has been implemented and verified.

1. About TU and Torn's rules

Torn Utilities (TU) is an independent third-party tool. Torn City does not operate, endorse or certify TU. A feature being available in TU does not mean Torn staff have approved that feature.

Your use of TU remains subject to Torn's Rules, its scripting rules and the Torn API terms. This agreement does not override those requirements or authorize prohibited conduct. Stop using a feature if Torn staff instruct you to do so.

TU must use keys and information only for the purposes disclosed here and permissions you have given. Material changes to purposes, recipients or access requirements must be disclosed before the changed use begins.

2. API keys, access and required disclosures

TU never asks for your Torn password. Obtain your key directly from Torn and use the least access needed for the features you choose. Registration accepts **Public Only or Limited Access** keys. Full Access is not required or accepted for registration. Providing a Limited Access key is not permission to retrieve every selection available through that key.

TU verifies the key's access level and account owner with Torn. You should not need to supply a name or player ID separately for verification. TU may retain your verified Torn name and ID as described below. You may remove your identifying information through Settings > API > Delete My TU Data, as described in section 6.

The public Torn API is read-only. TU uses it for information requests. Supported Snatch and Run item-use requests instead use your signed-in Torn website session and Torn's security token. They are website gameplay actions, not writes through the public API.

The following tables describe storage, recipients, purpose, key handling and required access. The same information must be clearly visible at every place TU asks you to provide a key. A hidden link alone does not replace that key-entry disclosure.

Account verification, TU access and agreement records

Disclosure	Details
Data storage	TU stores verified identity, access permissions, agreement events, session metadata and audit records until cleared through the deletion process in section 6 or otherwise removed by the service. Delete My TU Data removes your identifying information from TU-controlled active storage and invalidates your TU access. Non-identifying service records may remain. Provider logs, backups and separately exported copies have the limits described in section 6. Expiry of access alone is not deletion.
Data sharing	You, authorized TU operators, Torn for verification, and hosting providers processing TU's service. Account and session records are not intended to be public records.
Purpose of use	Verify identity and access, maintain sessions, record agreement decisions and investigate abuse.
Key storage and sharing	Saved keys use the storage mode explained in section 3. Registration sends the selected key over HTTPS to TU's backend, which sends it to Torn for verification. The key is processed during verification; raw keys are not written to TU's application database. Provider logging is separate from application database behavior.
Required access / selections	Public Only or Limited Access; key information and public user identity selections. Full Access is not accepted for registration.

Travel Assistant and Item Monitor reads

Disclosure	Details
Data storage	Settings, verified identity and feature caches are stored in your browser until cleared, replaced or expired by the feature. Delete My TU Data clears the selected account’s identity and credentials from this TU installation, including private manager storage and supported fallback copies. Non-identifying settings need not be erased. Other installations and exported copies are covered in section 6.
Data sharing	You and Torn. Reporting to TU is described separately below.
Purpose of use	Display item and price information; calculate travel and purchase capacity; check travel, hospital and inventory status; monitor availability. This supplies gameplay and competitive information, not a guarantee of availability or profit.
Key storage and sharing	The selected saved key is sent to Torn for enabled reads. Saving a key does not authorize publishing it or private API data to other players.
Required access / selections	Public profile and item catalog. Verified Limited Access for private travel, medical inventory and cooldown reads where used. Any item-market read must use the access allowed by Torn for its endpoint and version.

War Organizer and enabled player/faction features

Disclosure	Details
Data storage	Settings, fetched information and feature caches may be retained locally until cleared or replaced.
Data sharing	You and Torn. A feature that shares a board or information must identify its recipients before sharing.
Purpose of use	Display player/faction information and organize targets or reservations for gameplay planning and competitive information.
Key storage and sharing	The selected feature key is sent to Torn for the requested read. A key's technical access is not consent to unrelated retrieval or disclosure.
Required access / selections	Only the supported faction-member, faction-snapshot and player-profile selections needed for the feature. Verified Limited Access is required where the feature uses it. Additional private selections must be disclosed before use.

Optional foreign-stock reporting and travel feedback

Disclosure	Details
Data storage	TU keeps a bounded local history and pending upload queue. Accepted observations and feedback are stored remotely and may remain indefinitely. Delete My TU Data removes account-identifying links and related personal information; non-identifying stock observations, feedback and aggregate statistics may remain. Pending delivery is stopped when TU access is removed.
Data sharing	TU operators and hosting providers. Stock observations, history and derived estimates may be available to the general public. A submission's TU session allows the service to associate the request with a verified account; reporting is not represented as anonymous.
Purpose of use	Community stock history, depletion/restock estimates, travel planning and evaluation of forecasts. This provides gameplay information and a competitive advantage to users of that information.
Key storage and sharing	Stock and feedback payloads do not include a raw Torn API key. Authenticated delivery sends a TU session token to TU. Account identities and session tokens are not intended to be public fields in the stock data service.
Required access / selections	Reading the visible page for an observation requires no Torn API read. Authenticated submission requires TU registration, the relevant module permission and the current agreement. Any separate API reads use the access disclosed for their feature.

Security and request-limit counters

Disclosure	Details
Data storage	Rate-limit counters hold timestamps and hashed key, account or IP identifiers as needed. The active windows are 70 seconds for registration and 60 seconds for submissions. Expired entries stop counting; scheduled cleanup removes expired counter entries when it runs. Identifying limiter state that TU can associate with your account is included in the deletion process. Provider logs and backups have the limits in section 6.
Data sharing	TU's service and hosting provider; authorized operators may access service state. These hashes are pseudonymous identifiers, not a promise of anonymity.
Purpose of use	Enforce service limits, reduce repeated failed verification and protect reporting/database capacity.
Key storage and sharing	Limiter state does not contain raw API keys or raw TU session tokens. Verification and authenticated requests still process their credentials as disclosed in the other rows.
Required access / selections	No additional Torn API access merely to maintain these counters.

Chat archives and local diagnostic reports

Disclosure	Details
Data storage	Chat capture remains in the feature's local session until cleared or the session ends. Diagnostic histories use bounded local/session storage. Delete My TU Data removes your identifying information from TU-managed local caches and histories on this installation. It does not erase other players' information generally or recall files you exported, copied or shared. Those copies remain wherever you saved or shared them.
Data sharing	You and any recipients you choose for an export. Enabling diagnostics does not itself authorize uploading a full diagnostic report or chat archive to TU.
Purpose of use	Your conversation archive, troubleshooting, development testing and support.
Key storage and sharing	Reports are designed to omit API keys, cookies, authentication headers and security-token values. They can still contain personal or gameplay information. Inspect reports before sharing; redaction is not a guarantee that every sensitive detail has been removed.
Required access / selections	No additional key for local capture of page information already available to you. Accompanying API reads use the access disclosed for their feature.

TU multiplayer games and shared results

Disclosure	Details
Data storage	TU stores room activity, participant identifiers, session metadata and game records needed by the feature. Delete My TU Data removes your identifying information and account links and invalidates your room/session credentials. Results or history may remain only without personal information that identifies or reconnects them to you. Other players' records are not deleted by your request.
Data sharing	TU operators and hosting providers; room participants and users of the applicable shared results or history.
Purpose of use	Operate TU multiplayer rooms, games, results and related community features.
Key storage and sharing	Games use TU sessions and room credentials. Raw Torn API keys are not sent to other players as game data. Registration is disclosed above.
Required access / selections	No additional Torn API access merely to play a TU multiplayer game.

3. Local storage, TU sessions and confidentiality

Supported userscript managers. Where TU verifies support for synchronous userscript-manager storage, saved keys are kept in that manager's private storage rather than Torn-origin credential fields. TU copies and verifies legacy credentials before removing their origin copies. This is storage isolation, not encryption. Manager exports, sync and backups follow that manager's settings and policies.

PDA and unsupported environments. Where verified private storage is not available, TU uses unencrypted Torn-origin browser storage for saved keys. Other scripts running on Torn pages may be able to read it. This fallback must be identified in the key settings. If a supported private-storage migration or write fails, TU must not silently switch those credentials to origin storage. Existing data may be retained while the failure is resolved.

TU session tokens. A TU token is a credential for TU's service, distinct from a Torn API key or Torn website session. In supported-manager mode, TU session tokens also use verified private storage. Origin authorization and identity caches use nonsensitive markers instead of token copies. PDA and unsupported hosts retain an unencrypted origin-session-storage fallback.

Under the current configuration, TU sessions expire after no more than 24 hours unless revoked earlier; the server's expiry and account restrictions remain authoritative. Expired private client records are removed when read or cleared. TU does not promise a background deletion process for closed-tab or orphaned records, manager backups or sync copies. The backend stores a hash of the TU session token for authentication; expiry does not delete the historical database row automatically.

Page inputs and other caches. A key you type, paste or reveal is present in the page input and may be observable by other page scripts while displayed. Private credential storage does not isolate every setting, exported file or feature-data cache, and cannot protect against a compromised browser, extension, userscript manager or device.

TU and its operators must protect keys and API-derived information, restrict access to authorized purposes, and not sell, publish or repurpose your key or private API data beyond the disclosures and permissions you have given. Acceptance is not permission for unrelated uses.

Do not include keys, TU tokens or Torn security tokens in screenshots, public issues or support messages. Remove saved keys in TU and revoke or replace them in Torn if you no longer want them used or suspect exposure. Removing an individual saved key alone does not delete remote records. Use Delete My TU Data for the account-identity deletion process in section 6. Neither action recalls copies already exported or revokes a key at Torn.

4. Snatch and Run and user actions

Snatch and Run may monitor stock, calculate quantities, update clocks, sound alerts, check inventory and interpret action results automatically. A stock change or alarm does not authorize automatic item use, destruction, purchase or travel.

Pressing the active action button requests the action displayed on it. Direct item use consumes one selected supported item per press. Where a workflow needs another Torn action step, TU displays that step and requires another user press. An additional destruction or purchase transaction requires its own user action. Information-only checks and status updates do not require an extra click or a second TU popup acknowledging the same action.

Inventory destruction requires acceptance of its separate setup warning and selection of the items to destroy. Actual destruction is permanent. TU must not automatically replay an uncertain submitted gameplay action. A delayed message, countdown or response alone does not prove success or failure; check Torn's result before deciding what to do next.

After a confirmed purchase leaves inventory space, TU offers a choice: depart through the step-by-step return flow, or close Snatch and Run and make additional purchases and travel arrangements manually.

These are TU's intended action boundaries, not a claim of Torn approval for all features. A website POST is still a gameplay action. Chat Archiver's history-loading behavior and other modules must separately comply with Torn's scripting rules.

5. Optional reporting and external services

Foreign-stock reporting is optional and off by default. When enabled on a supported visible shop, it sends item identifiers, quantities, prices, country and observation times to TU. Travel feedback may include the projection, observed availability, quantities and relevant times you choose to submit.

The stock report body does not contain your name, player ID or raw API key. However, delivery includes a TU session token, which lets TU verify and associate the request with your account. Providers may also process IP addresses and request metadata. Do not treat these submissions as anonymous.

Pending stock reports may be retained locally and retried while reporting is enabled. Rate-limit or authorization failures pause delivery and leave reports queued. Disabling reporting stops further automatic delivery while disabled; it does not recall previously accepted reports. This reporting retry behavior does not authorize retries of consumptive gameplay actions.

TU uses the following services for the stated purposes:

- **Torn:** API information, identity/key verification and user-requested website actions. API terms and Rules.
- **Cloudflare:** hosting, request processing, databases and TU service infrastructure. Terms and Privacy policy.
- **GitHub:** script distribution, updates and published agreement files. Terms and Privacy statement.
- **YATA:** the TU backend may automatically retrieve public travel-stock information to supplement observations and estimates. This is a backend source-data integration; it does not require sending your registration key to YATA. YATA website.

Automatic integrations must remain within the purposes disclosed here. An additional optional service integration must identify its data use and recipients, provide its applicable terms link and obtain opt-in before it is enabled. TU operators must follow applicable provider and source-data conditions.

Providers can process IP addresses, request timing, browser/platform information and operational logs under their policies. Application database behavior does not establish what provider logs or backups retain. TU must not promise log redaction, deletion periods or operator-access controls that have not been verified in the deployed service.

Stock observations, forecasts and market information may be inaccurate, disputed or delayed. Authentication and duplicate/conflict checks do not prove a reported observation is true. Predictions do not guarantee stock, purchase success or profit.

6. Retention, deletion and your choices

You may decline this agreement, disable optional reporting, stop TU modules, remove an individual saved key, delete your identifying information or uninstall TU. These are different actions. Removing a saved key, uninstalling the script or revoking a key at Torn does not, by itself, erase TU's server-held records.

Delete My TU Data

Use **Settings > API > Delete My TU Data** to remove your personal identifying information from TU. TU displays the scope and asks you to confirm before it submits the deletion request. This is a self-service process. Ownership verification protects other users' information; deleting your own data must not require accepting a new agreement merely to request deletion.

The deletion scope is your selected, verified account. It includes:

- API keys saved by TU for that account on this installation, including supported private manager storage, fallback storage and legacy credential copies;
- your player name, Torn player ID, associated faction/account identity fields, TU session and room credentials, and other information identifying you in TU-controlled active client and server storage;
- identity links in agreement, access, audit, submission, feedback, multiplayer and other TU records, including identifying hashes or pseudonymous links that still allow TU to associate a retained record with you.

TU's registration service processes a raw API key to verify ownership; it does not write raw registration keys to its application database. Deletion removes saved copies and associated identifying records wherever TU controls them. It is not a statement that the server previously stored a raw API key.

This is an identity-data deletion action, not a general reset of all TU data. Non-identifying preferences, public item/stock observations, aggregate statistics and de-identified service or game records may remain. TU must not call retained information de-identified if a remaining name, player ID, key hash, token or other link still associates it with you. Your request does not delete other players' personal records or change your Torn account, inventory or items.

Confirmation, access removal and returning to TU

TU stops active tools and pending reporting during deletion. It displays a **deletion-complete confirmation only after server deletion and the local cleanup have been confirmed**. If either part fails or remains uncertain, TU shows that status and a retry/recovery route rather than claiming completion.

Deletion removes your TU access and invalidates your TU sessions, including sessions on other devices. Previously saved acceptance cannot restore access. To use TU again, you must provide an API key again, complete fresh account verification and explicitly accept the current user agreement. TU must not silently restore removed credentials from a legacy cache or reuse an old agreement record. Providing a key again does not automatically re-enable optional

reporting or other integrations that require separate consent.

Deleting information from TU does not revoke or delete the API key at Torn. Revoke or replace it in Torn if you want to stop its use by other tools or if you suspect exposure. Do not send credentials or private reports to a public repository issue.

Other copies and provider limits

The local cleanup applies to the TU installation where you perform the action. Other browsers, devices, userscript-manager backups or sync copies can retain local information. Their TU sessions become invalid, but their saved local copies may require separate cleanup on those installations.

Files you exported, screenshots you saved and copies you shared are outside this button's reach. TU cannot recall a recipient's copy. Torn, Cloudflare, GitHub and other providers can retain their own operational logs or historical backups under their policies. Active TU data deletion does not promise immediate erasure from third-party logs, backups or systems TU cannot directly control. TU must not report a broader deletion scope than the implemented process can verify.

7. Responsible use and limitations

Do not use TU to evade Torn's rules, obtain another person's private information without permission, bypass TU authorization or service limits, interfere with other users or extract credentials. Restrictions on TU-hosted service use, redistribution or modification remain subject to applicable permissions, licenses and law, including permitted security research and other protected rights.

TU must minimize requested data, respect Torn's API limits and stop using invalid or disabled keys when the relevant error is received. The Torn API documentation states limits of **100 requests per minute per user across keys** and **5,000 per minute per service IP**. Torn may change those limits. Additional keys or servers do not authorize bypassing them.

TU's browser and backend safeguards cover their own defined request paths. Other tools and keys on the same account, and other services sharing an outbound IP, may also contribute to the applicable limit. TU does not claim its counters control all such traffic.

TU is provided as-is. Features, third-party services and Torn responses can change or fail. No agreement wording makes a defective or prohibited action compliant. These terms do not limit rights that applicable law does not allow to be waived.

8. Acceptance and changes

By selecting Accept on a published version, you acknowledge the disclosed processing and agree to use TU subject to Torn's rules. TU records acceptance against your verified account and the agreement version. Account-identity deletion removes that account’s identifying acceptance link; returning requires fresh acceptance. Acceptance does not automatically enable optional reporting or another integration requiring separate consent.

A new published agreement version requires renewed acceptance before continued use of features that require it. Materially different key/data uses must not begin under an old acceptance.