

Relissa-Sarl / ecoscolar-web-ui

Q

+

<> Code

Issues

Pull requests 1

Agents

Actions

Projects

Wiki

Security and quality

Insights

View status

Code

Pr/product detail page #4

Open

Marrii00 wants to merge 13 commits into main from pr/product-detail-page

Conversation 17

Commits 13

Checks 1

Files changed 42

Marrii00 commented 1 hour ago

Member

Summary

Refactor product detail page into a modular component architecture with proper separation of concerns.

Changes

New Components

- ProductGallery.vue — Image gallery with thumbnail selection
- ProductInfo.vue — Product title, authors, price, and badges
- ProductMetadata.vue — ISBN, subject, grade, school information
- SellerCard.vue — Seller information with profile link
- PublicQuestions.vue — Questions and answers section
- Breadcrumb.vue — Reusable breadcrumb navigation

New Infrastructure

- app/types/product.ts — Centralized TypeScript interfaces (Product, Seller, Question, Answer, Condition)
- app/composables/useProduct.ts — Product data fetching composable with mock data

Refactored

- app/pages/annonce/[id].vue — Simplified from 234 to 108 lines, now purely compositional

Benefits

- Improved code organization and maintainability
- Reusable components follow DRY principle
- Type-safe with centralized TypeScript definitions
- Data logic separated from presentation
- Ready for API integration (useProduct composable)

Related Issue

Implements proper folder structure as defined in project architecture guidelines.

Mention @copilot in a comment to make changes to this pull request.

Alexis1476 and others added 13 commits yesterday

-  [feat: scaffold nuxt.js project and directory structure](#) fe87305
-  [chore: set basic config + i18n config](#) 7c5cbb1
-  [feat: create layouts \(default and admin\) and app header component](#) ✗ 3ee0c95
-  [refactor: reformat code to respect eslint policies](#) ✗ 3254385
-  [fix: lint problems](#) ✓ f13e253
-  [Potential fix for pull request finding](#) ... ✓ 762f2a6
-  [Potential fix for pull request finding](#) ... ✓ ce1eeb3
-  [Merge pull request #2 from Relissa-Sarl/feature/architecture](#) ... ✓ af78d59
-  [docs: update readme, add git flow and naming convention](#) ✓ 3d39ba0
-  [Merge pull request #3 from Relissa-Sarl/docs/update-readme](#) ... ✓ ea63708
-  [feat: create product detail page with components](#) 78a7cf6
-  [refactor: split product page into reusable components](#) b8c1c60
-  [Merge branch 'feature/product-detail-page' into develop](#) ✗ 7e97a3a

 Marrii00 requested review from Alexis1476, Bangumiii, ThomasRey1, YuriVanZieks, Copilot and dam277 1 hour ago

 Copilot started reviewing on behalf of Marrii00 1 hour ago

View session

 Copilot AI reviewed 1 hour ago

View reviewed changes

 Copilot AI left a comment

Pull request overview

This PR sets up a Nuxt 4 + TypeScript + Tailwind UI foundation and begins refactoring the product detail page into smaller, reusable components, introducing shared product types and a mock data-fetching composable.

Changes:

- Added Nuxt app scaffolding/configuration (Nuxt config, ESLint, TS config, CI workflow, base layouts, global styles).
- Introduced product domain types (`app/types/product.ts`) and a `useProduct` composable with mock data.
- Split product detail UI into multiple components (gallery/info/metadata/seller/actions/questions/breadcrumb) and composed them in `app/pages/annonce/[id].vue` .

Reviewed changes

Copilot reviewed 38 out of 42 changed files in this pull request and generated 15 comments.

► Show a summary per file

 [Add Copilot custom instructions](#) for smarter, more guided reviews. [Learn how to get started.](#)

 Fix batch with Copilot

  

app/components/product/PublicQuestions.vue

Comment on lines +22 to +23

```
22 +   if (questionInput.value.trim()) {
23 +       emit('ask-question', questionInput.value)
```



Copilot AI 1 hour ago



submitQuestion checks trim() but emits the untrimmed questionInput.value , which can send leading/trailing whitespace to consumers. Emit the trimmed value instead to match the validation.

Suggested changeset 1

app/components/product/PublicQuestions.vue

```
... @@ -19,8 +19,10 @@
19 19     const questionInput = ref('')
20 20
21 21     const submitQuestion = () => {
22     -   if (questionInput.value.trim()) {
23     -       emit('ask-question', questionInput.value)
22 +   const trimmedQuestion = questionInput.value.trim()
23 +
24 +   if (trimmedQuestion) {
25 +       emit('ask-question', trimmedQuestion)
24 26       questionInput.value = ''
25 27   }
26 28   }
```

Commit suggestion

Add suggestion to batch



Copilot uses AI. Check for mistakes.



Reply...

Resolve conversation

app/components/product/PublicQuestions.vue

```
8 +   answers?: Answer[]
9 + }
10 +
11 + const props = withDefaults(defineProps<Props>(), {
```



Copilot AI 1 hour ago



props is declared (const props = withDefaults(...)) but never used. With strict ESLint, this will be flagged as an unused variable; either remove the props binding or reference props.* in the template/script.

Suggested changeset 1

app/components/product/PublicQuestions.vue

```
... @@ -8,7 +8,7 @@
8 8     answers?: Answer[]
9 9     }
10 10
11     - const props = withDefaults(defineProps<Props>()), {
11 +   withDefaults(defineProps<Props>()), {
12 12         questions: () => [],
13 13         answers: () => []
14 14     })
```

Commit suggestion

Add suggestion to batch



Copilot uses AI. Check for mistakes.



Reply...

Resolve conversation

▼

app/components/product/PublicQuestions.vue

Comment on lines +70 to +73

70

+

<!-- Answer -->

71

+

<div v-if="answers.find(a => a.questionId === question.id)" class="ml-8 mb-6">

72

+

<template v-for="answer in answers.filter(a => a.questionId === question.id)" :key="answer.id">

73

+

<div class="flex items-start gap-3 mb-3">



Copilot

AI

1 hour ago

...

Inside the questions loop, the template scans `answers` multiple times per question (`find` + `filter`), which is $O(\text{questions} \times \text{answers})$ and duplicates work. Consider precomputing a lookup (e.g. `answers` grouped by `questionId`) once in script setup and reusing it in the template.



Fix with Copilot



Copilot uses AI. Check for mistakes.



Reply...

Resolve conversation

▼

app/components/product/ProductGallery.vue

Comment on lines +9 to +11

9

+

const props = defineProps<Props>()

10

+

11

+

const selectedImage = ref<string>(props.images[0] || '')



Copilot

AI

1 hour ago

...

`selectedImage` is initialized from `props.images[0]` only once during setup. Because the page passes `product?.images || []` (empty initially, then populated), the gallery's main image can remain empty even after images load. Watch `images` (or derive `selectedImage` from props) so it updates when `images` changes.



Fix with Copilot



Copilot uses AI. Check for mistakes.



Reply...

Resolve conversation

▼

app/components/common/Breadcrumb.vue

Comment on lines +2 to +8

2

+

interface BreadcrumbItem {

3

+

label: string

4

+

to?: string

5

+

}

6

+

7

+

interface Props {

8

+

items: BreadcrumbItem[]



Copilot AI 1 hour ago



The `items` prop is defined but never used, and the breadcrumb output is currently hardcoded to `shop / {category} / {productTitle}`. Either implement rendering using `items` (to match the "reusable" breadcrumb goal) or remove the unused prop to avoid a misleading API.

Suggested changeset 1

▼ app/components/common/Breadcrumb.vue

```
... @@ -1,11 +1,5 @@
1 1 <script setup lang="ts">
2   - interface BreadcrumbItem {
3     -   label: string
4     -   to?: string
5     - }
6   -
7 2   interface Props {
8     -   items: BreadcrumbItem[]
9 3     productTitle: string
10 4     category: string
11 5   }
```

Commit suggestion

Add suggestion to batch



Copilot uses AI. Check for mistakes.



Reply...

Resolve conversation

5 hidden conversations
[Load more...](#)

▼ locales/de.json

Comment on lines +3 to +8

```
3 +   "welcome": "TEXTE EN DE",
4 +   "cta": "TEXTE EN DE"
5 + },
6 +   "cart": {
7 +     "title": "TEXTE EN DE",
8 +     "empty": "TEXTE EN DE"
```



Copilot AI 1 hour ago



`de.json` still contains placeholder values ("TEXTE EN DE") for the home section. If German is enabled as a locale, this will ship visible placeholders to users; either provide real translations or remove/disable the locale until it's ready.

Suggested changeset 1

▼ locales/de.json

```
... @@ -1,10 +1,10 @@
1 1 {
2 2   "home": {
3     -   "welcome": "TEXTE EN DE",
4     -   "cta": "TEXTE EN DE"
5 3   +   "welcome": "Willkommen",
6 4   +   "cta": "Jetzt starten"
7 5   },
8 6   "cart": {
9     -   "title": "TEXTE EN DE",
```

```
8      -      "empty": "TEXTE EN DE"
      7      +      "title": "Warenkorb",
      8      +      "empty": "Ihr Warenkorb ist leer"
9      9      }
10     10     }
```

Commit suggestion

Add suggestion to batch



Copilot uses AI. Check for mistakes.



Resolve conversation

▼ locales/de.json

Comment on lines +3 to +8

```
3      +      "welcome": "TEXTE EN DE",
4      +      "cta": "TEXTE EN DE"
5      +    },
6      +    "cart": {
7      +      "title": "TEXTE EN DE",
8      +      "empty": "TEXTE EN DE"
```

 **Copilot** AI 1 hour ago ...

de.json still contains placeholder values ("TEXTE EN DE") for the cart section. Either provide German translations or remove/disable the locale until it's ready.

Suggested changeset 1

▼ locales/de.json

```
... @@ -1,10 +1,10 @@
1      1      {
2      2      "home": {
3      -      "welcome": "TEXTE EN DE",
4      -      "cta": "TEXTE EN DE"
      3      +      "welcome": "Willkommen",
      4      +      "cta": "Jetzt einkaufen"
5      5      },
6      6      "cart": {
7      -      "title": "TEXTE EN DE",
8      -      "empty": "TEXTE EN DE"
      7      +      "title": "Warenkorb",
      8      +      "empty": "Ihr Warenkorb ist leer"
9      9      }
10     10     }
```

Commit suggestion

Add suggestion to batch



Copilot uses AI. Check for mistakes.



Resolve conversation

▼ app/components/product/ActionButton.vue

```
33      +      <div class="space-y-3">
34      +      <!-- Buy Now + Wishlist -->
35      +      <div class="flex gap-3">
```

36

+

<button class="flex-1 px-4 py-3 bg-green-700 hover:bg-green-800 text-white font-medium rounded-lg transit

Copilot

AI

1 hour ago

...

The "Buy Now" button doesn't trigger the `buy` emit (and `handleBuy()` is currently unused), so clicking it does nothing. Wire this button's click handler to emit the `buy` event (or remove the unused emit/handler if not needed yet).

Suggested changeset 1

▼ app/components/product/ActionButtons.vue

...

@@ -33,7 +33,7 @@

33 33 <div class="space-y-3">

34 34 <!-- Buy Now + Wishlist -->

35 35 <div class="flex gap-3">

36 - <button class="flex-1 px-4 py-3 bg-green-700 hover: bg-green-800 text-white font-medium rounded-lg transition-colors">

36 + <button class="flex-1 px-4 py-3 bg-green-700 hover: bg-green-800 text-white font-medium rounded-lg transition-colors" @click="handleBuy">

37 37 Buy Now

38 38 </button>

39 39 <button class="w-12 h-12 border-2 border-gray-300 dark: border-gray-700 text-gray-900 dark: text-white font-medium rounded-lg hover: bg-gray-50 dark: hover: bg-gray-900 transition-colors flex items-center justify-center text-lg" @click="toggleWishlist">

Commit suggestion

Add suggestion to batch

😊

👍

💬

Copilot uses AI. Check for mistakes.

🌐

Reply...

Resolve conversation

▼ app/pages/annonce/[id].vue

Comment on lines +55 to +59

55 + <!-- Public Questions Section -->

56 + <div class="mt-12 bg-white dark: bg-gray-950 p-8 rounded-lg border border-gray-200 dark: border-gray-800">

57 + <div class="flex items-center justify-between mb-6">

58 + <h2 class="text-xl font-bold text-gray-900 dark: text-white">Public Questions</h2>

59 + <p class="text-sm text-gray-500 dark: text-gray-400">{{ product?.questions?.length || 0 }} Questions a

Copilot

AI

1 hour ago

...

This page still contains an inlined "Public Questions" block instead of using the new `PublicQuestions` component introduced in this PR. This duplicates UI logic and undermines the stated modularization; consider replacing this section with `<PublicQuestions ... />` and handling its `ask-question` event here.

🔧 Fix with Copilot

😊

👍

💬

Copilot uses AI. Check for mistakes.

🌐

Reply...

Resolve conversation

▼ app/components/product/ConditionDetails.vue

Comment on lines +1 to +5

1 + <script setup lang="ts">

2 + interface Condition {

https://github.com/Relissa-Sarl/ecoscolar-web-ui/pull/4

7/9

3+icon: string

4+text: string

5+color: string

 **Copilot** AI 1 hour ago

ConditionDetails defines a local condition interface even though a shared condition type already exists in app/types/product.ts , and the template ignores the icon / color fields entirely (rendering a hardcoded icon/color). Reuse the shared type and render condition.icon / condition.color (or remove those fields from the data model).

Fix with Copilot

   Copilot uses AI. Check for mistakes.

 Reply...

Resolve conversation

Alexis1476 commented 43 minutes ago

Member

Hello @Marrii00. T'as des erreurs de lint il faudra que tu lances cette commande `pnpm run lint --fix` pour les corriger, puis tu fais un commit et tu push pour que la PR soit validée par la pipeline CI



Changes reviewed

No applicable reviews submitted by reviewers with write access.

 5 pending reviews >

All checks have failed

1 failing check

  ci / ci (ubuntu-latest, 22) (push) Failing after 29s

Merging is blocked

A conversation must be resolved before this pull request can be merged.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)

Still in progress? [Convert to draft](#)

Reviewers

 Copilot

 dam277

 Alexis1476

 Bangumiii

 ThomasRey1

 YuriVanZieks

At least 1 approving review is required to merge this pull request.

Still in progress? [Convert to draft](#)



 

https://github.com/Relissa-Sarl/ecoscolar-web-ui/pull/4

8/9

Assignees



No one—[assign yourself](#)

Labels



None yet

Projects



None yet

Milestone



No milestone

Development



Successfully merging this pull request may close these issues.

None yet

3 participants

