PROJECT PROPOSAL: COUNTING CARD SYSTEM FOR BLACKJACK

Davide Baggio 2122547
Department of Computer Engineering
University of Padua

Zoren Martinez 2123873
Department of Computer Engineering
University of Padua

Francesco Pivotto 2158296
Department of Computer Engineering
University of Padua

Introduction

In the realm of casino gaming, ensuring fair play and detecting potential cheating behaviors is of paramount importance. One such method of cheating that has persisted over time is card counting in the game of Blackjack. While not inherently illegal, card counting can give players a significant advantage over the house, leading to potential revenue losses for casinos. As a response to this challenge, this project proposes the development of an automated card counting detection system using C++, OpenCV, and potentially deep learning techniques.

The core objective of the project is to build a real-time video analysis system capable of observing and interpreting the flow of cards dealt in Blackjack games. By leveraging the capabilities of OpenCV for image processing and card recognition, combined with the power of C++ for performance and control, the system will track the sequence of cards on the table. Additionally, machine learning or deep learning algorithms may be integrated to analyze patterns in player behavior and betting in correlation with card distributions, flagging potential instances of card counting.

This automated system has practical implications for modern casinos, offering an intelligent and scalable solution to monitor gameplay, support security teams, and uphold the integrity of the game without intrusive surveillance. Through this project, we aim to contribute to the development of smart surveillance tools in gaming environments using cutting-edge computer vision and AI technologies.

Visual Output and Card Value Representation

To facilitate intuitive monitoring and real-time analysis, the system will process the video feed and overlay bounding boxes around detected playing cards. Each bounding box will be color-coded based on the card's value in the Hi-Lo counting system:

- **Green** bounding boxes will indicate cards valued at +1 (typically 2 through 6).

- **Blue** bounding boxes will indicate neutral cards with a value of 0 (typically 7 through 9).

- **Red** bounding boxes will indicate high-value cards that subtract from the count, assigned a value of -1 (typically 10, face cards, and Aces).

This visual overlay will not only aid in debugging and performance evaluation but will also allow casino personnel to interpret the system's counting logic in real time. By observing the count trend and the corresponding card values, operators can better assess whether a player's betting behavior aligns suspiciously with card distribution—potentially identifying card counting activity.

This color-coded visualization enhances transparency and provides immediate visual cues without requiring technical expertise to understand the underlying card tracking mechanism.

Figure 1: Sample images


Figure 2: (a) Base image

Figure 3: (b) Detection output

Dataset and Real-World Data Sources

To train and evaluate the card detection and recognition system, we will utilize a combination of a structured dataset and real-world video footage:

The Complete Playing Card Dataset

We will employ the Complete Playing Card Dataset [2] available on Kaggle. This dataset comprises approximately 50 images for each playing card, including Jokers. Each card serves as a distinct class, providing a diverse set of images that capture various positions and rotations of the cards. This diversity is crucial for training a robust model capable of recognizing cards under different orientations and perspectives.

Real-World Video Footage

To simulate real-time scenarios and evaluate the system's performance in practical environments, we will use publicly available Blackjack gameplay videos sourced from platforms like YouTube. These videos offer a variety of real-world conditions, including different lighting, backgrounds, and card arrangements, which are essential for testing the system's robustness and adaptability.

By combining the structured dataset with real-world video footage, we aim to develop a comprehensive card counting detection system that performs reliably in both controlled and dynamic environments.

Performance Measurement

To ensure the reliability and practicality of the proposed card counting detection system, a comprehensive evaluation strategy will be implemented. The performance of the system will be assessed across several key metrics, focusing on both the card recognition accuracy and the effectiveness of the card counting logic in real-world conditions.

Card Detection and Recognition Accuracy

The first layer of performance measurement involves evaluating how accurately the system detects and classifies individual playing cards:

- The mean Average Precision (mAP);
- The mean Intersection over Union (mIoU);

In case some machine learning models are developed we are going to use these metrics too:

- Precision and Recall: These will be measured to assess the system's ability to correctly identify cards (true positives) while minimizing false detections.
- F1-Score: A harmonic mean of precision and recall to provide a balanced evaluation metric.
- Confusion Matrix: To visualize misclassifications across different card types and values.

Testing will be performed on:

- Held-out images from the annotated dataset (to test generalization).
- Frames extracted from real gameplay videos, where ground truth labels are manually annotated for evaluation purposes.

Post-Feedback Clarifications and Additions

Handling Occlusions

Occlusions can be a significant challenge, particularly due to players' hands or overlapping cards. We plan to address these cases with two strategies:

- **Short-term occlusions (e.g., by hands)** will be handled using temporal tracking techniques. The key idea is to retain memory of previous frames: if a card was clearly visible at a certain position before the occlusion, and something now covers that same area, we can reasonably assume (within a short time window) that the card is still there. Thus, we will maintain a short history buffer to preserve card positions through minor occlusions.
- **Occlusions between cards** are more complex. In such cases, we aim to estimate the full extent of a partially visible card by analyzing the visible portion (i.e., the suit and rank). Based on the size and position of these features, we will infer the probable dimensions and orientation of the complete card, projecting the likely full bounding box even if the card is partially covered by another.

Annotation Strategy

Our evaluation pipeline involves two types of data sources:

- A subset of the *Complete Playing Card Dataset* from Kaggle, which contains isolated card images without blackjack context. This dataset already includes full annotations, which we will use to evaluate basic card detection accuracy in controlled conditions.
- Real-world gameplay videos sourced from YouTube. For this data, we will manually annotate selected frames with bounding boxes and corresponding Hi-Lo values. Due to the manual nature of this process, we will limit the number of annotated frames and avoid using excessively long video sequences.

Each bounding box will be labeled according to the Hi-Lo counting value of the card: $+1$, 0, or -1.

Addition of Accuracy Metric

As suggested, we will include **accuracy** among the evaluation metrics to better assess the relationship between true positives and the total number of detections. Accuracy will be calculated using the standard formula:

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN}$$

where TP = True Positives, TN = True Negatives, FP = False Positives, and FN = False Negatives.

Test Data Variability

To assess robustness, we plan to test the system on gameplay videos with varying backgrounds (e.g., different table colors). However, we were not able to find suitable videos from multiple viewpoints. Despite this, we will strive to select videos with realistic variability in lighting and card layout conditions to simulate diverse gameplay environments as closely as possible. [1] [3]

References

[1] Blackjack Apprenticeship. Reference example. youtube.com. URL: `https://youtu.be/PljDuynF-j0?si=lryCsjhvEnIoF8iO`.

[2] Pradip Shah Jay. The complete playing card dataset. Kaggle, 2020. URL: `https://www.kaggle.com/datasets/jaypradipshah/the-complete-playing-card-dataset`.

[3] Perfect Pair. Source video. youtube.com. URL: `https://youtube.com/@perfectpair`.