



**Day 37**




## **“CLOUD SECURITY”**


### **Restricting access to S3 bucket object using cloudfront:**

Steps:

Look for S3:



Following screen will appear:



Click on “create bucket” button:

**Create bucket** [Info](#)

Buckets are containers for data stored in S3.

**General configuration**

**AWS Region**  
Asia Pacific (Mumbai) ap-south-1

**Bucket type** [Info](#)

☒ **General purpose**  
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**  
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

**Bucket name** [Info](#)  
myawsbucket  
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn More](#)

**Copy settings from existing bucket - optional**  
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)  
Format: s3://bucket/prefix

**Object Ownership** [Info](#)

Create one bucket:

**Successfully created bucket "departmentinfokyahai"**  
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

**General purpose buckets** [All AWS Regions](#) **Directory buckets**

**General purpose buckets (1)** [Info](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Buckets are containers for data stored in S3.

Find buckets by name

| Name                                 | AWS Region                       | Creation date                           |
|--------------------------------------|----------------------------------|-----------------------------------------|
| <a href="#">departmentinfokyahai</a> | Asia Pacific (Mumbai) ap-south-1 | September 8, 2025, 19:43:31 (UTC+05:30) |

**Account snapshot** [Info](#) [View dashboard](#)  
Updated daily  
Storage Lens provides visibility into storage usage and activity trends.

**External access summary - new** [Info](#)  
Updated daily  
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

Open that bucket:

**departmentinfokyahai** [Info](#)

[Objects](#) [Properties](#) [Permissions](#) [Metrics](#) [Management](#) [Access Points](#)

**Objects (0)** [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)


Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix


| Name                                                     | Type | Last modified | Size | Storage class |
|----------------------------------------------------------|------|---------------|------|---------------|
| No objects<br>You don't have any objects in this bucket. |      |               |      |               |

[Upload](#)


Now, click on the “upload” button:



Click on “add files” and upload the index.html file:



It can be viewed there:



Click on the upload button to upload, following confirmation will occur:

**Upload: status**

After you navigate away from this page, the following information is no longer available.

**Summary**

| Destination               | Succeeded                 | Failed            |
|---------------------------|---------------------------|-------------------|
| s3://departmentinfokyahai | 1 file, 926.0 B (100.00%) | 0 files, 0 B (0%) |

**Files and folders** | Configuration

Files and folders (1 total, 926.0 B)

| Name                       | Folder | Type      | Size    | Status    | Error |
|----------------------------|--------|-----------|---------|-----------|-------|
| <a href="#">index.html</a> | -      | text/html | 926.0 B | Succeeded | -     |

Now, open that index.html to get the properties of it:

**index.html**


Copy S3 URI | Download | Open | Object actions

**Properties** | Permissions | Versions


**Object overview**

|                                                                                   |                                                                                                                                                                            |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Owner</b><br>2b1be54aeb3c258dcdfcb5a441ee344179960318247860ad75b5982226eafaa40 | <b>S3 URI</b><br><a href="s3://departmentinfokyahai/index.html">s3://departmentinfokyahai/index.html</a>                                                                   |
| <b>AWS Region</b><br>Asia Pacific (Mumbai) ap-south-1                             | <b>Amazon Resource Name (ARN)</b><br><a href="arn:aws:s3::departmentinfokyahai/index.html">arn:aws:s3::departmentinfokyahai/index.html</a>                                 |
| <b>Last modified</b><br>September 8, 2025, 19:50:16 (UTC+05:30)                   | <b>Entity tag (Etag)</b><br><a href="#">996b2c398bd402bc817d40cef5adcf16</a>                                                                                               |
| <b>Size</b><br>926.0 B                                                            | <b>Object URL</b><br><a href="https://departmentinfokyahai.s3.ap-south-1.amazonaws.com/index.html">https://departmentinfokyahai.s3.ap-south-1.amazonaws.com/index.html</a> |
| <b>Type</b><br>html                                                               |                                                                                                                                                                            |
| <b>Key</b><br><a href="#">index.html</a>                                          |                                                                                                                                                                            |


Click on the object url, following error page will occur as we don't have public access for it:




Now, look for cloudfront in the search bar:




Following window will open:




Click on “Create a CloudFront Distribution” button: following window will occur.




Make necessary changes and create, following confirmation will occur:



Go to the “distributions” section from the left panel:



Click on the ID name to see the details:



--The End--