




Day 40

“CLOUD SECURITY”


Securing Amazon RDS from Accidental Deletion:

Steps:

Look for RDS:



Open the “Aurora and RDS”: following window will appear.



Scroll down and click on “create a database” button: following window will appear.

The screenshot shows the AWS 'Create database' console. The 'Choose a database creation method' section has 'Standard create' selected. The 'Engine options' section shows 'Aurora (PostgreSQL Compatible)' as the selected engine type, with icons for Aurora (MySQL Compatible), Aurora (PostgreSQL Compatible), MySQL, PostgreSQL, MariaDB, and Oracle.

Change Engine option to “My Sql”:

The screenshot shows the AWS 'Create database' console. The 'Choose a database creation method' section has 'Standard create' selected. The 'Engine options' section shows 'MySQL' as the selected engine type, with icons for Aurora (MySQL Compatible), Aurora (PostgreSQL Compatible), MySQL, PostgreSQL, MariaDB, and Oracle.

Scroll down to templates section and select “free tier”:

The screenshot shows the AWS 'Create database' console. The 'Templates' section shows three options: 'Production', 'Dev/Test', and 'Free tier'. The 'Free tier' option is selected, with a description: 'Use RDS Free Tier to develop new applications, test existing applications, or gain hands-on experience with Amazon RDS. Info'.

Scroll down and enter the password:

The screenshot shows the 'Create database' page in the AWS Aurora and RDS console. The 'Credentials Settings' section is expanded, showing the 'Master username' field with the value 'admin'. The 'Credentials management' section has two options: 'Managed in AWS Secrets Manager - most secure' (unselected) and 'Self managed' (selected). The 'Master password' field is empty, and the 'Password strength' indicator shows 'Very strong'. The 'Confirm master password' field is also empty.

Now, to disable public access from the database, make sure that it is “No”:

The screenshot shows the 'Public access' section of the 'Create database' page. The 'Public access' section has two options: 'Yes' (unselected) and 'No' (selected). The 'No' option is selected, indicating that public access is disabled.


Now, create a new VPC:

The screenshot shows the 'VPC security group (firewall)' section of the 'Create database' page. The 'VPC security group (firewall)' section has two options: 'Choose existing' (unselected) and 'Create new' (selected). The 'Create new' option is selected, and the 'New VPC security group name' field is filled with 'fortesting'. The 'Availability Zone' dropdown is set to 'No preference'.


Scroll down to “additional configuration” and make sure that checkbox is checked:

The screenshot shows the 'Additional configuration' section of the 'Create database' page. The 'Database options' section is expanded, showing the 'Initial database name' field with the value 'database'. The 'DB parameter group' dropdown is set to 'default:mysql8.0'. The 'Option group' dropdown is set to 'default:mysql-8-0'. The 'Backup' section has the 'Enable automated backups' checkbox checked. A warning message states: 'Please note that automated backups are currently supported for InnoDB storage engine only. If you are using MyISAM, refer to details here'. The 'Backup retention period' dropdown is set to '1'.


Scroll down and click on “create database” button: following confirmation will show.



When it get created, select it and then click on ‘actions’: select ‘take snapshot’.



Following window will appear:



Mention snapshot name:

Search

[Alt+S]

Account ID: 8864-3697-0254

Aurora and RDS

Snapshots

Take snapshot

Take DB Snapshot

Preferences

To take a DB Snapshot, choose a database and name your DB Snapshot.

Snapshot type

DB instance

DB cluster

DB instance

DB Instance Identifier. This is the unique key that identifies a DB Instance.

databaseforaditya

Snapshot name

Identifier for the DB Snapshot.

snap-dbforaditya

Snapshot identifier is case insensitive, but stored as all lower-case, as in "mysnapshot". Cannot be null, empty, or blank. Must contain from 1 to 255 alphanumeric characters or hyphens. First character must be a letter. Cannot end with a hyphen or contain two consecutive hyphens.

Cancel

Take snapshot

Following confirmation will occur:

Search

[Alt+S]

Account ID: 8864-3697-0254

Aurora and RDS

Snapshots

Dashboard

Databases

Query editor

Performance insights

Snapshots

Exports in Amazon S3

Automated backups

Reserved instances

Proxies

Subnet groups

Parameter groups

Option groups

Custom engine versions

Zero-ETL integrations

Events

Successfully created snapshot snap-dbforaditya. [View details](#)

Notifications

Snapshots

Manual

System

Shared with me

Public

Backup service

Exports in Amazon S3

Manual snapshots (4)

Filter by manual snapshots

☐	Snapshot name	Engine version	DB instance or cluster	Snapshot creation time
☐	database-1-final-snapshot	8.0.mysql_auror...	database-1	January 20, 2025, 12:16 (UTC+05:30)
☐	database-1-snapshot	8.0.39	database-1	January 20, 2025, 17:24 (UTC+05:30)
☐	snap-dbforaditya	8.0.42	databaseforaditya	September 11, 2025, 17:29 (UTC+05:30)
☐	youtube-db-snapshot	11.4.4	youtube-db	January 20, 2025, 09:18 (UTC+05:30)

Actions

Take snapshot

We may create a copy of this snapshot:

Search

[Alt+S]

Account ID: 8864-3697-0254

Aurora and RDS

Snapshots

Dashboard

Databases

Query editor

Performance insights

Snapshots

Exports in Amazon S3

Automated backups

Reserved instances

Proxies

Subnet groups

Parameter groups

Option groups

Custom engine versions

Zero-ETL integrations

Events

Snapshots

Manual

System

Shared with me

Public

Backup service

Exports in Amazon S3

Manual snapshots (4)

Filter by manual snapshots

☐	Snapshot name	Engine version	DB instance or cluster	Snapshot creation time
☐	database-1-final-snapshot	8.0.mysql_auror...	database-1	January 20, 2025, 12:16 (UTC+05:30)
☐	database-1-snapshot	8.0.39	database-1	January 20, 2025, 17:24 (UTC+05:30)
☒	snap-dbforaditya	8.0.42	databaseforaditya	September 11, 2025, 17:29 (UTC+05:30)
☐	youtube-db-snapshot	11.4.4	youtube-db	January 20, 2025, 09:18 (UTC+05:30)

Actions

Take snapshot

Restore snapshot

Copy snapshot

Share snapshot

Migrate snapshot

Upgrade snapshot

Export to Amazon S3

Delete snapshot

Following screen will appear:

The screenshot shows the AWS Management Console interface for the 'Copy snapshot' operation. The breadcrumb navigation at the top indicates the path: Aurora and RDS > Snapshots > Copy snapshot. The page title is 'Copy snapshot'. Under the 'Settings' section, the 'Source DB snapshot' is identified as 'snap-dbforsaditya'. The 'New DB snapshot identifier' is set to 'snap-dbaditya-copy1'. The 'Destination Region' is 'US West (Oregon)' and the 'Target DB option group' is 'No preference'. There is a checkbox for 'Copy tags from the source DB snapshot' which is currently unchecked. A note at the bottom of the settings section states: 'Depending on the amount of data to be copied and the Region you choose, this operation can take several hours to complete. The display on the progress bar might be delayed until setup is complete.'

Click on “copy snapshot” button at bottom: this will show.

Snapshot copy snap-dbaditya-copy1 is being created in region US West (Oregon) [View details](#) ×

Depending on the amount of data to be copied and the Region you choose, this operation might take several hours to complete.

Done !
--The End--