Day 12



JavaScript alert, prompt & confirm:

alert() — Show a Message

Purpose: To display a simple message to the user.

Syntax:

alert("This is an alert message!");

How it works:

- Shows a popup with an OK button.
- Used to inform the user (no input is taken).

Example:



prompt() — Take Input from the User

Purpose: To ask the user for some input (like a name or number).

Syntax:


prompt("Enter your name:");

How it works:

- Shows a popup with a message, an input box, and OK/Cancel buttons.
- Returns the text entered by the user as a string.
- Returns null if the user presses Cancel.

Example:

Output:



Example: since prompt takes user input as string, we need to convert it into number.

Example: giving default value to the prompt

```
Elements Console Sources Network Performance Memory

| O | top | O | Y Filter

| D | Let a = Number.parseInt(prompt("Enter the value of a: ", "234"));
| console.log(a);
```

Output:



confirm() — Ask for Confirmation

Purpose: To ask the user a Yes/No or OK/Cancel type question.

Syntax:

confirm("Are you sure?");

How it works:

- Shows a popup with OK and Cancel buttons.
- Returns:
 - o true → if the user clicks OK
 - o false → if the user clicks Cancel

Example:

```
Elements Console Sources Network Performance Memory Application Privacy at the p
```

Output:



--The End--