

Day 11



"Web Development + Security"

Video, Audio & Media:

What is <video> tag in HTML?

The <video> tag in HTML is used to show a video on a webpage.


- It works like the tag, but for videos.
- You can play, pause, and control it with built-in buttons.
- It needs a video file (like .mp4, .webm, .ogg).

Important attributes of <video>:

Attribute	Meaning (Simple Words)	Example Code
src	Path of the video file	<video src="movie.mp4"></video>
controls	Adds play, pause, volume buttons	<video controls=""></video>
autoplay	Video starts playing automatically	<video autoplay=""></video>
Іоор	Video repeats after finishing	<video loop=""></video>
muted	Video starts with no sound	<video muted=""></video>
poster	Shows an image before the video starts (thumbnail)	<video poster="thumbnail.jpg"></video
width	Sets the video's width	<video width="400"></video>
height	Sets the video's height	<video height="300"></video>

Example:

Output:



What is <audio> tag in HTML?

The <audio> tag in HTML is used to play sound/music on a webpage, just like <video> is used for videos.

Important attributes of <audio>:


Attribute	Meaning (Simple Words)	Example Code
src	Path of the audio file	<audio src="song.mp3"></audio>
controls	Adds play, pause, volume buttons	<audio controls=""></audio>
autoplay	Audio starts playing automatically	<audio autoplay=""></audio>
Іоор	Audio repeats again and again	<audio loop=""></audio>
muted	Audio starts with no sound	<audio muted=""></audio>

Preload attribute:

Value	Meaning in Simple Words	
none	Don't load the file until the user clicks play (saves data).	
metadata	Only load info about the file (like duration, size), but not the whole media.	
auto	Load the whole file in advance (useful if you expect the user will play it).	

Example:

Output:



What is <iframe> tag in HTJML?

The <iframe> tag in HTML is used to embed another webpage inside your webpage. Think of it like a small window showing another site or page.


Important attributes of <iframe>:

Attribute	Meaning (Simple Words)	Example Code
src	The webpage link (URL) to display inside the iframe	<iframe src="page.html"></iframe
width	Width of the iframe window	<iframe width="600"></iframe>
height	Height of the iframe window	<iframe height="400"></iframe>
title	A short description (for accessibility)	<iframe title="My site"></iframe>
name	Gives the iframe a name (can be used with links/targets)	<iframe name="myFrame"></iframe
allowfullscreen	Allows the iframe to go full screen (useful for videos)	<iframe allowfullscreen=""></iframe>

		Example Code
loading	Controls when the iframe loads: lazy (load later) or eager (load immediately)	<iframe loading="lazy"></iframe>
sandbox	Adds security rules (restricts scripts, forms, etc.)	<iframe sandbox=""></iframe>

Example:

Output:



--The End--