AI FOR SUSTAINABILITY AND GREEN INITIATIVES

An AI-Based Solution for Energy Optimization, Waste Reduction and Environmental Impact Monitoring in a Large Indian Conglomerate

Submitted by: Remin Joby
Register no.: 20262009
Group number: 10
Programme / Course: PGDM in AI and Data Science
Submitted to: Chintan Patel Sir
Institution: Adani Institute of Digital Technology Management
Submission date: 18/10/26

1. Management Summary

Big Indian conglomerates are in energy-intensive and resource-intensive businesses like manufacturing, FMCG, hospitality, agriculture, logistics, real estate and data-driven services. A large share of the carbon emissions in each of these is due to electricity use, fuel combustion, water use and waste. At the same time, investors, regulators and customers, and India's national climate commitments, are driving companies to measure, report and reduce their environmental impact.

This report proposes a single AI platform for the whole enterprise that will enable a conglomerate to reduce its carbon footprint, optimize energy consumption and meet its sustainability targets. The platform consists of three pillars, namely, (1) AI-based energy optimization, (2) AI-enabled waste reduction and circularity, and (3) continuous environmental impact monitoring and reporting. The design is based on the public record of Schneider Electric (energy management and automation), ITC Limited (large-scale sustainability programs in an Indian conglomerate) and Google (AI for data-center efficiency and carbon-aware computing) [1]–[4].

2. Introduction and Problem Statement

The problem statement calls for an AI solution for a large Indian conglomerate to reduce its carbon footprint and optimize energy consumption to meet its sustainability goals. The solution needs to address energy optimization, waste reduction and monitoring of environmental impact across all operations.

A particular difficulty for a conglomerate is as follows. Business units differ in processes, equipment age, data maturity and energy mix, so sustainability data gets scattered across plants, offices and spreadsheets. Decisions are reactive, reporting is slow and manual, and savings opportunities remain hidden. Artificial intelligence, IoT sensing and cloud analytics can turn this disparate data into predictions and automated actions.

2.1 Aims

The suggested solution is intended to fulfill the following objectives:

- Measure the group's carbon footprint (Scope 1, Scope 2 and, in the future, Scope 3) accurately and in near real time.
- Reduce energy consumption and energy cost in buildings, plants and facilities through predictive and automatic control.
- Use more renewable energy and match demand to when cleaner power is available.
- Reduce waste at source, increase segregation and recycling, and encourage circular-economy practices.
- Track emissions, water and waste continuously and automate sustainability disclosures.

3. Reference Organizations: What the Industry Already Does

Three organizations serve as references. Their descriptions are based on publicly stated approaches, not on any figures of our own [1]–[4].

3.1 Schneider Electric (Worldwide)

Schneider Electric is a global leader in energy management and industrial automation. Its EcoStruxure architecture connects smart devices, edge control and cloud analytics so buildings, factories and data centers can track and optimize their power use. The firm also provides sustainability advisory and software services to help customers monitor energy and emissions data and plan decarbonization. It is relevant to this report as an example of the integration of connected equipment, analytics and energy services into a single operational platform [1].

3.2 ITC Limited (India)

ITC Limited is an Indian conglomerate with diversified businesses in FMCG, paper and packaging, hotels and agri-business. It is often cited in India for its long-standing sustainability agenda, which includes publicly reported commitments on carbon, water and solid-waste management, renewable energy, green buildings and community-based programs. A prominent example of its work linking waste management and livelihoods is its initiative on collecting and recycling post-consumer waste. ITC is the closest to the problem statement, as it shows the scale and variety of operations that a single sustainability platform needs to cover in an Indian setting [2].

3.3 Google (Worldwide)

Google has publicly talked about using machine learning it developed with DeepMind to improve the energy efficiency of cooling in its data centers by predicting conditions and suggesting or controlling cooling settings. It has also committed to operating on 24/7 carbon-free energy and to moving flexible computing workloads to times and places when cleaner electricity is on hand. These examples show how AI can optimize energy across an entire system, and how demand can be matched to the carbon intensity of the grid [3], [4].

3.4 Major Lessons

[Table 1, Appendix A] summarizes the contribution of each reference organization in the design of the proposed solution.

4. Proposed AI Solution

The proposed solution is a group-level Sustainability Intelligence Platform shared across all business units. It gathers data from meters, sensors, enterprise systems and weather and grid sources, and applies AI models in three functional areas.

4.1 Pillar 1: Energy Optimization through Artificial Intelligence

- Demand forecasting: Electricity and thermal loads are forecast for each site by machine-learning models based on historical consumption, production schedules, occupancy and weather data.
- Smart control of HVAC, lighting and process equipment: Reinforcement-learning or model-predictive control modifies set-points to reduce consumption while maintaining comfort and production quality.
- Predictive maintenance: Models that detect anomalies identify inefficient or failing motors, chillers, boilers and compressors early, avoiding energy loss and downtime.

- Renewable integration and carbon-aware scheduling: Solar and wind output and grid carbon intensity forecasts are used to schedule flexible loads and battery use, and to plan the purchase of green power.
- Energy anomaly alerts: Automatic notifications are sent when unusual consumption is detected, e.g. equipment being used outside working hours.

4.2 Pillar 2: AI for Waste Reduction

- Waste segregation with computer vision: Cameras at collection points and recycling lines classify waste types, improving the quality of segregation and reducing contamination.
- Demand and production planning: Forecasting models minimize overproduction, spoilage and excess inventory, especially in FMCG, food and hospitality units.
- Yield and quality optimization: Process-analytics models cut scrap and rework in manufacturing and in paper and packaging operations.
- Route and collection optimization: Optimization algorithms plan efficient waste pick-up and reverse-logistics routes, reducing fuel use.
- Circular-economy matching: Analytics identify by-products ready for reuse, recycling or supply to another unit or partner.

4.3 Pillar 3: Tracking Environmental Impact

- Automated carbon accounting: The platform translates energy, fuel, travel and purchase data into emissions using standard emission factors [6], providing a consolidated group view.
- Real-time emissions, water and air-quality monitoring: IoT sensors and AI-based anomaly detection monitor stack emissions, effluent quality and water use against regulatory limits.
- Satellite and remote-sensing analytics: Image analysis monitors land use, plantations and forest cover for agri and afforestation programs.
- Reporting and disclosure support: Natural-language and automation tools aggregate data for frameworks such as BRSR [5], GRI and CDP, and help set and track science-based targets.
- Scenario simulation: Digital-twin models test the impact of decarbonization options, such as a solar installation or an equipment upgrade, before any investment is undertaken.

5. System Architecture

The platform is built on a layered architecture. In principle it is similar to the connected-product, edge-control and cloud-analytics model used by industrial energy-management providers [1]. Each layer is described in [Table 2, Appendix A].

6. Roadmap to Implementation

The rollout will be in four phases and is summarized in [Table 3, Appendix A] and shown on a timeline in [Figure 1, Appendix A]. The timelines are indicative only. The first phase establishes the baseline

and the pilot sites, the pilots test the main models, and only afterward is the rollout made to all business units. The last phase is open-ended, because it is based on continuous improvement.

7. Critical KPIs

Progress will be monitored against the following indicators. Their definitions are in [Appendix B].

- Energy intensity (kWh per unit of output or square meter) and total energy cost.
- Share of renewable energy in total electricity consumption.
- Greenhouse gas emissions (absolute and intensity-based; Scope 1, 2 and 3).
- Waste diverted from landfill, recycling rate and waste generated per unit of output.
- Total water use and percentage of water recycled or reused.
- Time spent preparing sustainability reports and accuracy of the data reported.

8. Anticipated Benefits

The benefits are anticipated in five areas and are not quantified here, as this report does not include quantified results.

- Environmental: Reduced emissions, lower resource use and improved compliance with environmental standards.
- Financial: Savings on electricity, fuel and materials, and better returns on investments in energy efficiency.
- Strategic: Better ESG ratings, easier access to green finance and progress toward net-zero and national climate goals.
- Operational: Less downtime, greater insight and quicker, more data-driven decisions.
- Reputational: Increased trust from customers, investors, employees and communities.

9. Risks and Uncertainties

The main challenges expected in implementation, and the mitigation proposed for each, are listed in [Table 4, Appendix A].

10. Conclusion

A large and diverse Indian conglomerate needs better data, faster decisions and continuous optimization to meet its sustainability goals. One way to do this is with an enterprise-wide AI platform that includes energy optimization, waste minimization and environmental monitoring. The work of Schneider Electric in connected energy management, of ITC Limited in large-scale sustainability programs, and of Google in AI-driven efficiency and carbon-aware operations indicates that each element of the proposed solution is already implemented in practice. The conglomerate could reduce its carbon footprint while also reducing costs and enhancing its long-term competitiveness through a phased rollout, strong data governance and clear KPIs.

Appendix

A. Tables and Figure Referred to in the Report

Table 1: Lessons learned from the reference organizations

Related section: [Section 3.4 Major Lessons]

Organization	Core strength	Lesson for the suggested solution
Schneider Electric	Building and industrial energy management, sustainability software, connected devices	Use a layered IoT-edge-cloud architecture. Treat energy data as a managed asset.
ITC Limited	Established sustainability programs in diversified Indian operations	Design for multiple business units. Integrate technology with on-ground waste and water programs.
Google	Carbon-aware computing and AI efficiency	Predictive models and carbon-aware scheduling to shift load and minimize waste

Table 2: Proposed layers of the platform

Related section: [Section 5 System Architecture]

Layer	Description
Sensing layer	Smart meters, IoT sensors, building management systems, SCADA, fuel and water meters, video cameras
Edge and connectivity layer	Secure gateways for local processing and low-latency control; edge data cleaning
Data layer	Central cloud data lake with a common data model across business units, plus ERP, procurement, logistics, weather and grid data
AI and analytics layer	Forecasting, optimization, anomaly detection, computer-vision and carbon-accounting models, all governed by MLOps
Application layer	Dashboards for plant managers, the group sustainability office and leadership; alerts, reporting and API integrations
Security and governance	Data quality checks, access control, cybersecurity, audit trails and model monitoring

Table 3: Staged implementation plan

Related section: [Section 6 Roadmap to Implementation]

Stage	Timings (indicative)	Main activities
Phase 1: Baseline	0 to 6 months	Energy and carbon audit, install metering, create data platform, choose pilot sites, define KPIs
Phase 2: Pilot	6 to 12 months	Deploy forecasting, anomaly detection and smart control in pilot plants and buildings; test waste vision and carbon dashboard
Phase 3: Expansion	12 to 30 months	Scale across business units; incorporate renewable and carbon-aware scheduling; automate disclosures
Phase 4: Optimize	From 30 months	Continuous model improvement, Scope 3 coverage, supplier engagement, circular-economy partnerships




Figure 1: Indicative implementation timeline (Phase 4 has no fixed end point)

Related section: [Section 6 Roadmap to Implementation]

Table 4: Challenges and proposed mitigations

Related section: [Section 9 Risks and Uncertainties]

Challenge	Mitigation
Poor or fragmented data within business units	Common data model, phased metering, data-quality rules and a central data team
Legacy equipment with limited connectivity	Prioritize high-consumption assets first; retrofit sensors and edge gateways
Upfront investment with uncertain returns	Start with pilots, build the business case with measured savings, and look at performance-based financing
Cybersecurity and data protection	Secure-by-design architecture, network segmentation, regular audits and access control
Skills gap and resistance to change	Training, clear ownership at the plant level and simple, actionable dashboards
AI's own energy footprint	Use efficient models, run workloads in low-carbon cloud regions and monitor the platform's emissions
Risk of greenwashing and false claims	Standard reporting frameworks, transparent methodology and third-party assurance

B. Abbreviations, scopes and KPI definitions

Term	Meaning	Term	Meaning
BRSR	Business Responsibility and Sustainability Reporting	IoT	Internet of Things
CDP	Disclosure platform formerly known as Carbon Disclosure Project	KPI	Key performance indicator
ERP	Enterprise resource planning	MLOps	Machine-learning operations
ESG	Environmental, social and governance	SCADA	Supervisory control and data acquisition
GHG	Greenhouse gas	HVAC	Heating, ventilation and air conditioning
GRI	Global Reporting Initiative	FMCG	Fast-moving consumer goods

Emission scopes [6]: Scope 1 covers direct emissions from sources the company owns or controls. Scope 2 covers indirect emissions from purchased electricity, steam, heating and cooling. Scope 3 covers all other indirect emissions in the value chain.

KPI definitions (as used in Section 7): Energy intensity = total energy consumed (kWh) ÷ units of output or floor area (m²). Renewable share (%) = renewable electricity ÷ total electricity consumed × 100. Recycling rate (%) = waste recycled ÷ total waste generated × 100. Emissions = activity data × emission factor.

C. References

[1] Schneider Electric. EcoStruxure and sustainability services information; Sustainability Report. Company website (edition and URL to be verified).

[2] ITC Limited. Sustainability Report and Integrated Report. Company website (latest edition; year and URL to be verified).

[3] Google. Environmental Report. Company website (latest edition; year and URL to be verified).

[4] Google and DeepMind. Blog posts on machine-learning control of data-center cooling (titles, dates and URLs to be verified).

[5] Securities and Exchange Board of India (SEBI). Business Responsibility and Sustainability Reporting (BRSR) framework (circular details to be verified).

[6] World Resources Institute and World Business Council for Sustainable Development. The Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard (edition to be verified).