



Department of Health
National Capital Region
VALENZUELA MEDICAL CENTER
Padrigal St. Karuhatan, Valenzuela City
Telefax No. 294-4625

FM-PROC-002
Rev 2-01/25/19

PURCHASE ORDER

| | | | |
|------------|--|-----------------------|--|
| Supplier : | CHEMVALLEY RESOURCES, INC. | P.O. No. : | 25-07-294 |
| Address : | 168 West Riverside St. SFDM, Quezon City | Date : | 07/24/2025 |
| TIN : | 002-010-122-000 | Mode of Procurement : | PB. No. VMC-2025-050 dated 04-08-25 |

Gentlemen:
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : **VALENZUELA MEDICAL CENTER** Delivery Term : **20CD**
Date of Delivery :

| Stock No. | Unit | Description | Quantity | Unit Cost | Amount |
|-----------|------|--|----------|-----------|------------|
| 546 | pc | Blood Glucose Test strips, individually pack with regular needle lancet 3-5 sec. result, with indicated date of manufacture and expiration (with control solution test) with calibration certificate (with free Glucometer 50 units) Offer: Brand: Yasee/China With control range on the packaging With Calibration Certificate upon delivery P.R. No. 25-02-334 dated 2/24/2025 NOA dated 07/10/2025 Resolution No. 2025-201-B dated 06/27/2025 Allocation: CSSU xxxxxxxxxx Nothing Follows xxxxxxxxxxxx | 76,000 | 4.84 | 367,840.00 |

(Total Amount in Words) **Three Hundred Sixty Seven Thousand Eight Hundred Forty pesos only** P.367,840.00

In case of failure to make the full delivery within the time specified above a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s.

Very truly yours,

AUG 04 2025

EDILBERTO V. CAVANEYRO MD, MHA, FPPCS, FPSGS
OIC-Medical Center Chief II

Conforme:

Signature over Printed Name of Supplier

Date

8/5/25

| | | |
|--|-----------------------|-----------------------|
| Funds Cluster: | ORS/BURS No. | 95-07-888 |
| Funds Available: | Date of the ORS/BURS: | 28 JUL 2025 |
| RAYMUND JOE B. MACUANA Accountant IV | Amount: | Php 367,840.00 |