

BAC



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

BIDS AND AWARDS COMMITTEE

August 12, 2025

NOTICE OF AWARD

Supply and Delivery of Lithotripter System with Urology Tower and Instrument Set
Public Bidding No. VMC-2025-057 dated June 10, 2025

MS. HONEY FAYE P. LAXAMANA

Bidding Supervisor

ALJERON MEDICAL ENTERPRISES INC.

77 Kanlaon Street Brgy. Highway Hills,

Mandaluyong City

Contact No.: 0956-0636227

Email: ame.bidding@aljeronmedical.comDear **Ms. Laxamana**:

We are happy to notify your Bid dated June 10, 2025 for execution of the Valenzuela Medical Center's IAEB Ref. No. 12052840 for contract price equivalent to **TWENTY-EIGHT MILLION FIFTY-SIX THOUSAND SIX HUNDRED SIXTY-SIX PESOS AND 67/100 ONLY (P 28,056,666.67)** for the **Supply and Delivery of Lithotripter System with Urology Tower and Instrument Set** as corrected and defined in accordance with the Instruction to Bidders is hereby accepted.

ITEM NO.	QTY	UOM	ITEM DESCRIPTION	BID PRICE	TOTAL BID PRICE
			<u>DEPARTMENT OF SURGERY</u>		
1	1	unit	LITHOTRIPTER SYSTEM WITH UROLOGY TOWER AND INSTRUMENT SET	28,056,666.67	28,056,666.67
			BRAND: NOVAMEDTEK / TURKEY		
			AMNOTEK / GERMANY		
			Intended Use and application: For Urology Use		
			Proposed location: Operating Room		
			Equipment Specifications:		
			4K (UHD) CAMERA IMAGING SYSTEM		
			-With 1 unit of at least 32" 4K MEDICAL GRADE MONITOR		
			-With edge-to-edge protective front glass		
			-Optical bonding process for improved picture contrast		
			-Vivid colors plus high brightness level		

*"PHIC Accredited Healthcare Provider"**"Valenzuela Medical Center...Where your health matters most"*

Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

		-With protective guards on bezel corners help guard reduce bumping injuries		
		Resolution: 3840 x 2160 pixels		
		Panel: at least 32 inch TFT LCD (LED)		
		Brightness: 500-700 cd/m2		
		Response Time: 8 ms (rise time)		
		Viewing angle: R/L 178°, U/D 178°		
		Contrast Ratio: 1000-1350 : 1		
		-Equipment shall compatible with hospital power supply of 220 to 240VAC, single phase, 60Hz with grounding		
		-With inclusion of a power supply and power cord		
		ULTRA HIGH-DEFINITION (UHD) CAMERA SYSTEM WITH INTEGRATED PICTURE AND VIDEO RECORDER		
		- with 1 unit of Camera		
		-LCD touchscreen With intuitive icons for easy and safe operation		
		-New image enhancement features for clarity and colour		
		-With freeze function to freeze current image on the monitor		
		-Capable of Mirror, Flip and Rotation function		
		-With anti-moire filter for use With flexible fibrescopes		
		-compatible With LED light source for automatic light control		
		-Video recording and image storage directly to USB stick		
		Video System: Progressive Scan with 50 or 60 Hz		
		Image-sensor: 1 x 1/3' high-sensitivity CMOS		
		Resolution: Native 4K UHD, 3840(H) x 2160(V) pixels > 1,800 TV lines		
		Video Output: 1 x HDMI, 1 x 3G-SDI		
		1 x 3G-SDI		
		Video recording: H264/265 compression		
		Image recording: JPEG format		

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

		With inclusion of power cord, 1 x HDMI, 1 x BNC		
		Equipment shall compatible with hospital power supply of 220 to 240VAC, single phase, 60Hz with grounding		
		LED Light Source		
		-LCD touchscreen		
		-With Over-temperature protection, automatic shut down of the lamp to prevent overheating		
		-With Fibreoptic Connections Safety Feature, lamp will not lit unless a Fibreoptic cable is fully inserted into the output port		
		Colour temperature: 6,000 K		
		LED lifetime: > 50,000 hrs		
		Control: Glass panel touch screen		
		Dimming Method: Automatic or Manual		
		Brightness control: 0 - 100% stepless adjustable		
		-Equipment shall compatible with hospital power supply of 220 to 240VAC, single phase, 60Hz with grounding		
		With inclusion of:		
		-power cord		
		-Trolley		
		-Working station		
		-Single TFT-holder		
		-With shelves and drawer		
		CYSTOSCOPY SET		
		- (1) HD CYSTOSCOPE, Ø 4 mm, 30°, WL. 302 mm		
		- (1) CYSTO-URETHROSCOPE SHEATH, 19 CHARR., 2 STOPCOCKS		
		- (1) STANDARD OBTURATOR FOR 19 Charr.		
		- (1) CYSTO-URETHROSCOPE SHEATH, 21 Charr., 2 STOPCOCKS		
		- (1) STANDARD OBTURATOR FOR 21 CHARR.		
		- (1) CYSTO-URETHROSCOPE SHEATH, 23 Charr., 2 STOPCOCKS		

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

		- (1) STANDARD OBTURATOR FOR 23 Charr.		
		- (1) TELESCOPE BRIDGE, 2 INSTRUMENT CHANNEL		
		- (1) WORKING INSERT WITH ALBARRAN DEFLECTING MECHANISM (optional)		
		- (1) OPTICAL BIOPSY FORCEPS, SPOON, Ø 4.3 mm		
		- (1) ALLIGATOR GRASPING FORCEPS, Ø 5 Charr., WL. 40 cm,		
		- (1) BIOPSY FORCEPS, SPOON OVAL, Ø 5 Charr., WL. 40 cm,		
		- (1) SCISSORS, BLUNT, Ø 5 Charr., WL. 40 cm, SEMI		
		- (1) FLEX BUTTON TIO ELECTRODE, 5 Charr. WL-45cm, MONOPOLAR (5 stks/pack)		
		- (1) MONOPOLAR CONNECTING CABLE, UROLOGY L. 3 m		
		- (1) LED COLD LIGHT CABLE, Ø 3.5 mm, L. 300 cm		
		- (1) ADAPTER UNIT-SIDE		
		- (1) ADAPTER ENDOSCOPE-SIDE		
		- (1) UROLOGY BASKET FOR RESECTOSCOPY/CYSTOSCOPY SET		
		HOLMIUM LASER		
		- With foldable screen designed for easy maneuvering and storage, even large handle makes laser easier to transport		
		- High pulse energy up to 3.5J, wide range of energy setting		
		- can treat all kind of stones up to 3.5J to fragment even the hardest stones		
		- High Frequency up to 20Hz, better performance in dusting action		
		Wavelength 2.1µm		
		Max Frequency: 20Hz		
		Pulse Energy: 0.5-3.5J		
		Pulse Width: Adjustable (Short, Long) or Narrow, width mode		
		Aiming Beam: Green. 532 nm (Adjustable<5mW)		
		Cooling: Water-air cooling circuit		

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



		-Equipment shall compatible with hospital power supply of 220 to 240VAC, single phase, 60Hz with grounding		
		ADDITIONAL: DEDICATED AVR WITH TROLLEY		
		LITHOTRIPTER		
		- With combined ultrasonic-pneumatic lithotripter designed for the effective crushing of calculi in the kidney With minimal effort or patient discomfort		
		- With lightweight hand piece		
		- easy disassembly for cleaning purposes		
		Operating mode: Continuous mode		
		Operating Frequency: 23-26 KHz		
		Power: Adjustable		
		Probes:		
		-3.8 mm (11.4 FR)- Length 405 mm		
		-3.8 mm (11.4 FR)- Length 330 mm		
		- 3.3 mm (9.9 FR)- Length 330 mm		
		-3.3 mm (9.9 FR)- Length 405 mm		
		Suction pump: Integrated		
		Irrigation: Available		
		Working principle: Continuous with Cycle duty		
		Energy Principle: Pneumatic Compressed Air Pressure: 3 – 8 Bar, 10-bar max.		
		Energy: Continuous adjustment		
		Band width; 1-40 Hz		
		Pulse/ sec: 1-12		
		Pulse rate: Single or continuous		
		Probes:		
		-0.8 mm (2.4Fr)- Length 650 mm / Flexible		
		- 1.0 mm (3.0 Fr)- Length 510 mm / Flexible		
		- 1.2 mm (3.6 Fr)- Length 610 mm / Flexible		

"PHIC Accredited Healthcare Provider"
"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

		- 1.5 mm (3.6 Fr)- Length 465 mm / Semi Flexible		
		- 2.0 mm (6.0 Fr)- Length 465 mm / Rigid		
		Control Unit: Air activated Foot switch		
		Equipment shall compatible with hospital power supply of 220 to 240VAC, single phase, 60Hz with grounding		
		Sterilization: Chemical & Gas sterilization ETO, Autoclave sterilization		
		Power fluctuation: $\pm 10\%$ fluctuation		
		Operating temperature: $+5^{\circ}\text{C}$ to $+45^{\circ}\text{C}$		
		Relative humidity: 10 % to 75 %		
		Display: 15 x 10 cm touch screen LCD display		
		ADDITIONAL: DEDICATED AVR WITH TROLLEY		
		LAPAROSCOPIC UROLOGIC DEVICES		
		(1) Suction/ Irrigation with complete accessories		
		- high resolution full colour LCD screen		
		- Pressure sensor enables virtual Pressure monitoring inside body cavities and avoids potentially harmful overpressure situations for the patient		
		- Universal multi-procedure fluid management system for endoscopic application		
		- With possibility to add several license keys to use it in Arthroscopy, Hysteroscopy and Spine		
		Pressure range: Urology 10-150 mmHg ($\pm 10\%$)		
		Laparoscopy:		
		- Flow Range: Urology 100-1100 ml/min		
		Laparoscopy 100-2200 ml/min		
		- Suction: $\pm 10\%$		
		- Vacuum: max. 480mmHg		
		- Flow: max 2200 ml/min		
		Equipment shall compatible with hospital power supply of 220 to 240VAC, single phase, 60Hz with grounding		

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

		ADDITIONAL: DEDICATED AVR WITH TROLLEY		
		INSUFFLATOR WITH HEATER		
		-Advanced Continuous Flow		
		- Microprocessor controlled for highest patient Safety		
		- With warning signals in case of Over-Pressure		
		- With active axsufflation in case of constant Over-Pressure		
		- possible connection to CO2-bottle as well as central gas supply		
		- Gas flow: 20L/min		
		- Pressure: 0-30 mmHg		
		Accessories:		
		- Main cable		
		- CO2 high Pressure tube		
		- Wrench Set		
		- Sterile filter		
		- Insufflation tube		
		- CO2 Heater With silicone tube Set and thermal conductor		
		ELECTROSURGICAL UNIT		
		- With 9 programmable memories		
		- Delivery of 8 monopolar and 5 bipolar currents		
		- easy to use clear structured frony panel		
		- protection of videoscopes against stray currents		
		- Usability with 1 or 2 monopolar active accessories which can be used at same tie by two different operators		
		-Special MONOPOLAR "Endo" mode reduces both undesired thermal effect and smoke		
		- 1 Bipolar output which can be used independently and at the same time as monopolar ones		
		- control circuit of the neutral electrode "NPCC System"		

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

		- Usability, for the Bipolar use only, without connecting the neutral electrode		
		- Standby mode and automatic store of the setting used at the switching OFF		
		- automatic computerized, check of the HF leakage current		
		- Frequency: 440 KHz \pm 5%		
		- Output: 2x Monopolar, 1 Bipolar		
		- Cooling: by convection		
		- Memories: 9 programs		
		Equipment shall compatible with hospital power supply of 220 to 240VAC, single phase, 60Hz with grounding		
		Inclusions:		
		HF Unit		
		Mains Unit		
		Instructional Manual		
		Universal Adapter Monopolar		
		(1) Standard Accessories Set		
		(1) Xenon Cold Light Cable for Laparoscopy		
		- With adapters in both endoscope side and light source side		
		- Length: 3.0m		
		- Diameter: 4.8m		
		(1) Monopolar Cable		
		(1) Bipolar Cable		
		LAPAROSCOPIC UROLOGIC INSTRUMENTS		
		(1) 4K UHD LAPAROSCOPE, Ø 10 MM, 30°, WL. 330 MM		
		(1) VERESS INSUFFLATION CANNULA, Ø 2MM		
		(1) AUTOMATIC TROCAR SLEEVE Ø 5.5MM COMPLETE, PYRAMID (3pcs/set)		
		(1) AUTOMATIC TROCAR SLEEVE Ø 11MM COMPLETE, PYRAMIDAL (3pcs/set)		
		(1) AUTOMATIC TROCAR SLEEVE Ø 12.5 MM COMPLETE, PYRAMIDAL (2pcs/set)		

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



		(1) REDUCING SLEEVE FROM Ø 10-11MM TO Ø 5.5MM		
		(1) REDUCING SLEEVE FROM Ø 12.5MM TO Ø 10MM		
		(1) SUCTION IRRIGATION CANNULA Ø 5MM, WL-350MM		
		(1) METZENBAUM SCISSORS, CVD Ø 5MM COMPLETE		
		(1) GRASPING FCP 90° CVD Ø 5MM COMPLETE		
		(1) KOCHER GRASPING FCP 2 X 4 TEETH Ø 5MM COMPLETE (2pcs/set)		
		(1) KELLY GRASPING FCP Ø 5MM COMPLETE		
		(1) BIOPSY FCP, SPOON, OVAL, Ø 10MM COMPLETE		
		(1) DEBAKEY GRASPING FCP 40MM Ø 10MM COMPLETE		
		(1) DEBAKEY GRASPING FCP 60MM Ø 10MM COMPLETE		
		(1) DISSECTING FCP CVD, Ø 10MM COMPLETE		
		(1) BIPOLAR MARYLAND DISSECTOR Ø 5MM COMPLETE		
		(1) TUNGSTEN CARBIDE(TC) NEEDLE HOLDER STR, Ø 5MM		
		(1) TUNGSTEN CARBIDE(TC) NEEDLE HOLDER LEFT CVD, Ø 5MM		
		(1) KNOT GUIDE WITH OPEN EYE Ø 4MM		
		TECHNICAL SPECIFICATIONS:		
		-Certificate for the Cost of Preventive Maintenance and Calibration Program for equipment after warranty period up to 7 years. Price validity of 7 years upon delivery of equipment		
		I. Warranty and Preventive Maintenance Services: (Certificates to be submitted upon Delivery)		
		-Five (5) years comprehensive warranty on parts and services for equipment, 2 years for Urology Instruments		
		-Three (3) years warranty on parts and services for UPS		
		-Certificate of availability of spare parts within ten (10) years		

"PHIC Accredited Healthcare Provider"
"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

			-Certification that the 95% uptime of the product is within the warranty period and that any accumulated downtime in excess of 5% shall be added to the warranty period.		
			Preventive Maintenance and Calibration Services Schedule		
			-Semi-Annual Preventive Maintenance service during warranty period		
			-Annual Calibration service during warranty period and should be conducted by manufacturers qualified service engineers/Technicians during warranty period		
			-Calibration Report from the Manufacturer or Verification Report from the Supplier		
			-Certification that the bidder will provide a service Unit that the end-user can use in case the Equipment or any system component will be pulled-out for repair or Maintenance within the warranty period.		
			-Service support shall cover 24 hours/day, 7 days/week during the warranty period. Remote service should be provided within 12 hours and on-site service within 24 hours must be provided during the warranty period.		
			-Pricelist for major spare parts, accessories and consumables that is valid for 5 years.		
			-Submit complete parts, accessories and consumables list With identification number or codes		
			-Free software upgrades and updates (security, revision updates) for all Clinical and Technical applications during the period of warranty.		
			II. Installation, Acceptance, Testing and Commissioning (Procedures to be performed upon Delivery)		
			-Installation, Acceptance, Testing & Commissioning of Equipment		
			-Certification that the bidder shall be responsible for Notification, transportation, Delivery, Installation and Commissioning at no Cost to the government.		
			-Training of End-User (Operation) with Certificate of Training should be provided and should contain the following details:		
			a. Name of Trainee		
			b. Modality, Brand, Model of Equipment		

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



			c. Type of Training Conducted		
			d. Inclusive Dates of the Training		
			e. Name of Trainer, Date and Venue		
			The unit to be delivered must show proof that its manufacturing date is not later than CY 2024 onwards		
			-Conduct Verification Test during Delivery		
			-Conduct Electrical Safety Test		
			-Provide two (2) sets of colored Technical Manual, Hardcopy and Softcopy (Flashdrive) in English Manual for all equipment including peripherals, UPS, etc.		
			a. User's Operational Manual		
			b. Quality and Maintenance Manual		
			c. Service and Technical Manual		
			-Comprehensive Training for Biomedical Unit, suppliers must perform an actual:		
			a. Operations		
			b. Disassembly and Assembly		
			c. Troubleshooting		
			d. Recommended Maintenance as per manufacturer		
			III. Other Terms & Condition:		
			-Preferably packaging is made of recyclable materials		
			-Preferably with green eco-products specification (non-toxic materials, energy efficient, sustainability, etc.)		
			-Location, contact number of the service Center of the Supplier (bidder) in Metro Manila and central Luzon.		
			TOTAL AMOUNT		28,056,666.67

You are required to submit performance security in the form and amount stipulated in the Instruction to Bidders. Failure to provide the performance security shall constitute sufficient grounds for cancellation of the award and failure of the bid security.

"PHIC Accredited Healthcare Provider"
"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>



Republic of the Philippines
Department of Health
Metro Manila Center for Health Development
VALENZUELA MEDICAL CENTER



BAGONG PILIPINAS

The Valenzuela Medical Center reserves the right to withdraw / terminate this Notice of Award in view of non-delivery on the time specified, delivery of items of poor quality / substandard and any other violation of the terms and conditions provided in the Instruction to Bidders.

Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)
a) Cash or Cashier's/manager (payable to BUREAU OF TREASURY), check issued by a Universal or Commercial Bank	Goods and Consulting Services - Five percent (5%); Infrastructure Projects - Ten percent (10%)
b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	
c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)

INSTRUCTIONS:


If you have no corrections to the contents of this NOTICE OF AWARD (NOA), please submit Performance Security. The original copy of the NOA should be signed and claimed at the BAC Office, Valenzuela Medical Center. Further, please submit a certificate stating your Bank Account details.

Approved by:


EDILBERTO V. CAVANEYRO, MD, MHA, FPCS, FPSGS
OIC-Medical Center Chief II

AUG 14 2025

Conformed:


HONEY FAYE A. SAKAMANO
Authorized Representative
ALJERON MEDICAL ENTERPRISES INC.
Company

Emailed
8/15/25

Date: AUGUST 15, 2025

"PHIC Accredited Healthcare Provider"

"Valenzuela Medical Center...Where your health matters most"



Address: Padrigal St., Karuhatan, Valenzuela City, 1441
Telephone Nos: 8294-6711 to 17
Director's Office Direct Line: 8291-4259
Email Address: valgen_hosp@yahoo.com
Website: <https://vmc.doh.gov.ph/>