



## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number** 12042028  
**Procuring Entity** VALENZUELA MEDICAL CENTER  
**Title** SEMI-ANNUAL PREVENTIVE MAINTENANCE OF NEGATIVE PRESSURE WITH COMPLETE SUPPLY OF LABOR, TOOLS AND MATERIALS FOR VMC-IDS BUILDING  
**Area of Delivery** Metro Manila

<b>Solicitation Number:</b>	VMC-2025-160	<b>Status</b>	<b>Pending</b>
<b>Trade Agreement:</b>	Implementing Rules and Regulations		
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Associated Components</b>	1
<b>Classification:</b>	Goods	<b>Bid Supplements</b>	0
<b>Category:</b>	General Repair and Maintenance Services		
<b>Approved Budget for the Contract:</b>	PHP 563,082.06	<b>Document Request List</b>	0
<b>Delivery Period:</b>	7 Day/s		
<b>Client Agency:</b>		<b>Date Published</b>	17/05/2025
<b>Contact Person:</b>	Diana C. Pulido BAC Secretariat / Procurement Padrigal St., Karuhatan, Valenzuela City Metro Manila Philippines 63-2-82944625  vmc_bac@yahoo.com	<b>Last Updated / Time</b>	16/05/2025 13:56 PM
		<b>Closing Date / Time</b>	21/05/2025 10:00 AM

#### Description

Semi-Annual Preventive Maintenance of Negative Pressure with Complete Supply of Labor, Tools and Materials for Valenzuela Medical Center - IDS BUILDING

1. Semi-Annual Preventive Maintenance for Negative Pressure at Clean Write Shop & Supply Room (1 UNIT)
2. Semi-Annual Preventive Maintenance for Negative Pressure at Reagent Preparation Room (1 UNIT)
3. Semi-Annual Preventive Maintenance for Negative Pressure at PCR Room (1 UNIT)
4. Semi-Annual Preventive Maintenance for Negative Pressure at Template Adding Room (1 UNIT)
5. Semi-Annual Preventive Maintenance for Negative Pressure at Specimen Receiving Room (1 UNIT)
6. Semi-Annual Preventive Maintenance for Negative Pressure at Specimen Handling/Sample Preparation Room (1 UNIT)
7. Semi-Annual Preventive Maintenance for Negative Pressure at Counter Receiving (1 UNIT)

Semi-Annual Preventive Maintenance of Negative Pressure Exhaust Fan Unit Vents, Grill and Ducting

Scope of Work:

- Verification and checking of the negative pressure room for proper functionality
- Checking and thorough cleaning with proper maintenance of the of the exhaust fan, includes dusts and oil removal, greasing joints and other movable parts.
- Checking and cleaning fan assembly, lube fan bearings and motor bearings
- Checking belts and sheaves and make adjustment for proper functions.
- Tighten all nuts, bolts and mounting hardware
- Checking and cleaning of vents, grills and make proper adjustment of the dumper and vacuum ducting.

#### Semi-Annual Preventive Maintenance and Cleaning of Airconditioning Units

##### Scope of Work:

- Verification and checking of the airconditioning unit for proper functionality.
- Checking the refrigerant level for the efficiency of the cooling system.
- Checking and thorough cleaning of the air-filter. Water pressure spray for cleaning the whole condenser and evaporator system.
- Checking and thorough cleaning with proper maintenance of the condenser and evaporators coils which is the most important part of the split split system air condenser.
- Checking of tubing for compressor and inspection of drain pans and make de-clogging.
- Checking and cleaning fan assembly, lube fan bearing and motor bearings.
- Lubricating all movable parts.
- Tighten all nuts, bolts and mounting hardware.
- Checking and cleaning of vents, grills and make proper adjustment of the damper and vacuum ducting.
- Perform Testing and Commissioning of the System. Semi-Annual Preventive Maintenance of HEPA Filter Box/Chamber

- Check for visible dirt and debris: Periodically examine the filter for signs of clogging or damage
- Ensure proper airflow: A clogged filter can restrict airflow, leading to reduced efficiency and potential strain on the air system.
- Look for signs of damage: Inspect for tears, holes, or any other physical damage to the filter material.
- Cleaning and Decontamination of HEPA Filter chamber/box
- Replacement of HEPA Filter

##### Semi-Annual Preventive Maintenance of Exhaust Blowers

##### Check and Inspect:

- Fan Blades: Check for damage, cracks, or excessive wear.
- Motor: Inspect for signs of overheating, loose connections or unusual noises.
- Belts: Check for wear, cracks, or slippage.
- Bearings: Inspect for excessive wear or play
- Mounting hardware: Ensure all bolts and fasteners are tight.
- Ductwork: Check for leaks, damage, or loose connection.
- Electrical connections: Inspect for loose or corroded connections.
- Lubrication: Lubricate moving parts (e.g., bearings, shafts) as recommended by the manufacturer

##### Testing and Balancing:

- Check Air flow measurement
- Check Air Balancing
- Check Air Change Computation
- Check Room Pressure Testing
- Submission of Testing and Balance Report

\*The preventive maintenance shall be conducted by competent and experienced personnel.

\*Availability: Ensure 24/7 standby support for emergency repairs; service charges shall be incurred only when corrective actions are required due to failure or damage of major system components specifically in cases of mechanical or electrical failure.

\*Service Provider shall advise the end-user all defective and worn-out parts to be replaced.

\*Submit PM and Service Report signed by Supervisor

Quantity: 2

Unit Cost: 281,541.03

Total Cost: 563,082.06

\*\*\*\* nothing follows \*\*\*\*

A copy of your UPDATED legal requirements (Certificate of Registration from BIR, SEC/DTI, Business/Mayor's Permit with Official Receipt, PhilGEPS Certificate, Tax Clearance, Audited FS with 2023 ITR and Omnibus Sworn Statement) is also required to be submitted along with your quotation/proposal.

##### Other Information

Quotations may be submitted manually at the office of the BAC Secretariat, BAC Office, Valenzuela Medical Center, Padrigal St., Karuhatan, Valenzuela City., through email to [vmc\\_bac@yahoo.com](mailto:vmc_bac@yahoo.com). For any clarification, you may call Diana C. Pulido at telephone no. 294-46-25 or via email at [vmc\\_bac@yahoo.com](mailto:vmc_bac@yahoo.com)

**Created by** Diana C. Pulido

**Date Created** 16/05/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.