TOTAL CASH HOME BUYERS · KPI DRIVER

Universal Team Hub

Team Leader Guide

For Team Leaders

hub.totalchb.com · November 2026

Contents

01 Getting Started 1

02 Your Lists 4

03 Working a Task 6

04 Leading Your Department 12

05 Task Templates and Deploy (Optional) 15

06 Upload Tasks From a CSV (Optional) 17

07 Deleting Tasks and Subtasks 19


08 Quick Reference: Who Can Do What 21

Everything a team member does, plus running your department's tasks.

01 Getting Started


Open **hub.totalchb.com** on a computer or phone and sign in with your work Google account (@totalchb.com or @kpidriver.com).

1. Tap **Sign In With Google** and pick your work account.
2. The hub opens on **Personal**, your own list. **Team**, beside it, holds your department's tasks.
3. The badge by the company name reads **Live** when every change is saving for the whole team.



The sign-in screen.


Part of the header	What it does
Light / Dark	Switches the theme; remembered on this device
Active pill	How many people are in the hub now. Click it to see who, and whether on phone or desktop
TCHB / KPI DRIVER tabs	Switch company boards, each with your % done. You only see the companies you have access to
Clock	Hub time, Eastern. Every date in the hub uses it
Your photo or initials	Opens **My Settings**: your task templates, Help and **Sign Out**



The Active pill, opened: who is in the hub now, on phone or desktop.

Help, in My Settings, opens this guide inside the hub at any time, with the delete passwords for the departments you lead.

Open and **Download** at the top of Help give you this guide as a PDF. Your copy ends with a page of your departments' delete passwords. You can also open the User Guide there, without passwords, to send to a team member.



My Settings: Help sits at the top, above your task templates.


Badge	Meaning
Live	Connected; changes save for everyone
Saving…	A change is on its way
Not Saved	A change failed; the hub shows the latest saved version. Redo it
Offline / Local Only	Saved on this device only; reload to reconnect

Optional: **Work Offline In This Browser** on the sign-in screen gives you a list kept on this device. When you're back online, **Push To Live** on each task moves it into your Personal list.

02 Your Lists

You have two lists, switched with the toggle above the add bar.


List	What's in it	Who sees it
Personal	Your own tasks, plus tasks from other lists where you own the task or a subtask	You, your Team Leaders and the managers
Team	Every personal task of the people in the departments you lead, plus MGMT tasks they own parts of	You, the managers, and members whose Team view is turned on



Team for a Team Leader of TC and DISPO: All, TC and DISPO tabs, each card labelled with whose task it is.

- If you lead more than one department (for example TC and DISPO), Team has a tab for **All** and one per department, each with a count.
- Each card in Team shows its department and whose list it's in.
- Managers choose which departments you see in Team (Team Members, **Sees**).

The Pill on Each Task



A Team Leader's Personal list: Team and Personal above the add bar.

The coloured pill under a title tells you where the task came from.

Pill	Colour	Meaning
Your Task	Indigo	Your own list (shown in Team)
Name's Task	Indigo	That person's own list
Shared by *Name*	Green	From someone else's list; you own part of it
Added by MGMT	Red	A managers' task; you own part of it
Added by MGMT for *names*	Red	In Team: a MGMT task your people own parts of
Added by Title Commitment Agent	Gold	Made by the Title Agent; ticking a blocker here ticks it there too
Task Deployment *Template*	Blue	Made from a task template
CSV Upload *Template*	Orange	Made from a CSV file with Upload Tasks


The due date, when set, sits in the same row. It turns redder as the time gets close, and reads **Overdue** once it passes.

03 Working a Task

Add a Task


1. In **Personal**, type the task in **Add a personal task**.
2. Optional: list its subtasks right away. A subtask box appears as you type; press Enter after each one. Each subtask has its own owner button.
3. Press **Add Task** (or Enter). The task is yours and joins Not Started.

Status and Ticking




The add bar: type the task, list subtasks under it, then Add Task. Deploy and Upload Tasks sit beside it.

Task	How its status changes
With subtasks	Follows the subtasks: In Progress once one starts, Done when all are done (cancelled ones don't count)
No subtasks	Tap the status pill and pick Not Started, In Progress, Done or Cancelled
Cancelled	A cancelled subtask stops counting and the task stays open. To cancel a whole task, tap its status pill and choose Cancel Whole Task: every subtask is cancelled, and Reopen Task brings them back as they were




A subtask's status pill: Not Started, In Progress, Done or Cancelled.

- The big checkbox marks the whole task and all its subtasks Done. Unticking sets the done subtasks back to Not Started.
- The list is grouped In Progress, Not Started, then Done. Drag the six-dot handle to reorder within a group (on a phone, press, hold and slide).
- Rename a task or subtask by clicking its title. Changes save as you type.



A task with subtasks: its status pill offers Cancel Whole Task (Reopen Task once cancelled).


Subtasks



The Cancelled filter: cancelled tasks leave Pending, struck through.

Open a task with its down arrow, then type in **Add a subtask and press Enter**. On each subtask row:


- **Checkbox** sets Done; the **status pill** picks Not Started, In Progress, Done or Cancelled.
- **Owner pill** gives the subtask to someone. The task then shows in their Personal list as **Shared by** you, and they can work only on their own parts.
- **Six-dot handle** reorders it; **×** removes it (see Deleting).



A task opened: each subtask has its own status, owner, due date, notes and files.


The Buttons on a Task

Button	What it does
Calendar / due pill	**Due Date**: pick a day, hour and minutes (Eastern), then **Set Due Date**. **Remove** clears it
Speech bubble	**Notes**: who wrote each and when. Add with **Add** or Ctrl+Enter. On a task, **Include Subtask Notes** shows its subtasks' notes too
Clock	**Activity**: every change on the task and its subtasks, who made it and when
Paperclip	**Files & Links**: switch between **Upload Files** (up to 25 MB each) and **Add Link** (paste a link, name optional). Everyone who can see the task can open them
Bin	Delete the task (see Deleting)




Due Date: pick the day, then the hour and minutes (Eastern).

Under the title, "Edited by" shows who changed the task last. Hover the line to see when it was created, started, done and due.




Notes, with who wrote each one and when.

Tasks Shared with You




Files & Links: switch between Upload Files and Add Link.

On a **Shared by** or **Added by MGMT** task you see the whole task, but subtasks you don't own are blurred. You can still see their status. Work your own parts; if you own the task itself, you can work all of it. You can't move, delete or reassign these tasks.



Activity: every change, who made it and when.




A shared task: subtasks owned by others are blurred, but their status shows.

04 Leading Your Department

In **Team** you see and work on every task your people have, and you can add tasks straight into their lists.


Add a Task for Someone

1. Open **Team**.
2. Tap the person button (**Who this task is for**) and pick someone. The list shows the people in the departments you lead, Team Leaders first.
3. Type the task in **Add a task for a team member**, list subtasks if you like, and press **Add Task**.



Who this task is for: the people in the departments you lead.

The task goes into their Personal list with them as owner. You keep working on it from Team, and they see it as their own.




Adding a task straight into a team member's list.

Hand Out Parts of a Task

Give a subtask to someone with its owner pill. The task then appears in their Personal list as **Shared by** the list's owner. They see the whole task, with the parts they don't own blurred. This is the easiest way to split one job across people.

Find Things

Tool	What it does
Pending (default)	Not Started and In Progress together
In Progress / Not Started / Done	One status only, each with a count
All Owners	Pick a person: only tasks they own or have a subtask in. Their subtasks glow green
Search	Finds tasks and subtasks whose words start with what you type, in any case ("ai" finds "AI Review", not "Failsafe"). Matches glow green and tasks open to show matching subtasks
Files	**Task Folders**: every file and link on the tasks in this view, one folder per task
Expand All / Collapse All	Open or close every task at once
Cancelled	Cancelled tasks. They leave Pending and don't count toward anyone's %



Search: matching tasks and subtasks glow green.

The filters go back to Pending when you switch company, list or department.

Check Your Progress


The numbers under the title count the list you're viewing: tasks fully done, and subtasks done out of all subtasks. The % on each company tab follows the same list.

05 Task Templates and Deploy (Optional)

A template is a saved list of subtasks you use again and again. **Deploy** turns one into a new task in your Personal list, named as you like and tagged **Task Deployment** *template name*.

Save a Template

1. Click your photo or initials (top right) to open **My Settings**.
2. Under **My Task Templates**, press **New Template**.
3. Give it a name (for example "Wholesale") and type one subtask per line.
4. Press **Save Template**. Templates are saved to your account, on every device.




My Settings: your task templates, Deploy, Edit and Delete.

Edit and **Delete** sit on each template. Deleting a template leaves the tasks already made from it as they are.

Deploy One

1. Press **Deploy** beside Add Task (or **Deploy** on the template in My Settings) and pick the template.
2. Name the task, for example "TC - 123 Main St", and press Deploy.

The task lands in your Personal list, open, with every subtask assigned to you. Hand subtasks out with their owner pills.




Deploy: name the new task; its subtasks come from the template.

Add Another Template to a Deployed Task

On a deployed task, press **Template** under its title and pick another template. Its subtasks are added at the end and the pill lists both, for example "Task Deployment TC Deal Tasks + Wholesale".

> Monz starts with three TC templates: TC Deal Tasks, Wholesale and Novation. TC Deal Tasks is also deployed automatically for each new contact sent from GoHighLevel, named "TC - *address*".



A deployed task: the blue Task Deployment pill and the Template button under the title.


06 Upload Tasks From a CSV (Optional)

Upload Tasks makes one task from a spreadsheet saved as CSV. Each department has its own upload templates; you see those for your department and the departments you lead.

Template	Department	How the file is read	Task name
SOW	TC	Column A becomes the subtasks; columns B and C become each subtask's note, one line each	SOW - *address*

1. Press **Upload Tasks** beside Add Task and pick the template (it's picked for you when there's only one).
2. Type the property address. The dialog shows the name the task will get.
3. Choose the CSV file.
4. Check the two switches: **The file has a header row** and **The file has a summary row at the bottom** (both on by default). Those rows are skipped.
5. Look over the preview of the subtasks, then press **Create Task**.

The task goes into the department Team Leader's list with the Team Leader as owner, and every subtask assigned to whoever uploaded it. For TC that's Monz's list. The CSV is kept in the task's Files & Links, and the task is tagged **CSV Upload SOW**.




Upload Tasks with a SOW file: address, file, the two switches and the preview.

Need another upload template? Ask Remy with the column rules (which column becomes the subtask, which become notes, and how the task is named).

07 Deleting Tasks and Subtasks

As a Team Leader you can delete tasks in the departments you lead. The hub server checks the password, and keeps a copy of everything deleted with who and when.

What	How	Password
A task in your own list	Bin, then **Undo** for 6 seconds	None
A task in a team member's list	Bin, then type the password and confirm	That department's **Team Leader password**
Any subtask, your own tasks included	× on the row, then type the password and confirm	The department's **subtask password** (the department of the list the task is in)
MGMT tasks and their subtasks	Not available	Managers only



Deleting a team member's task asks for that department's Team Leader password.

- A wrong password shows "That password is not right." Try again.
- Shared and Added by MGMT tasks have no bin in your Personal list. Delete them from where they live, or ask a manager.
- Deleted something by mistake? Ask Remy: a copy is kept and can be put back.

Department Passwords

Your copy of this guide, opened or downloaded from **Help** in the hub, ends with a page called **Your Delete Passwords** with the passwords for the departments you lead.

- Use the password of the department the task belongs to (the department of the person whose list it's in). A Team Leader password only works in departments you lead.
- Share the **subtask password** with your members when they need to remove subtasks. Keep the **Team Leader password** to yourself.
- Passwords are case-sensitive and include the `$`.

08 Quick Reference: Who Can Do What

Action	Member	Team Leader	Manager
Own Personal list	Yes	Yes	Yes
See department tasks in Team	Only if a manager turns it on	Departments they lead	All departments
Add tasks for someone else	No	People in their departments	Anyone but managers
MGMT list	Only tasks they own parts of	Only tasks they own parts of	Yes
Templates, Deploy	Yes	Yes	Yes
Upload Tasks	Their department's templates	Their departments' templates	All templates
Delete own tasks	Yes, with Undo	Yes, with Undo	Yes, with Undo
Delete others' tasks	No	Team Leader password	Team Leader password (Remy: confirm; Brandy: her own password)
Remove subtasks	Subtask password	Subtask password	Subtask password, or confirm on MGMT tasks
Team Members (roles, departments, access)	No	No	Yes

Something looks wrong? Reload the page first (Ctrl+Shift+R on a computer, pull down on a phone), then ask a manager.