TOTAL CASH HOME BUYERS · KPI DRIVER

Universal Team Hub

Manager Guide

For managers

hub.totalchb.com · November 2026

Contents

01 Getting Started 1

02 Your Lists 4

03 Adding Tasks 6

04 Working a Task 7

05 Finding Things 8

06 Team Members 9

07 Login As User (Remy) 11

08 Deleting Tasks and Subtasks 13

09 Task Templates, Deploy and the GHL Webhook (Optional) 15

10 Upload Tasks From a CSV (Optional) 17

11 Connected Apps: the Title Commitment Agent 18

12 Offline and Phone (Optional) 18

13 For Admins 19


14 Troubleshooting 20

Every list, the people settings, deleting, and running the hub. Share with managers only: it covers the admin settings.

01 Getting Started

Open **hub.totalchb.com** and sign in with your manager Google account. Brandy and Remy can use their @totalchb.com or @kpidriver.com login; both open the same lists.

1. Tap **Sign In With Google** and pick your account.
2. The hub opens on **MGMT**. The badge by the company name reads **Live** when every change is saving for the whole team.




A manager's view: MGMT, Team and Personal, with Team Members beside them.

Part of the header	What it does
Light / Dark	Switches the theme; remembered on this device
Active pill	How many people are in the hub now (seen in the last five minutes). Click it for who, on phone or desktop
TCHB / KPI DRIVER tabs	Switch company boards, each with the % done for the list you're viewing. Managers always see both
Clock	Hub time, Eastern. Every date in the hub uses it
Your photo or initials	Opens **My Settings**: your task templates, Help and **Sign Out**
Team Members (beside the list toggle)	Roles, departments and access (see Team Members)

Help, in My Settings, opens the guide for each person's role inside the hub: the User Guide for members, the Team Leader Guide for Team Leaders, and this guide for managers.

Open and **Download** at the top of Help give the guide as a PDF. A Team Leader's or manager's own copy ends with a page of their delete passwords. Managers can also open the User Guide and the Team Leader Guide there, without passwords, to send to someone new.



Help for a manager: the Manager Guide, with every delete password loaded after sign-in.

Badge	Meaning
Live	Connected; changes save for everyone
Saving…	A change is on its way
Not Saved	A change failed; the hub shows the latest saved version. Redo it
Offline / Local Only	Saved on this device only; reload to reconnect


02 Your Lists

Managers switch between three lists with the toggle above the add bar.

List	What's in it	Who sees it
MGMT	Tasks the managers share	Managers. Members see only the MGMT tasks they own parts of, in their own list
Team	Every person's personal tasks, by department, plus MGMT tasks members own parts of	Managers (all departments); Team Leaders (departments they lead); members with Team view on (their department)
Personal	Your own tasks	Only you; managers can't see each other's
Offline	Tasks made with Work Offline on this device, not pushed yet	Whoever uses this device; shown only while there are some

Team has a tab for **All** and one per department (TC, DISPO, ACQ, OPS), each with a count. Each card shows its department and whose list it's in. A person's tasks belong to their main department; a MGMT task belongs to the departments of the people on it.

The Pill on Each Task



Team for a manager: All and one tab per department.


Pill	Colour	Meaning
Name's Task / Your Task	Indigo	From that person's own list (shown in Team)
Shared by *Name*	Green	From someone else's list; the viewer owns part of it
Added by MGMT / Added by MGMT for *names*	Red	A MGMT task (in Team: the members who own parts of it)
Added by Title Commitment Agent	Gold	Made by the Title Agent, with **Open In Title Agent** beside it
Task Deployment *Template*	Blue	Made from a task template (by hand or by GHL)
CSV Upload *Template*	Orange	Made from a CSV file with Upload Tasks

The due date sits in the same row. It turns redder as the time gets close, and reads **Overdue** once it passes.

03 Adding Tasks

New tasks go into the list you're viewing.

List	How to add	Where it lands
MGMT	Type in **Add a MGMT task**, tap **Assign** to pick an owner, list subtasks (each with its own owner), press **Add Task**	MGMT. Anyone (not a manager) who owns the task or a subtask also gets it in their list as **Added by MGMT**
Team	Tap the person button and pick anyone who isn't a manager, then type the task and press **Add Task**	That person's list, with them as owner
Personal	Type in **Add a personal task** and press **Add Task**	Your list, with you as owner



The add bar, with Deploy and Upload Tasks beside Add Task.


- Owner lists show Managers first, then each department with Team Leaders first. **Other** holds older names with no login.
- **Push To MGMT** under one of your personal tasks moves it into MGMT and out of your list. There's no button to move it back.

How Members See MGMT Tasks

- They see the whole task. Subtasks owned by others are blurred and can't be clicked, but show their status.
- They work their own subtasks; if they own the main task, they can work all of it.
- They can't delete, move or reassign it. Only what they own counts toward their %.

04 Working a Task


- **Status**: a task with subtasks follows them (In Progress once one starts, Done when all are done; cancelled ones don't count). A task with no subtasks has a status pill: Not Started, In Progress, Done or Cancelled.
- **Checkbox**: marks the whole task and its subtasks Done; unticking sets the done subtasks back to Not Started.
- **Order**: grouped In Progress, Not Started, Done. Drag the six-dot handle within a group.
- **Subtasks**: open with the down arrow; add in **Add a subtask and press Enter**. Each has a checkbox, status pill, owner pill, due date, notes, files and ×.
- "Edited by" under the title shows who changed it last; hover for created, started, done and due dates.



A task opened: each subtask has its own status, owner, due date, notes and files.

Cancelled: pick it on a subtask's status pill to drop that subtask without closing the task. To cancel a whole task, tap its status pill and choose **Cancel Whole Task**: every subtask is cancelled, and **Reopen Task** brings them back as they were. Cancelled items don't count toward anyone's % and sit under the Cancelled filter.

Button	What it does
Calendar / due pill	**Due Date** in Eastern time; **Set Due Date** or **Remove**
Speech bubble	**Notes**, with who and when. **Include Subtask Notes** on a task shows its subtasks' notes too. Notes on a member's task are a good place for instructions
Clock	**Activity**: every change, who made it and when
Paperclip	**Files & Links**: **Upload Files** (up to 25 MB each) or **Add Link**
Template	On a deployed task: add another template's subtasks
Bin	Delete (see Deleting)



Cancel Whole Task on a task's status pill.

05 Finding Things


Tool	What it does
Pending (default)	Not Started and In Progress together
In Progress / Not Started / Done	One status only, each with a count
All Owners	Pick a person: only tasks they own or have a subtask in. Their subtasks glow green
Search	Finds tasks and subtasks whose words start with what you type, in any case ("ai" finds "AI Review", not "Failsafe"). Matches glow green
Files	**Task Folders**: every file and link on the tasks in this view
Expand All / Collapse All	Open or close every task at once
Cancelled	Cancelled tasks. They leave Pending and don't count toward anyone's %

Filters go back to Pending when you switch company, list or department. The counts and % follow the list and department you're viewing.

06 Team Members

Team Members, beside the list toggle, is the team directory: who is on the team, their role, department and what they can see. Change anything, then press **Save Changes**; nothing is kept until you do.

Setting	What it controls	Who can change it
Name	The name used on every owner pill	Any manager
Role	**Member**, **Team Leader** or **Manager**	Any manager; Manager only by Remy
Main department	TC, DISPO, ACQ, OPS or No Dept. Their personal tasks belong to it	Any manager
Sees	The departments they see in Team	Any manager
Team view switch	Turns those departments on in Team. On for Team Leaders; turn it on for a member to show them their department	Any manager
Companies	**TCHB** and **KPI**: which boards they can open. Everyone not set sees TCHB only	Remy only
Photo	Click the circle to upload a square photo, shown on owner pills	Remy only
Remove	Takes them out of the directory; their tasks stay where they are	Any manager; managers only by Remy



Team Members: role, main department, Sees, Team view switch and companies for each person.

Add a Person


Under **Add A Person**, type their full name and the email they sign in with, pick a role and main department, then press **Add** and **Save Changes**.

- Making someone a Team Leader turns their Team view on and sets Sees to their main department. Add more departments with the Sees chips (Monz and Carlos see TC and DISPO).
- A Team Leader can add and delete tasks only in the departments they see with Team view on.
- Brandy and Remy are always managers and can't be removed.

07 Login As User (Remy)


Remy can sign in as anyone to check their view: templates, uploads, what they see in Team and how shared tasks look.

1. Open **Team Members** and press **Login As User** on the person's row.
2. Confirm in the box that opens.
3. An orange bar shows "Viewing the hub as *Name*". Everything works exactly as it does for them.
4. Press **Back To Remy** in the bar to switch straight back to your own account.



Login As User asks first.

- It works for anyone who has signed in to the hub at least once.
- Changes you make show as "*Their name* (via Ahmed Ramy)" in Activity and Edited by.
- You don't show as online for them, and each use is recorded on the server.
- If Back To Remy can't switch back (for example, no connection), the hub asks you to sign in with Google.




Viewing the hub as a team member, with Back To Remy in the orange bar.

08 Deleting Tasks and Subtasks

The hub server checks every delete and keeps a copy of what was deleted, with who and when.

Who	Tasks	Subtasks
Remy	Confirm, no password, anywhere	Confirm, no password
Brandy	Her own delete password	Her own delete password
Other managers	The department's **Team Leader password**; MGMT tasks: confirm	The department's **subtask password**; MGMT subtasks: confirm
Team Leaders	Their own list: bin with Undo. Departments they lead: **Team Leader password**	**Subtask password**
Members	Their own list: bin with Undo	**Subtask password**



A delete that needs a department's Team Leader password.

- Tasks in your own Personal list go straight away with **Undo** for 6 seconds.
- Every department has two passwords: a Team Leader password (tasks) and a subtask password. Team Leaders have both in their guide and can share the subtask one with their members.
- The passwords live in the Vercel setting `HUB_DELETE_PASSWORDS` (never in the code). To change one, change it there, redeploy, and update the table below.

- To restore something deleted, ask Remy: the copy is in Firebase under `trash`.

In the hub, **Help** (My Settings) shows each Team Leader the passwords for the departments they lead, and managers all of them. They are loaded from the server after sign-in, never written into the page. Members see none.

All Delete Passwords


Your copy of this guide, opened or downloaded from **Help** in the hub, ends with a page called **Your Delete Passwords** with every delete password.

Passwords are case-sensitive and include the `$` or `@`. Remy confirms without one.

09 Task Templates, Deploy and the GHL Webhook (Optional)

Everyone, managers included, can keep templates: saved lists of subtasks.

1. Click your photo to open **My Settings**, then **New Template** under **My Task Templates**.
2. Name it, type one subtask per line, and press **Save Template**. **Edit** and **Delete** sit on each one.
3. Press **Deploy** beside Add Task, pick a template and name the task. It lands in your Personal list with every subtask assigned to you, tagged **Task Deployment** *template*.
4. On a deployed task, **Template** adds another template's subtasks; the pill then lists both.



My Settings: task templates, Deploy, Edit and Delete.


Templates are personal; managers can read anyone's (used by Login As User to check them). Monz starts with **TC Deal Tasks**, **Wholesale** and **Novation**.

GHL: TC Deal Tasks for Each New Contact

A GoHighLevel workflow sends each new contact to the hub, which deploys Monz's **TC Deal Tasks** into her list.

- Named **TC -** *address1, city state postal_code*, created by "GHL CRM", tagged Task Deployment TC Deal Tasks.
- One task per contact: if GHL sends the same contact again, it is skipped.

- The subtasks follow Monz's saved TC Deal Tasks, so editing that template changes what GHL deploys next.
- The webhook key is the Vercel setting `GHL_WEBHOOK_KEY`. Optional: `GHL_DEPLOY_FOR` (whose list, default Monz) and `GHL_TEMPLATE` (default TC Deal Tasks).
- No task appearing? Check the workflow's execution log in GHL: 200 means created or skipped, 401 a wrong key, 400 a contact with no address.




A task deployed by GHL: TC Deal Tasks for a new contact, in Monz's list.

10 Upload Tasks From a CSV (Optional)

Upload Tasks makes one task from a CSV file. Managers see every department's upload templates; others see their own departments'.

Template	Department	How the file is read	Task name
SOW	TC	Column A becomes the subtasks; columns B and C become each subtask's note	SOW - *address*

1. Press **Upload Tasks**, pick the template, type the address and choose the file.
2. Set **The file has a header row** and **The file has a summary row at the bottom** (both on by default), check the preview, and press **Create Task**.



Upload Tasks with a SOW file.


The task goes into the department Team Leader's list (TC: Monz) with the Team Leader as owner and the subtasks assigned to whoever uploaded it. The CSV is kept on the task, tagged **CSV Upload SOW**.

New upload templates are added in the code (Remy): each needs the department, which column becomes the subtask, which become notes, and the task name.

11 Connected Apps: the Title Commitment Agent

The Title Agent (title.totalchb.com) sends only **Closing Blockers** to the hub.

- One task per deal, **Title -** *address*, in Monz's list, tagged **Added by Title Commitment Agent** with **Open In Title Agent** beside it.
- Each blocker is a subtask, with a note on the action needed and its source, due at 9:00 AM Eastern.
- Ticking or unticking a blocker in either app updates the other. The two apps also check each other every 15 minutes.
- The Title Agent and TC Checklist read the Managers and TC team (names, emails, roles, photos) from the hub's directory, so keep Team Members up to date.



A Title Agent task: Closing Blockers as subtasks, with Open In Title Agent.

Cancelling a blocker in the hub doesn't change it in the Title Agent; it just stops counting here.

12 Offline and Phone (Optional)

- **Work Offline In This Browser** (sign-in screen) gives a list saved on this device only. **Push To Live** on each task moves it into your Personal list once you're online. Offline tasks belong to the device, so anyone using it can see them.
- On a phone the layout stacks: owner pills show photos or initials, and menus, notes, Team Members and dialogs slide up from the bottom.

13 For Admins

How a Change Goes Live

The hub is the GitHub repo **RemyTCHB/HUB**, hosted on Vercel. Every commit to `main` is live at hub.totalchb.com in about 30 seconds; task data is stored separately and isn't touched.

1. Edit the readable source `app/app.dc.html`.
2. Run `node tools/bundle.mjs pack` to rebuild `index.html`.
3. Commit both files and push to `main`.

If an update doesn't appear, check that the newest commit is under Deployments in Vercel, then reload with Ctrl+Shift+R.

Vercel Settings (Settings, Environment Variables)

Values are secrets: set them in Vercel only, never in code, chat or this guide. Redeploy after changing one.

Setting	What it's for
`HUB_FIREBASE_SERVICE_ACCOUNT`	The hub-integrations service account key the server uses
`HUB_DELETE_PASSWORDS`	Delete passwords: Team Leader and subtask passwords per department, plus Brandy's
`GHL_WEBHOOK_KEY`	The GHL webhook key (optional `GHL_DEPLOY_FOR`, `GHL_TEMPLATE`)
`TITLE_AGENT_SYNC_SECRET`	Shared with the Title Agent (its `HUB_SYNC_SECRET`)
`TC_CHECKLIST_SYNC_SECRET`	Shared with TC Checklist, for the team list only

Firebase (Project Universal-task-tracker)

- **Rules** decide who can read and write what, not the page. The current rules are in the repo under `firebase/`; publish changes in Firebase, Firestore Database, Rules (and Storage, Rules).
- **Service account** hub-integrations needs two roles in Google Cloud IAM: Cloud Datastore User and Firebase Authentication Viewer (for Login As User).
- **Data**: MGMT tasks in `tasks`; personal lists in `personal/<email>/items`; the directory in `meta/directory`; extra managers in `meta/managers`; company access in `meta/companies`; templates in `templates/<email>`. Deleted items (`trash`) and Login As records (`audit`) are server only.
- **Who has signed in, or disable someone**: Authentication, Users.
- **Sign-in on a new web address**: Authentication, Settings, Authorized domains.

14 Troubleshooting

Problem	What to do
Someone is missing from an owner list or the person picker	Add them in **Team Members**, check their company access, and Save Changes
A shared or MGMT task isn't showing for someone	Check the owner name on the task or subtask matches their name in Team Members, and that they can open that company
A Team Leader can't see their department	In Team Members, check their role, **Sees** chips and Team view switch
A Team Leader's delete is refused	Their Team view must be on for that department, and the password must be that department's
"Delete passwords are not set up yet"	`HUB_DELETE_PASSWORDS` has no password for that department. Add it in Vercel and redeploy
"These tasks can't load yet"	The Firestore rules don't allow that list. Publish the rules from the repo
Login As User says they've never signed in	They need to sign in to the hub once first
The badge says Not Saved	The change was refused or lost its connection. Reload and redo it
The page looks old	Reload with Ctrl+Shift+R; check Vercel Deployments