

BIOENG-404 - Homework 3: SLIP Models

Nathan Girard SV - Neurocomputational

Titouan Renard MT - Robotics

April 19, 2021

1 Deliverables

1. Plot a graph with several successful solutions as the ones shown in Figure 2 of Seyfarth et al [1].




Figure 1: Stability (measured in step numbers) for different K (spring stiffness) and α (angle of attack) values.

2. Explain the trend you observe in the graph and its meaning from a biomechanics perspective.

From the graph, we observe that the running gait is only stable on a limited domain of initial conditions (here we observe the evolution of stability as a function of spring stiffness K and angle of attack α , while using fixed) : the so called *running domain*.

On the graph we observe that the domain for which the model produces stable running are placed along a "J" shaped line with equation

$$K \cdot (1 - \sin \alpha) = \text{const.}$$

This result closely matches experimental data for leg-stiffness to angle of attack in human running as has been shown by Seyfarth et al. [1]. This suggests that a simple model such as SLIP accurately captures the fundamental dynamics of running in biology.

3. Do you think counting the number of steps is a good measure of stability? How can a Return Map (or Poincaré Map) be used to evaluate the system's stability? For more details on this method, please refer to the lecture notes as well as the reference.

Counting the number of steps provides an estimation of running stability and accurately detects unstable systems in cases when the modeled runner falls in a short number of step but has the major disadvantage of providing no absolute guarantee for stability in cases where the system does not fall for a high number of steps (this metric cannot differentiate a case where the runner falls after 21 steps from a case where it continues toward infinity).

A more robust measurement is provided by the analysis of return maps and the analysis of limit-cycle behavior.

4. Which aspects of human locomotion's biomechanics can be investigated with this type of model, and which one cannot be investigated? Which aspects of human locomotion's biomechanics can be investigated with this type of model, and which one cannot be investigated?




Figure 2: trajectories of a stable (over 20 steps) solution for the SLIP.

References

- [1] Andre Seyfarth, Hartmut Geyer, Michael Gunther, Reinhard Blickhan, "*A movement criterion for running*" *Journal of Biomechanics* 35, pp. 649-655, 2001.