RnD Performance Report + VR Voice Bench — CYCLE-20260916

author: RnD · **for:** Sam · **time:** 2026-09-16 evening CT

1. Executive answer

Are bots properly relaying to help harness, or is harness working alone?

Mostly relaying into a queue that does not wake. Fleet + Mule are packing tickets (`COMM_QUEUED`). Harness (`cursor-engineer`) is **not** consistently pulling/ACKing in this IDE cycle — so coding is effectively stalled unless Sam opens RM inbox / paste-wake. Mule ≠ harness. Harness is **not** solo-shipping the IMPLs; it's mostly silent on the pull side.

---

2. Performance scorecard (this cycle)

seat	outcome score (0–100)	helped harness?	note
Projects Manager	78	yes — routes, CURRENT, IMPL freezes	best ops path
Harness Mule	82	yes — only reliable mouth into `rm_queue`	hops logged; wake still false
RnD	72	yes — recipes, HOW-TO, IMPL packs, KB skill	missed early failure_id habit
X Analytics	70	yes — format gate, field asks, votes	evidence lane solid
Vibe Marketing	68	partial — drafts/freeze; X path blocked	forever-legendary locked

seat	outcome score (0–100)	helped harness?	note
Ledger	75	yes — open-loop book / stall nags	new seat, doing the job
Harness (cursor-engineer)	25	**pull gap**	rare PONGs in dump; IMPLs still COMM_QUEUED
api-builder	0	n/a	parked

Fleet relay health: HIGH (tickets leave seats).
Harness execute health: LOW (inbox pull / ACK).
Net system: bots are **not** leaving harness alone — they're feeding it; harness isn't eating.

Evidence (non-exhaustive)

- Mule packs: `IMPL-PM-20260916-vote-ui` `rmq-1789612987`, `IMPL-RND-20260916-index-ask` `rmq-1789614932` + HOW-TO `rmq-1789614958`, `T-KB-HOWTO-INDEX-01` `rmq-1789614972` — all **COMM_QUEUED / wake:false** at last report.
- Historical: PM 22+ `rm_queue` families → 0 actioned in PM chat; harness admitted ignoring ~24.
- Dump shows intermittent `HARNESS_PONG` / ticket pulls on some hops — not steady ACK on current IMPL pile.
- Control-plane miss (FORGET-OVERWRITE) fixed organizationally (Ledger + repair vote **BEST=A**) before wire landed.

---

3. What "good relay" looks like vs tonight

step	design	tonight
detect miss	failure_id + cite	improving (late on drive-login)
peer ≤2/10m	ladder A	agreed
mule pack	rm_queue as self	**working**
harness pull	GET rm-inbox first	**broken / rare**

step	design	tonight
code ACK	mule fans result	**waiting**
Ledger close	on ACK	stall loops open

---

4. VR Voice Command Benchmark (design → harness IMPL)

Ticket: `IMPL-RND-20260916-vr-voice-bench`
Goal: Inside Render Studio VR/office, run a timed bench where Sam (or agent) uses **activatable voice** to command agents; score relay→harness→action.

Scene

- Mini office / VR desk (existing 3D office / loop-eval space)
- Props: mic orb (push-to-talk), status board (COMM_QUEUED / ACK / FAIL), agent nameplates, harness inbox lamp

Voice activation

1. Gaze + grip **or** click mic orb → listening (LED on)
2. Browser SpeechRecognition / Studio voice bridge → text intent
3. Intent parser → one of: `STATUS` · `ASKINDEX` · `QUEUE_IMPL` · `WAKE_CHECK` · `CAST_VOTE`
4. Deactivate on silence 1.2s or release grip

Scenarios (actionable)

id	voice line (example)	expect
V1	“RnD status on index ask”	team-chat/mule status with `log_id` < 15s
V2	“Ask index what is repair vote best”	ASKINDEX path returns cite `log_id` or QUEUED
V3	“Queue harness wake check”	mule `rm_queue` as self; board shows COMM_QUEUED + ref
V4	“Cast vote A on open card”	vote UI cast or fallback `VOTE=A` + `log_id`

id	voice line (example)	expect
V5	“Harness did you ACK vote ui”	truth: ACK or still QUEUED — no hallucination

Metrics

- `voice_attach_ms` · `intent_ok` (0/1) · `relay_ms` · `harness_pull` (0/1 within 60s) · `action_ok` · `false_claim` (penalty)
- Composite: `bench_score = 0.2*intent + 0.2*relay_speed + 0.4*harness_pull + 0.2*action - 0.5*false_claim`

Pass bar (first run)

- V1–V2 pass without harness
- V3–V5 **require** real inbox behavior — if wake false, score harness_pull=0 (honest)

Deliverables for harness

1. VR scene prefab + mic orb PTT
2. Voice→intent→MCP bridge (`grok_group_chat` / mule hop / ASKINDEX)
3. HUD board bound to live ticket state
4. `results-vr-voice-CYCLE.json` + `/results.html` panel
5. Hook to LOOP-EVAL (`score_now` vs `score_prev`)

---

5. RnD recommendations (next)

1. Sam: open RM inbox / paste-wake until one IMPL gets **code ACK** (vote-ui or index-ask).
2. Keep ladder A — don’t bypass mule.
3. Fleet-agree VR bench after one successful harness ACK (so V3–V5 are testable).
4. Until then: chips + `grok_drive_search` only; no fake index rebuild.