ALS Database Tables - Updated Schema

users

Field	Type / Key	Description
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Account identifier.
lrn	VARCHAR(12) | UQ; NULL	Learner Reference Number; unique when provided.
username	VARCHAR(255) | UQ	Unique username.
email	VARCHAR(255) | UQ; NULL	Email address; unique when provided.
email_verified_at	TIMESTAMP | NULL	Email verification time.
password	VARCHAR(255)	Hashed password.
role	ENUM('super_admin', 'admin', 'mobile_teacher', 'learner') | DEFAULT 'learner'	Account role.
status	ENUM('active', 'inactive') | DEFAULT 'active'	Account status.
last_login_at	TIMESTAMP | NULL	Most recent login time.
remember_token	VARCHAR(100) | NULL	Remember-me token.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
deleted_at	TIMESTAMP | NULL	Soft-delete time.
role, status	INDEX	Composite index on account role and status.
lrn	INDEX	Additional index; the column is also unique.
username	INDEX	Additional index; the column is also unique.

user_profiles

Field	Type / Key	Description
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Profile identifier.
user_id	BIGINT UNSIGNED | FK; UQ	References users.id; cascade on delete; one profile per user.
first_name	VARCHAR(255)	First name.
middle_name	VARCHAR(255) | NULL	Middle name.
last_name	VARCHAR(255)	Last name.
name_extension	VARCHAR(10) | NULL	Name extension, such as Jr. or III.
birthdate	DATE	Date of birth.
gender	ENUM('male', 'female', 'other') | DEFAULT 'male'	Gender.
civil_status	ENUM('single', 'married', 'widowed', 'separated', 'solo_parent', 'other') | DEFAULT 'single'	Civil status.
religion	VARCHAR(255) | NULL	Religion.
contact_number	VARCHAR(25)	Primary contact number.
facebook_name	VARCHAR(255) | NULL	Facebook name.
street_address	VARCHAR(255)	Street or house address.
barangay	VARCHAR(255) | INDEX	Barangay.
city	VARCHAR(255) | DEFAULT 'San Juan City'	City.

user_profiles		
Field	**Type / Key**	**Description**
province	VARCHAR(255) | DEFAULT 'Metro Manila'	Province.
highest_education_attained	VARCHAR(255)	Highest education attained.
dropout_reason	VARCHAR(255) | NULL	Reason for leaving prior schooling.
has_attended_als	BOOLEAN | DEFAULT FALSE	Whether the learner previously attended ALS.
previous_als_program	VARCHAR(255) | NULL	Previously attended ALS program.
previous_als_year	VARCHAR(20) | NULL	Year of previous ALS attendance.
previous_als_completed	BOOLEAN | NULL	Whether the previous ALS program was completed.
previous_als_incomplete_reason	VARCHAR(255) | NULL	Reason previous ALS program was incomplete.
mother_tongue	VARCHAR(255) | DEFAULT 'Tagalog / Filipino'	Mother tongue.
is_ip	BOOLEAN | DEFAULT FALSE	Indigenous Peoples indicator.
ip_community_name	VARCHAR(255) | NULL	Indigenous community name.
is_pwd	BOOLEAN | DEFAULT FALSE	Person with disability indicator.
pwd_disability_type	VARCHAR(255) | NULL	Disability type.
is_4ps_beneficiary	BOOLEAN | DEFAULT FALSE	4Ps beneficiary indicator.
father_name	VARCHAR(255) | NULL	Father's name.
mother_name	VARCHAR(255) | NULL	Mother's name.
guardian_name	VARCHAR(255) | NULL	Guardian's name.
guardian_relationship	VARCHAR(255) | NULL	Relationship to guardian.
emergency_contact_name	VARCHAR(255) | NULL	Emergency contact name.
emergency_contact_number	VARCHAR(25) | NULL	Emergency contact number.
profile_photo_path	VARCHAR(255) | NULL	Stored profile photo path.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
deleted_at	TIMESTAMP | NULL	Soft-delete time.
last_name, first_name	INDEX	Composite index for profile-name queries.

community_learning_centers		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Center identifier.
clc_name	VARCHAR(255)	Community Learning Center name.
clc_code	VARCHAR(30) | UQ	Unique center code.
clc_type	VARCHAR(255) | DEFAULT 'Community Center'	Center type.
barangay	VARCHAR(255) | INDEX	Barangay location.
physical_location_notes	TEXT | NULL	Directions or location notes.
assigned_teacher_id	BIGINT UNSIGNED | FK; NULL; INDEX	References users.id; set null if teacher is deleted.
status	ENUM('active', 'inactive') | DEFAULT 'active'; INDEX	Center status.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
deleted_at	TIMESTAMP | NULL	Soft-delete time.

enrollments		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Enrollment identifier.
user_id	BIGINT UNSIGNED | FK	References users.id; cascade on delete.
calendar_year	VARCHAR(10) | DEFAULT '2026'	Enrollment calendar year.
program_track	ENUM('BLP', 'A&E_Elementary', 'A&E_Junior_High')	ALS program track.
clc_id	BIGINT UNSIGNED | FK	References community_learning_centers.id; cascade on delete.
assigned_teacher_id	BIGINT UNSIGNED | FK; NULL	Optional users.id teacher reference; set null on delete.
enrollment_status	ENUM('pending', 'under_review', 'enrolled', 'needs_correction', 'rejected', 'withdrawn', 'completed') | DEFAULT 'pending'; INDEX	Current enrollment status.
delivery_mode	ENUM('modular_offline', 'modular_print', 'face_to_face', 'blended') | DEFAULT 'modular_offline'	Learning delivery mode.
schedule_preference	ENUM('weekend', 'weekday_am', 'weekday_pm', 'flexible') | DEFAULT 'flexible'	Preferred schedule.
remarks	TEXT | NULL	Enrollment notes.
enrolled_at	TIMESTAMP | NULL	Enrollment confirmation time.
completed_at	TIMESTAMP | NULL	Completion time.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
deleted_at	TIMESTAMP | NULL	Soft-delete time.
user_id, calendar_year	INDEX	Composite index for learner/year queries.
clc_id, enrollment_status	INDEX	Composite center/status index.
enrollment_status	INDEX	Additional status index.
calendar_year	INDEX	Additional year index.
program_track	INDEX	Program-track index.

learner_documents		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Document identifier.
user_id	BIGINT UNSIGNED | FK	References users.id; cascade on delete.
enrollment_id	BIGINT UNSIGNED | FK; NULL; INDEX	Optional enrollments.id reference; cascade on delete.
document_type	ENUM('psa_birth_cert', 'barangay_clearance', 'form_137_sf10', 'photo_id', 'portfolio_document')	Uploaded document category.
file_path	VARCHAR(255)	Stored file path.
file_name	VARCHAR(255)	File name.
file_size	BIGINT UNSIGNED	File size in bytes.
mime_type	VARCHAR(100)	File media type.

learner_documents

Field	Type / Key	Description
verification_status	ENUM('pending', 'verified', 'rejected') | DEFAULT 'pending'; INDEX	Document review status.
verification_notes	TEXT | NULL	Reviewer feedback.
reviewed_by	BIGINT UNSIGNED | FK; NULL	Optional users.id reviewer; set null on delete.
reviewed_at	TIMESTAMP | NULL	Review time.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
deleted_at	TIMESTAMP | NULL	Soft-delete time.
user_id, document_type	INDEX	Composite learner/document-type index.

learning_strands

Field	Type / Key	Description
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Learning strand identifier.
code	VARCHAR(20) | UQ; INDEX	Unique strand code.
name	VARCHAR(255)	Learning strand name.
description	TEXT | NULL	Strand description.
color_code	VARCHAR(30) | DEFAULT '#2563eb'	Display color.
icon_name	VARCHAR(50) | DEFAULT 'book-open'	Display icon key.
order_seq	INT UNSIGNED | DEFAULT 1; INDEX	Display order.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.

modules

Field	Type / Key	Description
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Module identifier.
strand_id	BIGINT UNSIGNED | FK	References learning_strands.id; cascade on delete.
level	ENUM('BLP', 'Elementary', 'Junior_High')	Education level.
sub_level	VARCHAR(50) | NULL; INDEX	Sub-level, such as lower or advanced elementary.
language	VARCHAR(20) | DEFAULT 'English'; INDEX	Module language.
module_number	VARCHAR(50)	Module sequence or label.
title	VARCHAR(255)	Module title.
description	TEXT | NULL	Module summary.
pdf_file_path	VARCHAR(255)	Stored PDF path.
pdf_file_size	BIGINT UNSIGNED | DEFAULT 0	PDF size in bytes.
version	VARCHAR(20) | DEFAULT '1.0'	Module version.
is_published	BOOLEAN | DEFAULT TRUE; INDEX	Whether learners can access the module.
uploaded_by	BIGINT UNSIGNED | FK	References users.id; cascade on delete.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
deleted_at	TIMESTAMP | NULL	Soft-delete time.
strand_id, level	INDEX	Composite strand/level index.

modules		
Field	**Type / Key**	**Description**
level, is_published	INDEX	Composite level/publication index.
level, sub_level, language	INDEX	Composite catalog filter index.

module_downloads_and_progress		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Progress record identifier.
user_id	BIGINT UNSIGNED | FK	References users.id; cascade on delete.
module_id	BIGINT UNSIGNED | FK	References modules.id; cascade on delete.
downloaded_at	TIMESTAMP | NULL	Most recent download time.
last_opened_at	TIMESTAMP | NULL	Most recent open time.
completion_status	ENUM('downloaded', 'in_progress', 'completed') | DEFAULT 'downloaded'; INDEX	Module completion state.
device_identifier	VARCHAR(255) | NULL	Mobile device identifier.
last_page_read	INT UNSIGNED | DEFAULT 1	Last page reached.
total_pages	INT UNSIGNED | NULL	Total PDF page count.
synced_at	TIMESTAMP | NULL; INDEX	Most recent synchronization time.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
user_id, module_id	COMPOSITE UQ	One progress record per learner and module.

module_game_attempts		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Game attempt row identifier.
attempt_uuid	CHAR(36)	Client-generated attempt UUID.
user_id	BIGINT UNSIGNED | FK	References users.id; cascade on delete.
module_id	BIGINT UNSIGNED | FK	References modules.id; cascade on delete.
game_type	VARCHAR(50) | DEFAULT 'memory_match'	Game type.
score	SMALLINT UNSIGNED	Earned score.
max_score	SMALLINT UNSIGNED	Maximum possible score.
moves	SMALLINT UNSIGNED	Move count.
elapsed_seconds	INT UNSIGNED	Attempt duration in seconds.
device_identifier	VARCHAR(150) | NULL	Mobile device identifier.
attempted_at	TIMESTAMP	Attempt time.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.
user_id, attempt_uuid	COMPOSITE UQ	Prevents syncing the same attempt twice for one learner.
user_id, attempted_at	INDEX	Composite learner/time index.
module_id, attempted_at	INDEX	Composite module/time index.

hero_banners

Field	Type / Key	Description
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Banner identifier.
title	VARCHAR(255) | NULL	Banner title.
subtitle	VARCHAR(255) | NULL	Banner subtitle.
image_path	VARCHAR(255)	Stored banner image path.
position_x	INT | DEFAULT 50	Horizontal image focal position.
position_y	INT | DEFAULT 50	Vertical image focal position.
zoom	SMALLINT UNSIGNED | DEFAULT 100	Image zoom percentage.
button_text	VARCHAR(255) | NULL; DEFAULT 'Take A Tour'	Call-to-action button text.
button_url	VARCHAR(255) | NULL; DEFAULT '/register'	Call-to-action destination.
order_seq	INT | DEFAULT 0	Display order.
is_active	BOOLEAN | DEFAULT TRUE	Whether the banner is active.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.

password_reset_tokens

Field	Type / Key	Description
email	VARCHAR(255) | PK	Account email used for password reset.
token	VARCHAR(255)	Password reset token.
created_at	TIMESTAMP | NULL	Token creation time.

sessions

Field	Type / Key	Description
id	VARCHAR(255) | PK	Session identifier.
user_id	BIGINT UNSIGNED | NULL; INDEX	Optional user reference; indexed, with no foreign key declared.
ip_address	VARCHAR(45) | NULL	Session IP address.
user_agent	TEXT | NULL	Browser or device user agent.
payload	LONGTEXT	Serialized session payload.
last_activity	INT | INDEX	Last activity time as a Unix timestamp.

cache

Field	Type / Key	Description
key	VARCHAR(255) | PK	Cache key.
value	MEDIUMTEXT	Cached value.
expiration	INT | INDEX	Expiration time as a Unix timestamp.

cache_locks

Field	Type / Key	Description
key	VARCHAR(255) | PK	Cache lock key.
owner	VARCHAR(255)	Lock owner.
expiration	INT | INDEX	Lock expiration time.

jobs		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Queued job identifier.
queue	VARCHAR(255) | INDEX	Queue name.
payload	LONGTEXT	Serialized job payload.
attempts	TINYINT UNSIGNED	Number of processing attempts.
reserved_at	INT UNSIGNED | NULL	Reservation time.
available_at	INT UNSIGNED	Time the job becomes available.
created_at	INT UNSIGNED	Job creation time.

job_batches		
Field	**Type / Key**	**Description**
id	VARCHAR(255) | PK	Batch identifier.
name	VARCHAR(255)	Batch name.
total_jobs	INT	Total jobs in batch.
pending_jobs	INT	Pending jobs.
failed_jobs	INT	Failed jobs.
failed_job_ids	LONGTEXT	Serialized failed job identifiers.
options	MEDIUMTEXT | NULL	Batch options.
cancelled_at	INT | NULL	Cancellation time.
created_at	INT	Batch creation time.
finished_at	INT | NULL	Completion time.

failed_jobs		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Failed job row identifier.
uuid	VARCHAR(255) | UQ	Unique failed job UUID.
connection	TEXT	Queue connection name.
queue	TEXT	Queue name.
payload	LONGTEXT	Serialized failed job payload.
exception	LONGTEXT	Failure exception details.
failed_at	TIMESTAMP | DEFAULT CURRENT_TIMESTAMP	Failure time.

personal_access_tokens		
Field	**Type / Key**	**Description**
id	BIGINT UNSIGNED | PK; AUTO_INCREMENT	Token row identifier.
tokenable_type	VARCHAR(255) | INDEX (morph pair)	Model type for token owner.
tokenable_id	BIGINT UNSIGNED | INDEX (morph pair)	Model identifier for token owner.
name	TEXT	Token name.
token	VARCHAR(64) | UQ	Unique token hash.
abilities	TEXT | NULL	Token permissions.
last_used_at	TIMESTAMP | NULL	Most recent token use.
expires_at	TIMESTAMP | NULL; INDEX	Token expiration time.
created_at	TIMESTAMP | NULL	Record creation time.
updated_at	TIMESTAMP | NULL	Most recent update time.