SIMATS ENGINEERING

MCQ Test

COURSE NAME: Software Testing **COURSE CODE: CSA37**

COURSE OUTCOME COVERED

CO1: *Apply software testing principles to enhance the effectiveness of software quality assurance and improve defect detection strategies.*
Assessment Tool Weightage: 20%

Sl. No	MCQ Questions	Bloom's Level
1	A team applies systematic test design techniques during development. This reflects: a) Debugging b) Testing as an engineering activity c) Maintenance d) Deployment	3
2	If a project skips defined testing processes, what is the likely outcome? a) Faster delivery with high quality b) Increased defects in production c) Reduced testing cost only d) Improved documentation	3
3	Selecting test cases based on requirements demonstrates: a) Random testing b) Process-driven testing c) Ad hoc testing d) Maintenance testing	3
4	Applying equivalence partitioning is an example of: a) Debugging b) Test design technique c) Coding standard d) Deployment activity	3
5	A tester identifies missing requirements during testing. This shows: a) Coding error b) Process gap c) User error d) Hardware issue	3
6	Following a structured testing lifecycle ensures: a) Random defect detection b) Improved software quality c) Less documentation d) No defects	3
7	Which activity best represents testing as a process? a) Writing code b) Executing test cases systematically c) Deploying software d) User training	3
8	A tester reuses test cases from a repository. This supports: a) Efficiency in testing b) Increased coding errors c) Reduced coverage d) Random testing	3

9	If defects are tracked and analyzed, it improves: a) Coding speed b) Software quality process c) Deployment time d) User interface	3

10	Applying boundary value analysis helps to: a) Increase documentation b) Detect edge-case defects c) Reduce execution time d) Avoid testing	3
11	A tester validates system behavior against requirements. This is: a) Verification b) Validation c) Debugging d) Coding	3
12	Detecting defects before release reduces: a) Development effort b) Maintenance cost c) Coding standards d) Testing scope	3
13	Applying testing principles ensures: a) Zero defects guarantee b) Early defect detection c) No testing needed d) Faster coding	3
14	Which principle suggests testing all inputs is impossible? a) Exhaustive testing b) Exhaustive testing is impossible c) Early testing d) Defect clustering	3
15	A tester focuses on frequently failing modules. This uses: a) Random testing b) Defect clustering principle c) Regression testing d) Smoke testing	3
16	If testing starts early in SDLC, it helps: a) Reduce defects cost b) Increase coding errors c) Delay project d) Skip documentation	3
17	A tester designs test cases independently from developers. This ensures: a) Bias b) Objectivity c) Delay d) Redundancy	3
18	A tester reviews requirements for errors. Role performed is: a) Developer b) Tester c) Manager d) User	3
19	Reporting defects clearly is part of: a) Coding b) Tester's responsibility c) Deployment d) Maintenance	3
20	A tester collaborates with developers to fix bugs. This shows: a) Isolation b) Teamwork c) Delay d) Redundancy	3
21	A requirement ambiguity causes defects. Origin is: a) Coding b) Requirements phase c) Testing phase d) Deployment	3

22	Incorrect algorithm implementation leads to: a) Requirement defect b) Design defect c) Coding defect d) Testing defect	3
23	Missing validation checks are example of: a) Design defects b) Coding defects c) Requirement defects d) Deployment defects	3
24	Poor UI design causing confusion is: a) Coding defect b) Design defect c) Requirement defect d) Hardware defect	3

25	A system crash due to memory leak is: a) Requirement defect b) Coding defect c) Design defect d) Documentation defect	3
26	Classifying defects based on severity helps: a) Ignore defects b) Prioritize fixing c) Delay release d) Increase cost	3
27	A critical defect impacts: a) Minor feature b) Core functionality c) UI color d) Documentation	3
28	A minor defect example is: a) System crash b) Login failure c) Typo error d) Data loss	3
29	Defect classification helps testers to: a) Ignore bugs b) Organize defects c) Skip testing d) Increase errors	3
30	A defect repository is used to: a) Store code b) Store test cases c) Store defect details d) Store UI designs	3
31	Reusing defect data helps in: a) Predicting issues b) Increasing bugs c) Reducing tests d) Skipping phases	3
32	A defect repository improves: a) Code complexity b) Testing efficiency c) User interface d) Deployment speed	3
33	Logging defects with details ensures: a) Confusion b) Traceability c) Delay d) Redundancy	3
34	A tester uses past defect data to design tests. This is: a) Random testing b) Experience-based testing c) Debugging d) Deployment	3
35	Incorrect login validation is an example of: a) Functional defect b) Performance defect c) Security defect d) UI defect	3
36	Slow response time is a: a) Functional defect b) Performance defect c) UI defect d) Coding standard	3

37	Unauthorized data access indicates: a) UI defect b) Security defect c) Functional defect d) Design defect	3
38	Missing button functionality is: a) Functional defect b) Security defect c) Performance defect d) Hardware defect	3
39	Poor alignment in UI is: a) Functional defect b) UI defect c) Security defect d) Design defect	3
40	Applying testing principles avoids: a) Coding b) Redundant tests c) Deployment d) Maintenance	3
41	A tester validates outputs using expected results. This is: a) Debugging b) Test execution c) Coding d) Maintenance	3
42	If defects are not tracked, it leads to: a) Better quality b) Poor traceability c) Faster delivery d) No impact	3
43	Applying test process ensures: a) Random results b) Structured testing c) No defects d) No planning	3
44	Test case design based on requirements ensures: a) Low coverage b) High coverage c) No defects d) Less effort	3
45	Early testing reduces: a) Defect cost b) Code size c) UI design d) Deployment time	3
46	A tester identifies repeated defects. This indicates: a) Good design b) Poor process c) No issue d) Perfect testing	3
47	Reviewing test results helps: a) Ignore defects b) Improve quality c) Skip testing d) Reduce effort	3
48	A tester applies regression testing to: a) Add features b) Ensure fixes work c) Deploy software d) Design UI	3
49	Identifying root cause of defects helps: a) Increase bugs b) Prevent recurrence c) Delay testing d) Skip coding	3
50	A test plan ensures: a) Random execution b) Organized testing c) No testing d) No defects	3
51	Applying defect classification improves: a) Testing cost b) Fix prioritization c) Coding errors d) UI design	3
52	A tester uses historical defect trends. This helps in: a) Ignoring defects b) Risk-based testing c) Deployment d) Coding	3
53	Testing ensures product meets: a) Developer needs b) User requirements c) Tester goals d) Manager plans	3

54	A defect due to wrong requirement interpretation is: a) Coding defect b) Requirement defect c) UI defect d) Hardware defect	3
55	Applying process standards ensures: a) Poor quality b) Consistent quality c) No testing d) Random output	3
56	A tester documents defects clearly. This helps: a) Developers fix quickly b) Increase errors c) Delay release d) Reduce quality	3
57	A defect repository is analyzed to: a) Increase cost b) Improve testing strategy c) Skip testing d) Reduce quality	3
58	A tester applies black-box testing. This focuses on: a) Internal code b) External behavior c) Hardware d) Deployment	3
59	Defects found in testing phase indicate: a) Perfect design b) Earlier phase issues c) No issues d) Hardware problems	3
60	Applying structured testing improves: a) Random results b) Product reliability c) Coding errors d) Deployment delay	3

1. A team applies systematic test design techniques during development. This reflects:

a) Debugging

b) Testing as an engineering activity

c) Maintenance

d) Deployment

Answer: b) Testing as an engineering activity

2. If a project skips defined testing processes, what is the likely outcome?

a) Faster delivery with high quality

b) Increased defects in production

c) Reduced testing cost only

d) Improved documentation

Answer: b) Increased defects in production

3. Selecting test cases based on requirements demonstrates:

a) Random testing

b) Process-driven testing

c) Ad hoc testing

d) Maintenance testing

Answer: b) Process-driven testing

4. Applying equivalence partitioning is an example of:

a) Debugging

b) Test design technique

c) Coding standard

d) Deployment activity

Answer: b) Test design technique

5. A tester identifies missing requirements during testing. This shows:

a) Coding error

b) Process gap

c) User error

d) Hardware issue

Answer: b) Process gap

6. Following a structured testing lifecycle ensures:

a) Random defect detection

b) Improved software quality

c) Less documentation

d) No defects

Answer: b) Improved software quality

7. Which activity best represents testing as a process?

a) Writing code

b) Executing test cases systematically

c) Deploying software
d) User training

Answer: b) Executing test cases systematically

8. A tester reuses test cases from a repository. This supports:

a) Efficiency in testing

b) Increased coding errors

c) Reduced coverage

d) Random testing

Answer: a) Efficiency in testing

9. If defects are tracked and analyzed, it improves:

a) Coding speed

b) Software quality process

c) Deployment time

d) User interface

Answer: b) Software quality process

10. Applying boundary value analysis helps to:

a) Increase documentation

b) Detect edge-case defects

c) Reduce execution time

d) Avoid testing

Answer: b) Detect edge-case defects

11. A tester validates system behavior against requirements. This is:

a) Verification

b) Validation

c) Debugging

d) Coding

Answer: b) Validation

12. Detecting defects before release reduces:

a) Development effort

b) Maintenance cost

c) Coding standards

d) Testing scope

Answer: b) Maintenance cost

13. Applying testing principles ensures:

a) Zero defects guarantee

b) Early defect detection

c) No testing needed

d) Faster coding

Answer: b) Early defect detection

14. Which principle suggests testing all inputs is impossible?

a) Exhaustive testing
b) Exhaustive testing is impossible

c) Early testing

d) Defect clustering

Answer: b) Exhaustive testing is impossible

15. A tester focuses on frequently failing modules. This uses:

a) Random testing

b) Defect clustering principle

c) Regression testing

d) Smoke testing

Answer: b) Defect clustering principle

16. If testing starts early in SDLC, it helps:

a) Reduce defects cost

b) Increase coding errors

c) Delay project

d) Skip documentation

Answer: a) Reduce defects cost

17. A tester designs test cases independently from developers. This ensures:

a) Bias

b) Objectivity

c) Delay
d) Redundancy

Answer: b) Objectivity

18. A tester reviews requirements for errors. Role performed is:

a) Developer

b) Tester

c) Manager

d) User

Answer: b) Tester

19. Reporting defects clearly is part of:

a) Coding

b) Tester’s responsibility

c) Deployment

d) Maintenance

Answer: b) Tester’s responsibility

20. A tester collaborates with developers to fix bugs. This shows:

a) Isolation

b) Teamwork

c) Delay

d) Redundancy

Answer: b) Teamwork
21. A requirement ambiguity causes defects. Origin is:

a) Coding

b) Requirements phase

c) Testing phase

d) Deployment

Answer: b) Requirements phase

22. Incorrect algorithm implementation leads to:

a) Requirement defect

b) Design defect

c) Coding defect

d) Testing defect

Answer: c) Coding defect

23. Missing validation checks are an example of:

a) Design defects

b) Coding defects

c) Requirement defects

d) Deployment defects

Answer: b) Coding defects

24. Poor UI design causing confusion is:

a) Coding defect
b) Design defect

c) Requirement defect

d) Hardware defect

Answer: b) Design defect

25. A system crash due to memory leak is:

a) Requirement defect

b) Coding defect

c) Design defect

d) Documentation defect

Answer: b) Coding defect

26. Classifying defects based on severity helps:

a) Ignore defects

b) Prioritize fixing

c) Delay release

d) Increase cost

Answer: b) Prioritize fixing

27. A critical defect impacts:

a) Minor feature

b) Core functionality

c) UI color
d) Documentation

Answer: b) Core functionality

28. A minor defect example is:

a) System crash

b) Login failure

c) Typo error

d) Data loss

Answer: c) Typo error

29. Defect classification helps testers to:

a) Ignore bugs

b) Organize defects

c) Skip testing

d) Increase errors

Answer: b) Organize defects

30. A defect repository is used to:

a) Store code

b) Store test cases

c) Store defect details

d) Store UI designs

Answer: c) Store defect details

31. Reusing defect data helps in:

a) Predicting issues

b) Increasing bugs

c) Reducing tests

d) Skipping phases

Answer: a) Predicting issues

32. A defect repository improves:

a) Code complexity

b) Testing efficiency

c) User interface

d) Deployment speed

Answer: b) Testing efficiency

33. Logging defects with details ensures:

a) Confusion

b) Traceability

c) Delay

d) Redundancy

Answer: b) Traceability

34. A tester uses past defect data to design tests. This is:

a) Random testing
b) Experience-based testing

c) Debugging

d) Deployment

Answer: b) Experience-based testing

35. Incorrect login validation is an example of:

a) Functional defect

b) Performance defect

c) Security defect

d) UI defect

Answer: a) Functional defect

36. Slow response time is a:

a) Functional defect

b) Performance defect

c) UI defect

d) Coding standard

Answer: b) Performance defect

37. Unauthorized data access indicates:

a) UI defect

b) Security defect

c) Functional defect
d) Design defect

Answer: b) Security defect

38. Missing button functionality is:

a) Functional defect

b) Security defect

c) Performance defect

d) Hardware defect

Answer: a) Functional defect

39. Poor alignment in UI is:

a) Functional defect

b) UI defect

c) Security defect

d) Design defect

Answer: b) UI defect

40. Applying testing principles avoids:

a) Coding

b) Redundant tests

c) Deployment

d) Maintenance

Answer: b) Redundant tests
41. A tester validates outputs using expected results. This is:

a) Debugging

b) Test execution

c) Coding

d) Maintenance

Answer: b) Test execution

42. If defects are not tracked, it leads to:

a) Better quality

b) Poor traceability

c) Faster delivery

d) No impact

Answer: b) Poor traceability

43. Applying test process ensures:

a) Random results

b) Structured testing

c) No defects

d) No planning

Answer: b) Structured testing

44. Test case design based on requirements ensures:

a) Low coverage
b) High coverage

c) No defects

d) Less effort

Answer: b) High coverage

45. Early testing reduces:

a) Defect cost

b) Code size

c) UI design

d) Deployment time

Answer: a) Defect cost

46. A tester identifies repeated defects. This indicates:

a) Good design

b) Poor process

c) No issue

d) Perfect testing

Answer: b) Poor process

47. Reviewing test results helps:

a) Ignore defects

b) Improve quality

c) Skip testing
d) Reduce effort

Answer: b) Improve quality

48. A tester applies regression testing to:

a) Add features

b) Ensure fixes work

c) Deploy software

d) Design UI

Answer: b) Ensure fixes work

49. Identifying root cause of defects helps:

a) Increase bugs

b) Prevent recurrence

c) Delay testing

d) Skip coding

Answer: b) Prevent recurrence

50. A test plan ensures:

a) Random execution

b) Organized testing

c) No testing

d) No defects

Answer: b) Organized testing

51. Applying defect classification improves:

a) Testing cost

b) Fix prioritization

c) Coding errors

d) UI design

Answer: b) Fix prioritization

52. A tester uses historical defect trends. This helps in:

a) Ignoring defects

b) Risk-based testing

c) Deployment

d) Coding

Answer: b) Risk-based testing

53. Testing ensures product meets:

a) Developer needs

b) User requirements

c) Tester goals

d) Manager plans

Answer: b) User requirements

54. A defect due to wrong requirement interpretation is:

a) Coding defect
b) Requirement defect

c) UI defect

d) Hardware defect

Answer: b) Requirement defect

55. Applying process standards ensures:

a) Poor quality

b) Consistent quality

c) No testing

d) Random output

Answer: b) Consistent quality

56. A tester documents defects clearly. This helps:

a) Developers fix quickly

b) Increase errors

c) Delay release

d) Reduce quality

Answer: a) Developers fix quickly

57. A defect repository is analyzed to:

a) Increase cost

b) Improve testing strategy

c) Skip testing
d) Reduce quality

Answer: b) Improve testing strategy

58. A tester applies black-box testing. This focuses on:

a) Internal code

b) External behavior

c) Hardware

d) Deployment

Answer: b) External behavior

59. Defects found in testing phase indicate:

a) Perfect design

b) Earlier phase issues

c) No issues

d) Hardware problems

Answer: b) Earlier phase issues

60. Applying structured testing improves:

a) Random results

b) Product reliability

c) Coding errors

d) Deployment delay

Answer: b) Product reliability