



shine_candidate_sanity

Test Report

Project: Shine Candidate

Project Scope:

Shine candidate site. www.shine.com

Author: Abhishek

Printed by TestLink on 18/07/2017

2009 © TestLink Community

Table Of Contents

1.1. Shine Candidate Suite

1.1.1. Shine Candidate Sanity

1.1.1.1. Registration

1.1.1.1.1. Simple Registration

Validate home page new user, registration page

Validate registration page 1

Validate registration page 2

Validate already registered user alert

1.1.1.1.2. midout registration

Validate Registration Upload Invalid Resume

Validate Registration Upload Valid Resume

Validate create alert after registration step 2

1.1.1.1.3. Resume Builder

Validate resume builder add summary

Validate resume builder add position

Validate resume builder add education

Validate resume builder add academic project

Validate resume builder add Industrial training

Validate resume builder add certification

Validate resume builder add achievements

Validate resume builder save resume and continue

1.1.1.1.4. Resume parser registration

Validate resume parser registration

1.1.1.1.5. SEM Registration

Validate sem registration step 1

Validate sem registration step 2

Validate sem midout resume upload

1.1.1.1.6. Fresher Registration

Validate fresher registration

Validate fresher update flow

Validate fresher certification update flow

1.1.1.2. Job Details

Validate next job link in jd page

Validate similar jobs in jd page

Validate all job recruiter link

Validate skill link in jd page

1.1.1.3. update flows

validate mobile no

validate email id

validate add skills

validate Date of birth

Validate Title

validate notice period

validate educational details

1.1.1.4. My Profile

1.1.1.4.1. Deletion of profile info

Validate deletion of experience

Validate deletion of education

Validate deletion of certification

Validate deletion of skill

Validate deletion of resume

Validate invalid resume upload on myprofile

Validate valid resume upload on myprofile

Validate edit personal details in myprofile

Validate edit current job in myprofile

Validate update experience in myprofile

Validate edit education details in myprofile

Validate edit skills in myprofile

Validate add first certification in myprofile

Validate add more certificate in myprofile

1.1.1.5. Forgot password

Validate forgot password

1.1.1.6. Search

Validate Search Most Viewed Pages

1.1.1.6.1. Simple search

Validate Search With in Search

Validate Search Facets

Validate logged out simple search

Validate logged in simple search

1.1.1.6.2. Advance search

Validate logged out advance search

Validate logged in advance search

Validate jobs matching profile

Validate jobs near me

Validate quick register

1.1.1.7. Job Apply

Validate job apply from matched job

Validate multiple job apply with old resume

1.1.1.7.1. Social apply

Validate facebook apply from jd

Validate linkedin apply from jd

Validate facebook apply from jsrp

Validate linkedin apply from jsrp

Validate multiple job apply with invalid resume

Validate multiple job apply with upload resume

Validate job apply from jd page

Validate job posted date on jd page

Validate applied jobs

Validate test jsrp page1 apply one job

Validate test jsrp page2 apply one job

Validate job apply with same resume

Validate test logged out apply

Validate register before apply from jd

Validate apply registration from jsrp

1.1.1.8. Custom Job alerts

Validate create job alert

Validate edit job alert

Validate deletion of job alert

1.1.1.9. Setting

Validate open desired job details

Validate open account settings

1.1.1.10. WVMP

Validate open wvmp

Validate email in wvmp

Validate wvmp relevant jobs

Validate recruiter action in wvmp

1.1.1.11. Mobile Alerts

Validate mobile alert

1.1.1.12. Inbox

Validate inbox job alerts

Validate inbox recruiter emails

1.1.1.13. Mail Check

Validate mail check

1.1.1.14. Robots

Validate robots - mapi

Validate robots - shine

Validate robots - sumopc

Validate secure site

1.1.1.15. URL re-structuring

Validate url restructuring experienced candidate

1.1.1.15.1. Validate url for all get request

Validate url structure for job title

Validate url structure for skill

Validate url structure for skill and location

Validate url structure for multiple skill with single location

Validate url structure for multiple skill and location

Validate url structure for multiple location

Validate url structure for multiple location with single skill

Validate url structure for pagination

1.1.1.15.2. Validate url for all post request

Validate url structure for skill and location

Validate url structure for job title

Validate url structure for skill

Validate url structure for multiple skill with single location

Validate url structure for multiple skill and location

Validate url structure for multiple location

Validate url structure for multiple location with single skill

Validate url structure for pagination

Validate url restructuring fresher candidate

Validate paginated url

Validate canonical url

Validate canonical url of Paginated page

Validate android app deeplink url

1.1.1.16. Related Link JSRP

Verify location based related link

Verify skill based related link

Verify job title based related link

Verify fa based related link

Verify fa and location based related link

Verify skill and location based related link

Verify job title and location based related link

1.1. Test Suite : Shine Candidate Suite

1.1.1. Test Suite : Shine Candidate Sanity

1.1.1.1. Test Suite : Registration

1.1.1.1.1. Test Suite : Simple Registration

Test Case SC-1168: Validate home page new user, registration page

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1169: Validate registration page 1

<u>Author:</u>	Abhishek
<u>Summary:</u>	
URL -http://www.shine.com/registration/parser/	
by default parser flow open up, resume part is optional	
<u>Preconditions:</u>	
SC-156	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1166: Validate registration page 2

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1185: Validate already registered user alert

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.1.2. Test Suite : midout registration**Test Case SC-1171: Validate Registration Upload Invalid Resume**

<u>Author:</u>	Abhishek
<u>Summary:</u>	Midout user uploading invalid resume i.e. 1.resume doesn't have email id, phone no 2.format of resume if not correct(.doc , txt, .pdf)
<u>Preconditions:</u>	SC-158
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1170: Validate Registration Upload Valid Resume

<u>Author:</u>	Abhishek
<u>Preconditions:</u>	SC-172
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1173: Validate create alert after registration step 2

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek

Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.1.3. Test Suite : Resume Builder

Test Case SC-1251: Validate resume builder add summary		
<u>Author:</u>	Abhishek	
<u>Summary:</u>	user should reach to Resume builder page while clicking the "Dont have a resume link"	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Go to www.shine .com, fill 1st registration page fill 2nd registration page click "dont have a resume link" in 2nd registration page	resume builder page should get open with prefilled data
2	fill summary i.e introduce yourself	candidate data should get saved
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result:</u>	Passed	
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1252: Validate resume builder add position		
<u>Author:</u>	Abhishek	
<u>Summary:</u>	enter you position in the company in resume builder page	
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result:</u>	Passed	
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1253: Validate resume builder add education		
<u>Author:</u>	Abhishek	
<u>Summary:</u>	Enter you Education in resume builder page	
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result:</u>	Passed	
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1254: Validate resume builder add academic project

Author: Abhishek

Summary:

Enter your acadmic project if any

Execution type: Automated

Priority: Medium

Last Result: **Passed**

Build shineCandidateSanity

Tester Abhishek

Execution notes Execution passed

Requirements None

Keywords: None

Test Case SC-1255: Validate resume builder add Industrial training

Author: Abhishek

Summary:

Add your industrial training if any

Execution type: Automated

Priority: Medium

Last Result: **Passed**

Build shineCandidateSanity

Tester Abhishek

Execution notes Execution passed

Requirements None

Keywords: None

Test Case SC-1256: Validate resume builder add certification

Author: Abhishek

Summary:

Add your certification if any

Execution type: Automated

Priority: Medium

Last Result: **Passed**

Build shineCandidateSanity

Tester Abhishek

Execution notes Execution passed

Requirements None

Keywords: None

Test Case SC-1257: Validate resume builder add achievements

Author: Abhishek

Summary:

Add your achievements if any

Execution type: Automated

Priority: Medium

Last Result: **Passed**

Build shineCandidateSanity

Tester Abhishek

Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1258: Validate resume builder save resume and continue		
<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	click save and download button	user should redirect to thank you page
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result:</u>	Passed	
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

1.1.1.1.4. Test Suite : Resume parser registration

Test Case SC-1262: Validate resume parser registration	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
go to the the URL http://www.shine.com/registration/parser/	
fill emailid , mobile no , passowrd and upload resume	
After uploading the resume	
Name , work exp, job details, education, skills should be prefilled	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.1.5. Test Suite : SEM Registration

Test Case SC-1274: Validate sem registration step 1	
<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1275: Validate sem registration step 2	
<u>Author:</u>	Abhishek

<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1276: Validate sem midout resume upload

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.1.6. Test Suite : Fresher Registration

Test Case SC-1277: Validate fresher registration

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : /job-search/simple/bpo/
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1278: Validate fresher update flow

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : testing Update Flow Email
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1279: Validate fresher certification update flow

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity

Tester	Abhishek
Execution notes	Execution passed : testing Update Flow Education
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.2. Test Suite : Job Details

Test Case SC-1224: Validate next job link in jd page	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
login and go to the JD page	
click on the next button	
here we check the job title in next page i.e JOB description	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1225: Validate similar jobs in jd page	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
login and go to jd page scrool down and apply similar job	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1226: Validate all job recruiter link	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
go to the jd page and click "all job recruiter" link	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1227: Validate skill link in jd page	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
go to the JD page and click on skill link	

<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.3. Test Suite : update flows

Test Case SC-1174: validate mobile no	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
this update wizard shouldn't be come just after registration at live (but comes in sumosc)	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1175: validate email id	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
This update wizard shouldn't be come just after registration at live (but comes in sumosc)	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1176: validate add skills	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
1. shouldn't be come if there is already 5 skills are added .	
2. suggested skills should come from resume, shown in column next to skills update wizard .	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1177: validate Date of birth

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1178: Validate Title

<u>Author:</u>	Abhishek
<u>Summary:</u>	
user will add some title in his profile, it will become the heading of his profile	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1179: validate notice period

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1180: validate educational details

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.4. Test Suite : My Profile**1.1.1.4.1. Test Suite : Deletion of profile info**

Test Case SC-1196: Validate deletion of experience

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1197: Validate deletion of education

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1198: Validate deletion of certification

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1199: Validate deletion of skill

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1200: Validate deletion of resume

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1187: Validate invalid resume upload on myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1188: Validate valid resume upload on myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1189: Validate edit personal details in myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1190: Validate edit current job in myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1191: Validate update experience in myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium

<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1192: Validate edit education details in myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1193: Validate edit skills in myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1194: Validate add first certification in myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1195: Validate add more certificate in myprofile

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.5. Test Suite : Forgot password

Test Case SC-1201: Validate forgot password	
<u>Author:</u>	Abhishek
<u>Summary:</u> go to shone home page click on the login button , click forgot password link enter emailid and press ok button	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u> Passed	
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.6. Test Suite : Search

Test Case SC-1202: Validate Search Most Viewed Pages																								
<u>Author:</u>	Abhishek																							
<u>Summary:</u>																								
There are some keyword corresponding to which search in shine is very higher																								
These are following:																								
<table><tr><td>accounts</td></tr><tr><td>engineering</td></tr><tr><td>software</td></tr><tr><td>bpo</td></tr><tr><td>it</td></tr><tr><td>hr</td></tr><tr><td>sales</td></tr><tr><td>banking</td></tr><tr><td>finance</td></tr><tr><td>fresher</td></tr><tr><td>back office</td></tr><tr><td>data entry</td></tr><tr><td>back office operations</td></tr><tr><td>testing</td></tr><tr><td>marketing</td></tr><tr><td>management</td></tr><tr><td>accountant</td></tr><tr><td>walk in interview</td></tr><tr><td>java</td></tr><tr><td>online data entry</td></tr><tr><td>work from home</td></tr><tr><td>part time</td></tr><tr><td></td></tr></table>		accounts	engineering	software	bpo	it	hr	sales	banking	finance	fresher	back office	data entry	back office operations	testing	marketing	management	accountant	walk in interview	java	online data entry	work from home	part time	
accounts																								
engineering																								
software																								
bpo																								
it																								
hr																								
sales																								
banking																								
finance																								
fresher																								
back office																								
data entry																								
back office operations																								
testing																								
marketing																								
management																								
accountant																								
walk in interview																								
java																								
online data entry																								
work from home																								
part time																								

computer operator
data entry operator
urgent hiring for 12th pass
manual testing
software testing
administration
mechanical engineer
tally erp9 computer accounting
home based without investment
teacher
.net
engineering college lecturer
manager
fmcg
graphic designer
hindi call center
civil engineer
php
office assistant
electrical engineer
dubai
business analyst
civil engineering
chartered accountant
HR
hr executive
bank
fresher php developer

<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.6.1. Test Suite : Simple search

Test Case SC-1231: Validate Search With in Search

Author: Abhishek

Summary:

1. do a search say - "manager"
2. enter "database" in the search within search box in the left pan of the JSRP page

Execution type: Automated

Priority: Medium

Last Result: **Passed**

Build shineCandidateSanity

Tester Abhishek

Execution notes Execution passed

Requirements None

Keywords: None

Test Case SC-1232: Validate Search Facets

Author: Abhishek

Summary:

- do a simple search
- click on any facets , salary , location industry , functional area
- it also filter the search results in JSRP page

Execution type: Automated

Priority: Medium

Last Result: **Passed**

Build shineCandidateSanity

Tester Abhishek

Execution notes Execution passed

Requirements None

Keywords: None

Test Case SC-1233: Validate logged out simple search

Author: Abhishek

Summary:

- Do a simple search in the logged out state, simple search includes only - keyword , location and exp fields
- URL - <http://www.shine.com/myshine/job-search/simple/java/>

Execution type: Automated

Priority: Medium

Last Result: **Passed**

Build shineCandidateSanity

Tester Abhishek

Execution notes Execution passed

Requirements None

Keywords: None

Test Case SC-1235: Validate logged in simple search

Author: Abhishek

Summary:

- User Loggs in and do a simple search

simple search includes only - keyword , location and exp fields

URL - <http://www.shine.com/myshine/job-search/simple/java/>

<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.6.2. Test Suite : Advance search

Test Case SC-1234: Validate logged out advance search

<u>Author:</u>	Abhishek
<u>Summary:</u>	Do advance search - advance search includes - keyword , location , exp, salary , functional area and industry fields
URL - http://www.shine.com/myshine/job-search/simple/java/it-software-industry/	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1236: Validate logged in advance search

<u>Author:</u>	Abhishek
<u>Summary:</u>	User Logs in and do a advance search search
Do advance search - advance search includes - keyword , location , exp, salary , functional area and industry fields	
URL - http://www.shine.com/myshine/job-search/simple/java/it-software-industry/	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1237: Validate jobs matching profile

<u>Author:</u>	Abhishek
<u>Summary:</u>	Do a simple search - http://www.shine.com/myshine/job-search/simple/java
clik on the "Jobs matching my profile " link in the JSRP page	
<u>Execution type:</u>	Automated

<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1238: Validate jobs near me	
<u>Author:</u>	Abhishek
<u>Summary:</u>	Do a simple search - http://www.shine.com/myshine/job-search/simple/java clik on the "Jobs near me" link in the JSRP page
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1239: Validate quick register	
<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : /job-search/simple/bpo/
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.7. Test Suite : Job Apply

Test Case SC-1206: Validate job apply from matched job	
<u>Author:</u>	Abhishek
<u>Summary:</u>	user loggs in and apply onto single mathced job
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1204: Validate multiple job apply with old resume

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.7.1. Test Suite : Social apply**Test Case SC-1219: Validate facebook apply from jd**

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1220: Validate linkedin apply from jd

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1221: Validate facebook apply from jsrp

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1222: Validate linkedin apply from jsrp

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium

<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1203: Validate multiple job apply with invalid resume

<u>Author:</u>	Abhishek
<u>Summary:</u>	Search and click on the checkboxes to select more than one job to apply here we are applying with the invalid resume(no name , no emaild, phone no/ size >500 kb, format other than .doc, .pdf,.txt)
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1205: Validate multiple job apply with upload resume

<u>Author:</u>	Abhishek
<u>Summary:</u>	search and click on the checkboxes to select more than one job to apply here we are apply with resume upload
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1209: Validate job apply from jd page

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1208: Validate job posted date on jd page

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium

<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1215: Validate applied jobs

<u>Author:</u>	Abhishek
<u>Summary:</u>	
open applied job section, applied job should be present and can't be applied again	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1211: Validate test jsrp page1 apply one job

<u>Author:</u>	Abhishek
<u>Summary:</u>	
search any keyword say ht media and apply from JSRP page in page 1	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1212: Validate test jsrp page2 apply one job

<u>Author:</u>	Abhishek
<u>Summary:</u>	
search any keyword say ht media and apply from JSRP page in page 2	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1216: Validate job apply with same resume

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium

<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1217: Validate test logged out apply

<u>Author:</u>	Abhishek
<u>Summary:</u>	search in logged out state - keyword say is ht media (url- http://www.shine.com/job-search/simple/ht-media/) clcik on apply button- pop will appear enter credentials, job should get applied.
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1218: Validate register before apply from jd

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1223: Validate apply registration from jsrp

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.8. Test Suite : Custom Job alerts

Test Case SC-1228: Validate create job alert

<u>Author:</u>	Abhishek	
<u>Summary:</u>	1. My Job Alert: The candidates will be able to subscribe to biweekly job alerts basis parameters mentioned by them. They will be able to create upto 5 alerts, these job alerts can be managed and viewed on the website as well.	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	create job alert	maximum five job alert will be created
2	open www.shine.com check your job alerts	job alert can be managed and viewed,
3	shoot job alert from backend as per the biweekly condition	alert must be received not more then 2 times in a week
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result:</u>	Failed	
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution failed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1229: Validate edit job alert

<u>Author:</u>	Abhishek	
<u>Summary:</u>	1. Save My Search: The candidates will be able to create alerts by saving the search criteria that they perform on the website. This will be just another gateway for the candidate, the rest of the logic will be same as that of job alert	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Do a search and create job alert by saving search	job alerts should be created according to the saved search.
2		
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result:</u>	Passed	
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1230: Validate deletion of job alert

<u>Author:</u>	Abhishek	
<u>Summary:</u>	Delete already existing job alert	
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result:</u>	Passed	
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	

<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.9. Test Suite : Setting

Test Case SC-1259: Validate open desired job details	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
click desired job detail section option from the left menu. go to desired job detail section	
URL is www.shine.com/myprofile/desiredjob	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1260: Validate open account settings	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
click account setting option from the left menu ,Go to account setting option	
URL is http://www.shine.com/myshine/accountsettings/	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.10. Test Suite : WVMP

Test Case SC-1263: Validate open wvmp	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
login into shine click on who viewed my profile link in left menu bar	
<u>Preconditions:</u>	
activity should be shown which is only 60 days older	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : /job-search/simple/bpo/
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1264: Validate email in wvmp

<u>Author:</u>	Abhishek
<u>Summary:</u>	
	click on see email link in WVMP page
	while clicking on see email button user should redirect to INBOX .
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1265: Validate wvmp relevant jobs

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : /job-search/simple/bpo/
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1266: Validate recruiter action in wvmp

<u>Author:</u>	Abhishek
<u>Summary:</u>	
	IN WVMP page we have a filter to sort the activity
	enter different recruiter action
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : /job-search/simple/bpo/
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.11. Test Suite : Mobile Alerts**Test Case SC-1267: Validate mobile alert**

<u>Author:</u>	Abhishek
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : /job-search/simple/bpo/
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.12. Test Suite : Inbox

Test Case SC-1268: Validate inbox job alerts	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
click on the inbox link in the left side panel	
URL is -http://www.shine.com/myshine/inbox/?type=job_alert	
click on the job alert in inbox	
apply apply button in your job alert mail	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1269: Validate inbox recruiter emails	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
Go to Inbox in the left pan in homepage	
URI is -http://www.shine.com/myshine/inbox/?type=recruiter_mail	
click on the recruiter mail and apply	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Passed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed : /job-search/simple/bpo/
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.13. Test Suite : Mail Check

Test Case SC-1280: Validate mail check	
<u>Author:</u>	Abhishek
<u>Summary:</u>	
Check Emails of registraion, verification, forgot password etc in corresponding email domain	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u>	Failed
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution failed : testing Update Flow Title
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.14. Test Suite : Robots

Test Case SC-1270: Validate robots - mapi

Author: Abhishek

Summary:

validate robots URLs corresponding to expected results should come
check the steps

#:	Step actions:	Expected Results:
1	Enter https://mapi.shine.com/robots.txt	User-Agent: * Allow: /api/ Disallow: /
<u>Execution type:</u> Automated		
<u>Priority:</u> Medium		
<u>Last Result:</u> Passed		
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1272: Validate robots - shine

Author: Abhishek

Summary:

validate robots URLs corresponding to expected results should come
check the steps

#:	Step actions:	Expected Results:
2	Enter http://www.shine.com/robots.txt	User-agent: * Disallow: /myshine/ Allow: /myshine/login/ Disallow: /1198510/ Disallow: /*?*vendorid=* Disallow: /featuredcompanystats/ Disallow: /lookup/ Disallow: /job- search/similar/ Disallow: /unsubscribe/ User-agent: Scrapy Disallow: /
<u>Execution type:</u> Automated		
<u>Priority:</u> Medium		
<u>Last Result:</u> Passed		
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1273: Validate robots - sumopc

Author: Abhishek

Summary:

validate robots URLs corresponding to expected results should come

check the steps

#:	Step actions:	Expected Results:
3	Enter http://sumopc.shine.com/robots.txt	User agent: * Disallow: /
<u>Execution type:</u> Automated		
<u>Priority:</u> Medium		
<u>Last Result:</u> Passed		
Build	shineCandidateSanity	
Tester	Abhishek	
Execution notes	Execution passed	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1271: Validate secure site	
<u>Author:</u>	Abhishek
<u>Summary:</u> go to https://secure.shine.com/csm/search/3770/ enter manager in keyword section click apply on the search result	
<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result:</u> Passed	
Build	shineCandidateSanity
Tester	Abhishek
Execution notes	Execution passed
<u>Requirements</u>	None
<u>Keywords:</u>	None

1.1.1.15. Test Suite : URL re-structuring

The existent url structure for logged-out mode is : **http://www.shine.com/job-search/simple/*******.

For logged-in mode is: **http://www.shine.com/myshine/job-search/simple/*******

New url will be defined as such: **http://www.shine.com/job-search/*******.

If a search is done for keyword "**Java**" in location "**Delhi**", this type of url is created :

http://www.shine.com/myshine/job-search/simple/java/delhi/. Each url is created by pre-defined rules.

Multiple combination of urls can be created using **Skills/ Location/ Company/ Industry/ FA**.

The following rule will be used:

1. <Skill> or <Job Title> or <Company> or <Industry> or <FA> —> Priority 1

Jobs In

<Location> or <Company> or <Industry> or <FA> —> Priority 2

-----Internal item priority in decreasing order----->

.Example: Skill(top-priority), FA

This gives way to three possible url combinations:

a) xxxxx jobs

- b) jobs in xxxxx
- c) xxxxx jobs in xxxxx

There will be combination of "two" at any particular time.

2. A new Rule is defined in-case of "Fresher". Only for this case, a combination of three items will be used and one item will always be "Fresher".

Rule for item "Fresher" is defined below:

Fresher <Skill> or <Job Title> or <Company> or <Industry> or <FA> —> Priority 1
 Jobs In
 <Location> or <Company> or <Industry> or <FA> —> Priority 2

-----Internal item priority in decreasing order----->
 .Example: Skill(top-priority), FA

Example url -> "/job-search/fresher-java-jobs". "/job-search/fresher-java-jobs-in-delhi"

This gives way to three possible url combinations:

- a) Fresher xxxx jobs
- b) Fresher jobs in xxxx

Test Case SC-1335: Validate url restructuring experienced candidate	
Author:	Abhishek
Summary:	Validating url re-structuring based on the: <Skill> or <Job Title> or <Company> or <Industry> or <FA> —> Priority 1 <Location> or <Company> or <Industry> or <FA> —> Priority 2 1) Rule for item "Experienced" is defined below: <Skill> or <Job Title> or <Company> or <Industry> or <FA> —> Priority1 Jobs In<Location> or <Company> or <Industry> or <FA> —> Priority 2 This should give three possible url combinations: a) xxxxx jobs b) jobs in xxxxx c) xxxxx jobs in xxxxx Note: Only "two" combination is being used at a particular time.
Execution type:	Automated
Priority:	Medium
Last Result	Not Run
Requirements	None
Keywords:	None

1.1.1.15.1. Test Suite : Validate url for all get request

Test Case SC-1353: Validate url structure for job title		
Author:	Abhishek	
#:	Step actions:	Expected Results:
1	Single Keyword Search:	The Url should get change from

	<p>Go to Shine.com and search for "Software developers" in query Box.</p> <p>Copy generated url and directly go to the url</p>	<p>http://www.shine.com/job-search/simple/software-developers</p> <p>to</p> <p>http://www.shine.com/job-search/software-developers-jobs</p> <p>Note:- url will have "jobs" only once NOT twice or multiple times</p>
2	<p>Single Keyword Search for logged in user:</p> <p>Go to Shine.com and logged in using valid credential</p> <p>type Jobs for Java" OR "Java" OR "Java Jobs" in query Box.</p> <p>Copy generated url and directly go to that url</p>	<p>The Url should get change from:</p> <p>http://www.shine.com/myshine/job-search/simple/software-developers</p> <p>to</p> <p>http://www.shine.com/myshine/job-search/software-developers-jobs</p> <p>Note:- url will have "jobs" only once NOT twice or multiple times</p>
<u>Execution type:</u> Manual		
<u>Priority:</u> Medium		
<u>Last Result</u> Not Run		
<u>Requirements</u> None		
<u>Keywords:</u> None		

Test Case SC-1346: Validate url structure for skill		
<u>Author:</u> Abhishek		
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	<p>Single Keyword Search:</p> <p>Go to Shine.com and type Jobs for Java" OR "Java" OR "Java Jobs" in query Box.</p> <p>Copy generated url and directly go to the url</p>	<p>The Url should get change from:</p> <p>http://www.shine.com/job-search/simple/java</p> <p>to</p> <p>http://www.shine.com/job-search/java-jobs</p> <p>Note:- url will have "jobs" only once NOT twice or multiple times</p> <p>BAD Url structure :- http://www.shine.com/job-search/java-jobs-jobs</p>
2	<p>Single Keyword Search for logged in user:</p> <p>Go to Shine.com and logged in using valid credential</p> <p>type Jobs for Java" OR "Java" OR "Java Jobs" in query Box.</p> <p>Copy generated url and directly go to that url</p>	<p>The Url should get change from:</p> <p>http://www.shine.com/myshine/job-search/simple/java-jobs</p> <p>to</p> <p>http://www.shine.com/myshine/job-search/java-jobs</p> <p>Note:- url will have "jobs" only once NOT twice or multiple times</p>
<u>Execution type:</u> Manual		
<u>Priority:</u> Medium		
<u>Last Result</u> Not Run		
<u>Requirements</u> None		

<u>Keywords:</u>	None
------------------	------

Test Case SC-1347: Validate url structure for skill and location		
<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	<p>Single Keyword with single location Search:</p> <p>Go to Shine.com and search for java with delhi location in query Box. Copy generated url and directly go to the url.</p>	<p>The Url should get change from:</p> <p>http://www.shine.com/job-search/simple/java/delhi/</p> <p>to</p> <p>http://www.shine.com/job-search/java-jobs-in-delhi</p> <p>Note:- url will have "jobs" only once NOT twice or multiple times</p>
2	<p>Single Keyword with single location Search: logged in user</p> <p>Go to Shine.com and search for java with delhi location in query Box.</p> <p>Copy url and go to that url directly.</p>	<p>The Url should get change from:</p> <p>http://www.shine.com/myshine/job-search/simple/java/delhi/</p> <p>to</p> <p>http://www.shine.com/myshine/job-search/java-jobs-in-delhi/</p>
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1349: Validate url structure for multiple skill with single location		
<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	<p>Multiple skill wth single location Search:</p> <p>Go to Shine.com and search for java, python with delhi location in query Box. Copy generated url and directly go to the url.</p>	<p>The Url should get change from:</p> <p>http://www.shine.com/job-search/simple/java-python/delhi/</p> <p>to</p> <p>http://www.shine.com/job-search/java-python-jobs-in-delhi</p> <p>Note:- url will have "jobs" only once NOT twice or multiple times.</p>
2	<p>Multiple skill wth single location Search: Logged in User</p> <p>Go to Shine.com and search for java, python with delhi location in query Box.</p> <p>Copy generated url and directly go to the url.</p>	<p>The Url should get change from:</p> <p>http://www.shine.com/myshine/job-search/simple/java-python/delhi/</p> <p>to</p> <p>http://www.shine.com/myshine/job-search/java-python-jobs-in-delhi</p>

	Note:- url will have "jobs" only once NOT twice or multiple times.
<u>Execution type:</u>	Manual
<u>Priority:</u>	Medium
<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1350: Validate url structure for multiple skill and location

<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Multiple skill with Multiple location Search: Go to Shine.com and search for java, python with delhi, noida location in query Box. Copy generated url and directly go to the url.	The Url should get change from: http://www.shine.com/job-search/simple/java-python/delhi-and-noida/ to http://www.shine.com/job-search/java-python-jobs-in-delhi-noida Note:- url will have "jobs" only once NOT twice or multiple times.
2	Multiple skill with Multiple location Search: Logged in User Go to Shine.com and search for java, python with delhi, noida location in query Box. Copy generated url and directly go to the url.	The Url should get change from: http://www.shine.com/myshine/job-search/simple/java-python/delhi-and-noida/ to http://www.shine.com/myshine/job-search/java-python-jobs-in-delhi-noida Note:- url will have "jobs" only once NOT twice or multiple times.
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1351: Validate url structure for multiple location

<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Multiple Location Search: Go to Shine.com and type "delhi, noida" in query Box. Copy generated url and directly go to the url	The Url should get change from: http://www.shine.com/job-search/simple/delhi-noida to http://www.shine.com/job-search/delhi-and-noida
2	Multiple Keyword Search for logged in user: Go to Shine.com and logged in using valid credential type "delhi, noida" in query Box.	The Url should get change from: http://www.shine.com/myshine/job-search/simple/delhi-noida to http://www.shine.com/myshine/job-search/delhi-and-noida

	Copy generated url and directly go to that url	Note:- url will have "jobs" only once NOT twice or multiple times
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1362: Validate url structure for multiple location with single skill

<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Multiple Location Search with single skill: Go to Shine.com and type java with location "delhi, noida" in query Box. Copy generated url and directly go to the url	The Url should get change from: http://www.shine.com/job-search/simple/java/delhi-noida to http://www.shine.com/job-search/java-jobs-in-delhi-and-noida
2	Multiple Keyword with single skill Search for logged in user: Go to Shine.com and logged in using valid credential type java and location "delhi, noida" in query Box. Copy generated url and directly go to that url	The Url should get change from: http://www.shine.com/myshine/job-search/simple/java/delhi-noida to http://www.shine.com/myshine/job-search/java-jobs-in-delhi-and-noida Note:- url will have "jobs" only once NOT twice or multiple times
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1352: Validate url structure for pagination

<u>Author:</u>	Abhishek	
<u>Summary:</u>	http://shine.com/job-search/simple/java/delhi/2/ - for logged out user and http://www.shine.com/myshine/job-search/simple/java/delhi/2/ -For logged in should get change to : http://shine.com/job-search/simple/java-jobs-in-delhi-2 and http://www.shine.com/myshine/job-search/simple/java-jobs-in-delhi-2	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	For logged out user: http://shine.com/job-search/simple/java/delhi/2/	The url should get change to : http://shine.com/job-search/simple/java-jobs-in-delhi-2
2	For logged in:	The url should get change to:

	http://www.shine.com/myshine/job-search/simple/java/delhi/2/	http://www.shine.com/myshine/job-search/simple/java-jobs-in-delhi-2
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

1.1.1.15.2. Test Suite : Validate url for all post request

Test Case SC-1365: Validate url structure for skill and location		
Author:	Abhishek	
Preconditions:		
POST REQUEST		
#:	Step actions:	Expected Results:
1	<p>Single Keyword with single location Search:</p> <p>Go to Shine.com and search for java with delhi location in query Box.</p>	<p>The Url should be:</p> <p>http://www.shine.com/job-search/simple/java/delhi/</p> <p>Note:- url will have "jobs" only once NOT twice or multiple times</p>
2	<p>Single Keyword with single location Search: logged in user</p> <p>Go to Shine.com and search for java with delhi location in query Box.</p>	<p>The Url should be:</p> <p>http://www.shine.com/myshine/job-search/simple/java/delhi/</p>
Execution type:	Manual	
Priority:	Medium	
Last Result	Not Run	
Requirements	None	
Keywords:	None	

Test Case SC-1363: Validate url structure for job title		
<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Single Keyword Search: Go to Shine.com and search for "Software developers" in query Box.	The Url should be: http://www.shine.com/job-search/simple/software-developers
2	Single Keyword Search for logged in user: Go to Shine.com and logged in using valid credential type Jobs for Java" OR "Java" OR "Java Jobs" in query Box.	The Url should be: http://www.shine.com/myshine/job-search/simple/software-developers
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	

<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1364: Validate url structure for skill		
<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Single Keyword Search: Go to Shine.com and type Jobs for Java" OR "Java" OR "Java Jobs" in query Box.	The Url should be: http://www.shine.com/job-search/simple/java
2	Single Keyword Search for logged in user: Go to Shine.com and logged in using valid credential type Jobs for Java" OR "Java" OR "Java Jobs" in query Box.	The Url should be: http://www.shine.com/myshine/job-search/simple/java-jobs Note:- url will have "jobs" only once NOT twice or multiple times
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1366: Validate url structure for multiple skill with single location		
<u>Author:</u>	Abhishek	
<u>Preconditions:</u>	Non logged in user	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Multiple skill with single location Search: Go to Shine.com and search for java, python with delhi location in query Box.	The Url should be: http://www.shine.com/job-search/simple/java-python/delhi/ Note:- url will have "jobs" only once NOT twice or multiple times.
2	Multiple skill with single location Search: Logged in User Go to Shine.com and search for java, python with delhi location in query Box.	The Url should be: http://www.shine.com/myshine/job-search/simple/java-python/delhi/ Note:- url will have "jobs" only once NOT twice or multiple times.
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1367: Validate url structure for multiple skill and location		
<u>Author:</u>	Abhishek	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>

1	Multiple skill with Multiple location Search: Go to Shine.com and search for java, python with delhi, noida location in query Box.	The Url should be: http://www.shine.com/job-search/simple/java-python/delhi-and-noida/
2	Multiple skill with Multiple location Search: Logged in User Go to Shine.com and search for java, python with delhi, noida location in query Box.	The Url should be: http://www.shine.com/myshine/job-search/simple/java-python/delhi-and-noida/
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1368: Validate url structure for multiple location		
<u>Author:</u>	Abhishek	
<u>Preconditions:</u>	Non logged in user	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Multiple Location Search: Go to Shine.com and type "delhi, noida" in query Box.	The Url should be: http://www.shine.com/job-search/simple/delhi-noida
2	Multiple Keyword Search for logged in user: Go to Shine.com and logged in using valid credential type "delhi, noida" in query Box.	The Url should be: http://www.shine.com/myshine/job-search/simple/delhi-noida
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1369: Validate url structure for multiple location with single skill		
<u>Author:</u>	Abhishek	
<u>Preconditions:</u>	Non logged in user	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Multiple Location Search with single skill: Go to Shine.com and type java with location "delhi, noida" in query Box.	The Url should be: http://www.shine.com/job-search/simple/java/delhi-noida
2	Multiple Keyword with single skill Search for logged in user:	The Url should be: http://www.shine.com/myshine/job-search/simple/java/delhi-noida

	Go to Shine.com and logged in using valid credential	
	type java and location "delhi, noida" in query Box.	
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1370: Validate url structure for pagination		
<u>Author:</u>	Abhishek	
<u>Summary:</u>	<p>There will two cases:</p> <p>1) Non logged in - Normal url</p> <p>2) Logged in user - url will have - myshine in url</p>	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	For logged out user: Search for java with location delhi and click on next button.	The url should get change to : http://shine.com/job-search/simple/java/jobs/delhi/2/
2	For logged in: Go to shine.com and logged in using valid credential Search for java with location delhi and click on next button	The url should get change to: http://www.shine.com/myshine/job-search/simple/java/delhi/2
<u>Execution type:</u>	Manual	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1340: Validate url restructuring fresher candidate	
<u>Author:</u>	Abhishek
<u>Summary:</u>	<p>Validating url re-structuring based on the:</p> <p><Skill> or <Job Title> or <Company> or <Industry> or <FA> —> Priority 1</p> <p><Location> or <Company> or <Industry> or <FA> —> Priority 2</p> <p>A new Rule is defined in-case of "Fresher".</p> <p>Only for this case, a combination of three items will be used and one item will always be "Fresher".</p> <p>Rule for item "Fresher" is defined below:</p> <p>Fresher <Skill> or <Job Title> or <Company> or <Industry> or <FA> —> Priority 1</p> <p>Jobs In</p> <p><Location> or <Company> or <Industry> or <FA> —> Priority 2</p> <p>Example url -> "/job-search/fresher-java-jobs". "/job-search/fresher-java-jobs-in-delhi"</p> <p>This should show only below three possible url combinations:</p> <p>a) Fresher xxxx jobs</p>

- b) Fresher jobs in xxxx
- c) Fresher xxxx jobs in xxxx

<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1341: Validate paginated url

<u>Author:</u>	Abhishek
<u>Summary:</u> At present its (for example): http://www.shine.com/job-search/simple/delhi/2/ New url should be: http://www.shine.com/job-search/jobs-in-delhi-2 http://www.shine.com/job-search/jobs-in-delhi-3 http://www.shine.com/job-search/jobs-in-delhi-4 , so on.	
<u>Execution type:</u>	Manual
<u>Priority:</u>	Medium
<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1342: Validate canonical url

<u>Author:</u>	Abhishek
<u>Summary:</u> Canonical url is a way to tell googlebot about the page,when it has some duplicate content of other page. When we want google bot to pass on the link-juice and page value of one page to other. For all main page Canonical will be SELF url Main Page means, which does-not have paginated url number like 2,3,4 at end of page url. Like:- <ul style="list-style-type: none"> - http://www.shine.com/job-search/seo-jobs, the canonical url will be self i.e <link rel="canonical" href="http://www.shine.com/job-search/seo-jobs"/> - Mobile deeplink will be <link rel="alternate" media="handheld" href="http://m.shine.com/job-search/seo-jobs" /> <link rel="alternate" href="android-app://com.net.shine/http/www.shine.com/job-search/seo-jobs" /> On Mobile site the Canonical link of Desktop has to be replaced with new url. (without /simple/)	
<u>Execution type:</u>	Manual
<u>Priority:</u>	Medium
<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1343: Validate canonical url of Paginated page

Author: Abhishek

Summary:

The page url which ends with numbers. **http://www.shine.com/job-search/seo-jobs-2**

for url like /seo-jobs-2, /seo-jobs-3, /seo-jobs-4, the Main Page Canonical Tag should be added on them, ie. /seo-jobs.

<link rel="canonical" href="http://www.shine.com/job-search/seo-jobs"/>

The below tag should not appear till Page4:

<meta name="robots" content="noindex, follow"/>

Note: Till page 4 googlebot can crawl the page, but these pages will not be added in xml sitemap.

Execution type: Automated

Priority: Medium

Last Result **Not Run**

Requirements None

Keywords: None

Test Case SC-1345: Validate android app deeplink url

Author: Abhishek

Summary:

Mobile deeplink should be

<link rel="alternate" media="handheld" href="http://m.shine.com/job-search/seo-jobs" />

<link rel="alternate" href="android-app://com.net.shine/http/www.shine.com/job-search/seo-jobs" />

On Mobile site the Canonical link of Desktop should be without /simple/

Execution type: Manual

Priority: Medium

Last Result **Not Run**

Requirements None

Keywords: None

1.1.1.16. Test Suite : Related Link JSRP

WHAT :Frequency based similar/related links are added to JSRP pages.

NOTE : _The related links will be basis candidate data-set as shared by the analytics team attached hereby ,the data is bidirectional._

In all maximum of 15 links will be displayed along with the count of jobs in each link with priority as defined for each.

All links should carry a count of active jobs in that link & should never show a link having no job



These links should be displayed on both get & post jsrp.

UI : HTML shared w

The section will be displayed after the third job on JSRP on desktop as well as mobile. On Mobile only one of the three sections can be expanded at a time with the first section expanded by default initially , if user expands the

second the section then first should automatically collapse.

The title for the related links widget will be "**People also viewed jobs by :**"

Ensure that the design is in tabular format td-tr as suggested by SEO as this helps in generating rich snippets.

Example :

People also viewed jobs by :

City

[Jobs in Mumbai\(Count\)](#)

[Jobs in Delhi \(Count\)](#)

[Jobs in Hyderabad \(Count\)](#)

Functional Area

[IT-Software Jobs \(Count\) / IT-Software Jobs in Punjab \(Count\)](#)

[Construction Jobs \(Count\) / Construction Jobs in Pune \(Count\)](#)

[Engineering Jobs \(Count\) / Engineering Jobs in Hyderabad\(Count\)](#)

Skill

[Java Jobs \(Count\) / Java Jobs in Mumbai\(Count\)](#)

[PHP Jobs \(Count\) / PHP Jobs in Delhi \(Count\)](#)

[Oracle Jobs \(Count\) / Oracle Jobs in Hyderabad\(Count\)](#)

Title

[Product Manager Jobs \(Count\) / Product Manager Jobs in Delhi\(Count\)](#)

[Sales Analyst Jobs \(Count\) / Sales Analyst Jobs in Bengaluru\(Count\)](#)

[Developer Jobs \(Count\) / Developer Jobs in Chennai \(Count\)](#)

Event Tracking :

Category JSRP_Rel_links

Action FA/Skill/Title/City

Label Click

Rules and Conditions:

1) This section should only be displayed if it has a minimum of 3 links else move to the next priority section.

if (jobs present <3) : Move to next priority section;

else: Use same section;

2) Display links should have minimum 20 Jobs.

if(Jobs<20)

Then: pickup the next relevant link.

3) **If(In-case next priority section not available)**

Display: the available sections without showing blanks (optimized UI).

4) **If (Users search results = no results found && relative links are available)**

Then: relative links should be display.

else : Not display

Test Case SC-1390: Verify location based related link

Author: Abhishek

Summary:

Prriotiy:

1. 5 FA's in location , max count of posted jobs per FA. IT/SW jobs in Mumbai/ Finance Jobs in Mumbai etc.

2. 5 skills in location , max count of skills in that location also these skills should be of scattered FA/Ind.
Eg:Java Jobs in Mumbai , Auditing Jobs in Mumbai.
3. 5 cities with state relation or analytics based city affinity or both Eg : For Jobs in Mumbai show Jobs in Pune/Jobs in Nasik etc.
4. 5 JTs in location , max count of JT in that location(Later). Eg: Java Developer Jobs in Mumbai / Chartered Accountant Jobs in Mumbai.

Postconditions:

- a) Job on each Links should be ≥ 20
- b) Releated Link section should be displayed after the third job on JSRP on desktop.
- c) The title for the related links widget should be "People also viewed jobs by :"

Conditions:

- 1) In case users search results are available and relative links are also available.

Result: Relative links should be display.

- 2) In case users search results are available and each priority section contain related jobs link ≥ 3

1. Same as Above(Step 1).
2. Priority 1 > Priority 2 > priority 3 should display

- 3) In case users search results are available and one priority section contain related jobs link < 3

Result: Move to next priority section.

1. if p1 had relevant job < 3: **then** display p2 in place of p1. **Display:** p2 > p3 > p4 , discard p1.
2. if p2 jobs < 3, similarly discard p2, **Display:** p1>p3>p4, discard p2
3. Generic Case: if any priority <3, discard that and show the next relevant priority.

4) If search results had no results found but relative links are available. Relative links should be display. Should show Relative link as mapped in our system.

5) In-case next priority section not available. The available sections should be displayed without showing blanks (optimized UI).

#:	Step actions:	Expected Results:
1	Go to Shine.com and search for any location.	a) JSRP should be opened. b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be " People also viewed jobs by : "
2	In case users search results are available and relative links are also available.	Relative links should be display.
3	In case users search results are available and each priority section contain related jobs link ≥ 3	a) Same as Above(Step 2). b) Priority 1 > Priority 2 > priority 3 should display
4	In case users search results are available and one priority section contain related jobs link < 3	Move to next priority section. Example: a) if p1 had relevant job < 3: then display p2 in place of p1. Display: p2 > p3 > p4 , discard p1. b) if p2 jobs < 3, similarly discard p2 Display: p1>p3>p4, discard p2

		c) Generic Case: if any priority <3, discard that and show the next relevant priority.
5	If search results had no results found but relative links are available.	Relative links should be display. Should show Relative link as mapped in our system.
6	In-case next priority section not available.	The available sections should be displayed without showing blanks (optimized UI).
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1397: Verify skill based related link		
<u>Author:</u>	Abhishek	
<u>Summary:</u>	<p>Prriotiy:</p> <ol style="list-style-type: none"> 1. 5 similar skills. Eg : Php jobs / J2ee jobs. 2. 5 cities with this skill , basis count of posted jobs. Eg : Java Jobs in Mumbai , Java Jobs in Delhi , Java Jobs in Bengaluru. 3. 5 JT's for this skill(Later) either affinity based or count basis. Eg: Java Developer jobs / Team Lead Jobs. 4. 5 FA's with this skill basis count of posted jobs for this FA/Sub FA. Eg: IT/SW Jobs , Quality/Testing Jobs. <p>Postconditions:</p> <p>a) Job on each Links should be > = 20</p> <p>b) Releated Link section should be displayed after the third job on JSRP on desktop.</p> <p>c) The title for the related links widget should be "People also viewed jobs by :"</p>	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Go to Shine.com and search for any location.	a) JSRP should be opened. b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be " People also viewed jobs by : "
2	In case users search results are available and relative links are also available.	Relative links should be display.
3	In case users search results are available and each priority section contain related jobs link >=3	a) Same as Above(Step 2). b) Priority 1 > Priority 2 > priority 3 should display
4	In case users search results are available and one priority section contain related jobs link < 3	Move to next priority section. Example: a) if p1 had relevant job < 3: then display p2 in place of p1. Display: p2 > p3 > p4 , discard p1.

		b) if p2 jobs < 3, similarly discard p2 Display: p1>p3>p4, discard p2 c) Generic Case: if any priority <3, discard that and show the next relevant priority.
5	If search results had no results found but relative links are available.	Relative links should be display. Should show Relative link as mapped in our system.
6	In-case next priority section not available.	The available sections should be displayed without showing blanks (optimized UI).
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1398: Verify job title based related link		
<u>Author:</u>	Abhishek	
<u>Summary:</u>	<p>Prriotiy:</p> <ol style="list-style-type: none"> 5 skills for this job either affinity based or count based.title . Eg:Java Jobs, Analytics Jobs. 5 cities with this JT , basis count of posted jobs . Eg:Product Manager Jobs in Mumbai. 5 Fas job count basis for this Job Title . Eg:IT/Software Jobs. similar job titles. <p>Postconditions:</p> <ol style="list-style-type: none"> Job on each Links should be > = 20 Releated Link section should be displayed after the third job on JSRP on desktop. The title for the related links widget should be "People also viewed jobs by :" 	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Go to Shine.com and search for any location.	a) JSRP should be opened. b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be "People also viewed jobs by :"
2	In case users search results are available and relative links are also available.	Relative links should be display.
3	In case users search results are available and each priority section contain related jobs link >=3	a) Same as Above(Step 2). b) Priority 1 > Priority 2 > priority 3 should display
4	In case users search results are available and one priority section contain related jobs link < 3	Move to next priority section. Example: a) if p1 had relevant job < 3: then display p2 in place of p1. Display: p2 > p3 > p4 , discard p1. b) if p2 jobs < 3, similarly discard p2 Display: p1>p3>p4, discard p2

		c) Generic Case: if any priority <3, discard that and show the next relevant priority.
5	If search results had no results found but relative links are available.	Relative links should be display. Should show Relative link as mapped in our system.
6	In-case next priority section not available.	The available sections should be displayed without showing blanks (optimized UI).
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1399: Verify fa based related link		
<u>Author:</u>	Abhishek	
<u>Summary:</u>		
Priotiy:	<p>1. 5 skills for this FA basis job count . Eg : Java Jobs / PHP Jobs / SQL Jobs. 2. 5 job titles for this FA basis job count . Eg: Product Manager Jobs, Java Developer Jobs. 3. 5 locations with this FA basis count of jobs Eg : IT/SW Jobs in Delhi / IT/SW Jobs in Noida.</p>	
Postconditions:	<p>a) Job on each Links should be > = 20 b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be "People also viewed jobs by :"</p>	
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>
1	Go to Shine.com and search for any location.	a) JSRP should be opened. b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be " People also viewed jobs by : "
2	In case users search results are available and relative links are also available.	Relative links should be display.
3	In case users search results are available and each priority section contain related jobs link >=3	a) Same as Above(Step 2). b) Priority 1 > Priority 2 > priority 3 should display
4	In case users search results are available and one priority section contain related jobs link < 3	Move to next priority section. Example: a) if p1 had relevant job < 3: then display p2 in place of p1. Display: p2 > p3 > p4 , discard p1. b) if p2 jobs < 3, similarly discard p2 Display: p1>p3>p4, discard p2 c) Generic Case: if any priority <3, discard that and show the next relevant priority.
5	If search results had no results found but	Relative links should be display.

	relative links are available.	Should show Relative link as mapped in our system.
6	In-case next priority section not available.	The available sections should be displayed without showing blanks (optimized UI).
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Test Case SC-1400: Verify fa and location based related link

Author: Abhishek

Summary:

Prriotiy:

1. 5 skills of this FA in this location . Eg: Java Jobs in Noida / PHP Jobs in Noida.
2. 5 locations with this FA basis count of jobs with state wise city distribution or analytics based city affinity. Eg :IT/SW Jobs in Gurgaon.
3. 5 JTs for this FA in this location Eg : Java developer jobs in Mumbai.

Postconditions:

- a) Job on each Links should be ≥ 20
- b) Releated Link section should be displayed after the third job on JSRP on desktop.
- c) The title for the related links widget should be "People also viewed jobs by :"

#:	Step actions:	Expected Results:
1	Go to Shine.com and search for any location.	a) JSRP should be opened. b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be "People also viewed jobs by :"
2	In case users search results are available and relative links are also available.	Relative links should be display.
3	In case users search results are available and each priority section contain related jobs link ≥ 3	a) Same as Above(Step 2). b) Priority 1 > Priority 2 > priority 3 should display
4	In case users search results are available and one priority section contain related jobs link < 3	Move to next priority section. Example: a) if p1 had relevant job < 3: then display p2 in place of p1. Display: p2 > p3 > p4 , discard p1. b) if p2 jobs < 3, similarly discard p2 Display: p1>p3>p4, discard p2 c) Generic Case: if any priority <3, discard that and show the next relevant priority.
5	If search results had no results found but relative links are available.	Relative links should be display. Should show Relative link as mapped in our system.
6	In-case next priority section not available.	The available sections should be displayed without showing blanks (optimized UI).

<u>Execution type:</u>	Automated
<u>Priority:</u>	Medium
<u>Last Result</u>	Not Run
<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1401: Verify skill and location based related link

Author: Abhishek

Summary:

Prriotiy:

1. 5 Similar skills to this skills in this location. Eg:PHP Jobs in Noida , SQL Jobs in Noida.
2. JTs for this skill in this location.Eg: Product Manager Jobs in Noida.
3. 5 locations with this skill basis state affinity or analytics based city affinity. Eg : Java Jobs in Gurgaon, Delhi etc.

Postconditions:

- a) Job on each Links should be ≥ 20
- b) Releated Link section should be displayed after the third job on JSRP on desktop.
- c) The title for the related links widget should be "People also viewed jobs by :"

#:	Step actions:	Expected Results:
1	Go to Shine.com and search for any location.	a) JSRP should be opened. b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be "People also viewed jobs by :"
2	In case users search results are available and relative links are also available.	Relative links should be display.
3	In case users search results are available and each priority section contain related jobs link ≥ 3	a) Same as Above(Step 2). b) Priority 1 > Priority 2 > priority 3 should display
4	In case users search results are available and one priority section contain related jobs link < 3	Move to next priority section. Example: a) if p1 had relevant job < 3: then display p2 in place of p1. Display: p2 > p3 > p4 , discard p1. b) if p2 jobs < 3, similarly discard p2 Display: p1>p3>p4, discard p2 c) Generic Case: if any priority <3, discard that and show the next relevant priority.
5	If search results had no results found but relative links are available.	Relative links should be display. Should show Relative link as mapped in our system.
6	In-case next priority section not available.	The available sections should be displayed without showing blanks (optimized UI).
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	

<u>Requirements</u>	None
<u>Keywords:</u>	None

Test Case SC-1402: Verify job title and location based related link

Author: Abhishek

Summary:

Prriotiy:

1. 5 skills for this JT in this location. Eg : Java Jobs in Noida, PHP Jobs in Noida.
2. 5 locations with this JT basis analytics city affinity. Eg : Java Developer Jobs in Gurgaon, Delhi etc.
3. 5 Fas for this JT in this location. Eg:IT/SW Jobs in Noida.
4. 5 similar JTs in this location.

Postconditions:

- a) Job on each Links should be ≥ 20
- b) Releated Link section should be displayed after the third job on JSRP on desktop.
- c) The title for the related links widget should be "People also viewed jobs by :"

#:	Step actions:	Expected Results:
1	Go to Shine.com and search for any location.	a) JSRP should be opened. b) Releated Link section should be displayed after the third job on JSRP on desktop. c) The title for the related links widget should be "People also viewed jobs by :"
2	In case users search results are available and relative links are also available.	Relative links should be display.
3	In case users search results are available and each priority section contain related jobs link ≥ 3	a) Same as Above(Step 2). b) Priority 1 > Priority 2 > priority 3 should display
4	In case users search results are available and one priority section contain related jobs link < 3	Move to next priority section. Example: a) if p1 had relevant job < 3: then display p2 in place of p1. Display: p2 > p3 > p4 , discard p1. b) if p2 jobs < 3, similarly discard p2 Display: p1>p3>p4, discard p2 c) Generic Case: if any priority <3, discard that and show the next relevant priority.
5	If search results had no results found but relative links are available.	Relative links should be display. Should show Relative link as mapped in our system.
6	In-case next priority section not available.	The available sections should be displayed without showing blanks (optimized UI).
<u>Execution type:</u>	Automated	
<u>Priority:</u>	Medium	
<u>Last Result</u>	Not Run	
<u>Requirements</u>	None	
<u>Keywords:</u>	None	

Reports and Metrics
