```
STAGE 1 REVIEW
ADMIN@DESKTOP-NTE5JUC MINGW64 ~
$ mkdir stage1
ADMIN@DESKTOP-NTE5JUC MINGW64 ~
$ cd stage1
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ mkdir java c shellscript
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ touch java.txt c.txt shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ 1s -1
total 0
drwxr-xr-x 1 ADMIN 197121 0 May 24 08:21 c/
drwxr-xr-x 1 ADMIN 197121 0 May 24 08:21 C/
-rw-r--r- 1 ADMIN 197121 0 May 24 08:21 c.txt
drwxr-xr-x 1 ADMIN 197121 0 May 24 08:21 java/
-rw-r--r- 1 ADMIN 197121 0 May 24 08:21 java.txt
drwxr-xr-x 1 ADMIN 197121 0 May 24 08:21 shellscript/
-rw-r--r- 1 ADMIN 197121 0 May 24 08:21 shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cp java.txt java/
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cp c.txt c/
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cp shellscript.txt shellscript/
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ ls
c/ c.txt java/ java.txt shellscript/ shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ 1s -1
total 0
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:22 java.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ cd ..
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd c
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
$ 1s -1
total 0
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:23 c.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
$ cd ..
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd shellscript
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript
$ 1s -1
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:23 shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd c
```

```
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
$ mv c.txt b.c
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c $ 1s
b.c
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
$ cd ..
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1 $ cd java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ mv java.txt a.java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ 1s
a.java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ cd ..
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd shellscript
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript $ mv shellscript.txt shellscript.sh
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript
$ ls
shellscript.sh
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1 $ rm java.txt c.txt shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ 1s
c/ java/ shellscript/
```

```
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/clc523
$ cd ..
ADMIN@DESKTOP-NTE5JUC MINGW64 ~
$ mkdir stage1
ADMIN@DESKTOP-NTE5JUC MINGW64 ~
$ cd stage1
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ mkdir java c shellscript
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ touch java.txt c.txt shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ 15 -1
total 0
drwxr-xr-x 1 ADMIN 197121 0 May 24 08:21 c/
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:21 c.txt
drwxr-xr-x 1 ADMIN 197121 0 May 24 08:21 java/
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:21 java.txt
drwxr-xr-x 1 ADMIN 197121 0 May 24 08:21 shellscript/
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:21 shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cp java.txt java/
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cp c.txt c/
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cp shellscript.txt shellscript/
ADMIN@DESKTOP-NTE53UC MINGW64 ~/stage1
$ 15
c/ c.txt java/ java.txt shellscript/ shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ 15 -1
total 0
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:22 java.txt
ADMIN@DESKTOP-NTE53UC MINGW64 ~/stage1/java
$ cd ..
```

```
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd c
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
$ 1s -1
total 0
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:23 c.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
$ cd ..
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd shellscript
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript
$ 15 -1
total 0
-rw-r--r-- 1 ADMIN 197121 0 May 24 08:23 shellscript.txt
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript
$ cd ..
ADMIN@DESKTOP-NTE53UC MINGW64 ~/stage1
$ cd c
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
$ mv c.txt b.c
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/c
b.c
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ mv java.txt a.java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
$ 1s
a. java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/java
ADMIN@DESKTOP-NTE5JUC MINGW64 ~
$ cd shellscript
bash: cd: shellscript: No such file or directory
ADMIN@DESKTOP-NTE5JUC MINGW64 ~
$ cd stage1
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ cd shellscript
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript
$ mv shellscript.txt shellscript.sh
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1/shellscript
$ 15
shellscript.sh
```

```
ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ rm java.txt c.txt shellscript.txt

ADMIN@DESKTOP-NTE5JUC MINGW64 ~/stage1
$ ls
c/ java/ shellscript/
```

This PC > Local Disk (C:) > Users > ADMIN > stage1

