

New.php

```
<!DOCTYPE html>
<html>
<head>
  <title>Film Flare</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Lilita+One&display=swap"
rel="stylesheet">
  <link rel="stylesheet" href="external.css">

  <style>
    .movie-container {
      display: flex;
      justify-content: center;
      flex-wrap: wrap;
    }

    .movie-box {
      width: 200px;
      height: 300px;
      border: 1px solid #ccc;
      border-radius: 10px;
      margin: 10px;
      overflow: hidden;
      cursor: pointer;
      transition: transform 0.2s ease-in-out;
    }

    .movie-box img {
      width: 100%;
      height: 70%;
      object-fit: cover;
      transition: transform 0.2s ease-in-out;
    }

    .movie-box .movie-info {
      padding: 10px;
    }

    .movie-box h3 {
      font-size: 18px;
      white-space: nowrap;
      overflow: hidden;
      text-overflow: ellipsis;
      margin: 0;
    }
  </style>

```

```

    }

    .movie-box p {
        margin: 0;
    }

    .movie-box:hover {
        transform: scale(1.1);
    }

</style>
</head>
<body>
    <h1 id="mainTitle">Film Flare</h1>
    <nav class="nvbar">
        <ul>
            <li><a href="new.php">Home</a></li>
            <li><a href="aboutus.html">About Us</a></li>
            <li><a href="events.html">Events</a></li>
            <li><a href="contactus.html">Contact us</a></li>
            <div class="search"><input type="text" placeholder="Search this
website"></div>
        </ul>

    </nav>
    <br>
    <br>
    <div style="background-color: black; padding: 10px; width:
500px; height: 50px; margin: 0 auto;">
        <marquee behavior="scroll" direction="left">
            <p style="color: white; font-weight: bold; font-family: 'Playfair
Display', serif;">BOOK NOW! BOOK NOW! BOOK NOW! BOOK NOW! BOOK NOW!<br>
                SHOWS FOR TOMORROW!! SHOWS FOR TOMORROW!! SHOWS FOR TOMORROW!!</p>
        </marquee>
    </div>
    <br>
    <br>

    <div class="movie-container">
        <?php
            $connection = mysqli_connect("localhost", "root", "",
"movie_booking");
            if (!$connection) {
                die("Database connection failed: " . mysqli_connect_error());
            }

            $query = "SELECT id, title, ticket_price, image_url FROM movies";

```

```

        $result = mysqli_query($connection, $query);
        while ($row = mysqli_fetch_assoc($result)) { //iterates through the
rows and assigns to variables
            $id = $row['id'];
            $title = $row['title'];
            $ticket_price = $row['ticket_price'];
            $image_url = $row['image_url'];

            echo "<div class='movie-box' onclick='bookMovie($id,
\"$title\")'>";
            echo "<img src='$image_url' alt='$title'>";
            echo "<div class='movie-info'>";
            echo "<h3>$title</h3>";
            echo "<p>Ticket Price: $ticket_price</p>";
            echo "</div>";
            echo "</div>";
        }
        mysqli_close($connection);
    ?>
</div>

<script>
    function bookMovie(movieId, movieName) {
        window.location.href = "booking.php?movie=" + movieId + "&name=" +
encodeURIComponent(movieName);
    }
</script>
</body>
</html>

```

Booking.php

```

<!-- booking.php -->
<!DOCTYPE html>
<html>
<head>
    <title>Film Flare</title>
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Lilita+One&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="external.css">
    <style>
    body {
        font-family: "Lucida Sans Unicode", sans-serif;
    }

```

```

        background-color: #f5f5f5;
        margin: 0;
        padding: 0;
    }
    form{
        background-color: #fff;
        border-radius: 10px;
        padding: 20px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
        width: 400px;
        text-align: center;
        margin-left: 20px;
    }
    #main_container {
        display: flex;
        justify-content: center;
        align-items: center;
        height: 100vh;
    }
    img {
        display: block;
        margin: 0 auto;
        max-width: 100%;
        height: auto;
        border-radius: 10px;
        box-shadow: 0 2px 6px rgba(0, 0, 0, 0.1);
    }
</style>
</head>
<body>
    <h1 id="mainTitle">Film Flare</h1>
    <nav class="nvbar">
        <ul>
            <li><a href="new.php">Home</a></li>
            <li><a href="aboutus.html">About Us</a></li>
            <li><a href="events.html">Events</a></li>
            <li><a href="contactus.html">Contact us</a></li>
            <div class="search"><input type="text" placeholder="Search this
website"></div>
        </ul>

    </nav>
    <br>
    <br>
    <?php
    if ($_SERVER["REQUEST_METHOD"] == "POST") {
        $connection = mysqli_connect("localhost", "root", "",
"movie_booking");

```

```

    if (!$connection) {
        die("Database connection failed: " . mysqli_connect_error());
    }

    $movieId = $_POST["movie"];
    $name = $_POST["name"];
    $seats = $_POST["seats"];

    $query = "SELECT tickets_available, ticket_price, title, description,
image_url FROM movies WHERE id = '$movieId'";
    $result = mysqli_query($connection, $query);

    if (!$result) {
        die("Error: " . mysqli_error($connection));
    }

    $row = mysqli_fetch_assoc($result);
    $ticketsAvailable = $row['tickets_available'];
    $ticketPrice = $row['ticket_price'];
    $movieTitle = $row['title'];
    $movieDescription = $row['description'];
    $movieImage = $row['image_url'];

    if ($ticketsAvailable >= $seats) {
        $query = "INSERT INTO bookings (movie_id, name, seats) VALUES
('$movieId', '$name', '$seats')";
        mysqli_query($connection, $query);

        $newTicketsAvailable = $ticketsAvailable - $seats;
        $updateQuery = "UPDATE movies SET tickets_available =
'$newTicketsAvailable' WHERE id = '$movieId'";
        mysqli_query($connection, $updateQuery);

        header("Location: new.php");
        exit();
    } else {
        echo "<p style='color: red;font-weight:bold;font-
size:20px;'>Sorry, tickets are not available for the selected movie.</p>";
        echo "<br>";
    }

    mysqli_close($connection);
}
else if (isset($_GET['movie'])) {
    $movieId = $_GET['movie'];

    $connection = mysqli_connect("localhost", "root", "",
"movie_booking");

```

```

        if (!$connection) {
            die("Database connection failed: " . mysqli_connect_error());
        }

        $query = "SELECT title, ticket_price, description, image_url FROM
movies WHERE id = '$movieId'";
        $result = mysqli_query($connection, $query);

        if (!$result) {
            die("Error: " . mysqli_error($connection));
        }

        $row = mysqli_fetch_assoc($result);
        $movieTitle = $row['title'];
        $ticketPrice = $row['ticket_price'];
        $movieDescription = $row['description'];
        $movieImage = $row['image_url'];

        mysqli_close($connection);
    }
    ?>
    <div id="main_container">
    <form action="booking.php" method="POST" onsubmit="return
confirmBooking()">
        <label for="movie">Selected Movie:</label>
        <?php
        if (isset($movieId) && isset($movieTitle)) {
            echo "<input type='hidden' name='movie' value='$movieId'>";
            echo "<input type='text' value='$movieTitle' disabled>";
        }
        ?>
        <br>
        <br>

        <?php
        if (isset($movieImage)) {
            echo "<img src='$movieImage' alt='$movieTitle' width='200'
height='200'>";
        }
        ?>
        <?php
        if (isset($movieDescription)) {
            echo "<p>$movieDescription</p>";
        }
        ?>
        <br>
        <label for="name">Your Name:</label>
        <input type="text" name="name" id="name" required>

```

```

        <br>
        <br>
        <label for="seats">Number of Seats:</label>
        <input type="number" name="seats" id="seats" min="1" max="10"
required>
        <br>
        <br>
        <br>
        <input type="submit" value="Book Now">
        <br>

    </div>
    <script>
        function confirmBooking() {
            const ticketPrice = <?php echo json_encode($ticketPrice); ?>;
            const numSeats = document.getElementById("seats").value;
            const totalCost = ticketPrice * numSeats;
            const confirmation = confirm("Total Price: " + totalCost +
"\n\nConfirm booking?");
            return confirmation;
        }
    </script>
</body>
</html>

```

External.css

```

.nvbar{
    background-color:rgb(234, 11, 11);
    border-radius: 10px;
}

.nvbar li{
    float: left;          /*If ar all we just float the elements.. it
overflows its parent and therefore no bg color visible*/
    list-style: none;
    margin:5px 55px;
    padding-top: 6px;
}

```

```

/*all li elements come under nav bar so to make things under the overflow
limit */
.nvbar ul{
    overflow: auto;
    margin-top: 0px;
    margin-bottom: 0px;

}
a{
    color:whitesmoke;
    text-decoration: none;
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS',
sans-serif;
    padding: 42px;
}

a:hover{
    color:rgb(237, 159, 159);
}

.nvbar input{
    margin:10px;
    padding: 1px 8px;
    border-radius:10px ;
    width: 147px;
    border:2px solid black
}
#mainTitle{
    text-align: center;
    color: white;
    background-color:rgb(30, 29, 29);
    width:auto;
    height: 50px;

    margin-top: 0px;
    margin-bottom: 0px;
    border-radius: 10px;
    font-family: 'Lilita One', cursive;
    letter-spacing: 2px;
}

```

Aboutus.html

```

<!DOCTYPE html>
<html>
<head>
    <title>About Us - Movie Booking Platform</title>

```



```

<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Lilita+One&display=swap"
rel="stylesheet">
<link rel="stylesheet" href="external.css">
<style>
    body {
        font-family: Arial, sans-serif;
        background-color: #f2f2f2;
        margin: 0;
    }
    .container {
        max-width: 800px;
        margin: 0 auto;
        padding: 20px;
        background-color: #fff;
        border-radius: 10px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
    }

    h1 {
        text-align: center;
        color: #363677;
    }

    p {
        line-height: 1.6;
        margin-bottom: 20px;
    }
</style>
</head>
<body>

<h1 id="mainTitle">Movie Booking Platform</h1>
<nav class="nvbar">
    <ul>
        <li><a href="new.php">Home</a></li>
        <li><a href="aboutus.html">About Us</a></li>
        <li><a href="events.html">Events</a></li>
        <li><a href="contactus.html">Contact us</a></li>
        <div class="search"><input type="text" placeholder="Search this
website"></div>
    </ul>

</nav>
<br>
<br>

```

```

<div class="container">
  <h1>About Us</h1>
  <p>Welcome to our Movie Booking Platform! We are a team of movie
enthusiasts who have come together to create an
    online platform that makes movie booking a breeze. Whether you are a
    cinephile or just looking for a fun night out,
    our platform offers a wide selection of the latest and greatest movies
    for you to choose from.
  <br><br>
  At Movie Booking Platform, we believe in providing our customers with
a seamless and enjoyable movie booking experience.
  With our user-friendly interface, you can easily browse through the
available movies, check ticket availability, and book
    your seats in just a few clicks.

  Our mission is to bring the magic of the silver screen to your
fingertips. We strive to make your movie-going experience
    as convenient as possible, so you can focus on what really matters -
    enjoying the movie!

  Thank you for choosing Movie Booking Platform for all your movie
ticket needs.
  We value your feedback and are committed to continuously improving
our platform to serve you better.
  <br><br>
  If you have any questions or suggestions, please don't hesitate to
contact us. Happy movie booking!</p>
</div>
</body>
</html>

```

Contact us.html

```

<!DOCTYPE html>
<html>
<head>
  <title>Contact Us - Film Flare</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Lilita+One&display=swap"
rel="stylesheet">
  <link rel="stylesheet" href="external.css">
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f2f2f2;
    }
  </style>

```

```
    margin: 0;
}

.container {
    max-width: 800px;
    margin: 0 auto;
    padding: 20px;
    background-color: #fff;
    border-radius: 10px;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
}

h1 {
    text-align: center;
    color: #371854;
}

form {
    margin-top: 20px;
}

label {
    display: block;
    margin-bottom: 8px;
    color: #333;
}

input[type="text"],
textarea {
    width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 5px;
    resize: vertical;
}

textarea {
    height: 150px;
}

input[type="submit"] {
    background-color: #351454;
    color: #fff;
    border: none;
    padding: 12px 20px;
    cursor: pointer;
    border-radius: 5px;
}
```

```

        input[type="submit"]:hover {
            background-color: #6a1a9a;
        }
    </style>
</head>
<body>
    <h1 id="mainTitle">Film Flare</h1>
    <nav class="nvbar">
        <ul>
            <li><a href="new.php">Home</a></li>
            <li><a href="aboutus.html">About Us</a></li>
            <li><a href="events.html">Events</a></li>
            <li><a href="contactus.html">Contact us</a></li>

        </ul>

    </nav>
    <br><br>
    <div class="container">
        <h1>Contact Us</h1>
        <p>Have a question or feedback? Feel free to get in touch with us
using the form below:</p>

        <form action="save_message.php" method="POST">
            <label for="name">Name:</label>
            <input type="text" id="name" name="name" required>

            <label for="email">Email:</label>
            <input type="text" id="email" name="email" required>

            <label for="message">Message:</label>
            <textarea id="message" name="message" required></textarea>
            <br>
            <input type="submit" value="Send Message">
        </form>
    </div>
</body>
</html>

```

Save_msg.php

```

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $connection = mysqli_connect("localhost", "root", "", "movie_booking");

```

```

if (!$connection) {
    die("Database connection failed: " . mysqli_connect_error());
}

$name = $_POST["name"];
$email = $_POST["email"];
$message = $_POST["message"];

$query = "INSERT INTO messages (name, email, message) VALUES ('$name',
'$email', '$message')";

if (mysqli_query($connection, $query)) {
    mysqli_close($connection);
    header("Location: new.php");
    exit();
} else {
    echo "Error: " . mysqli_error($connection);
}

mysqli_close($connection);
} else {
    echo "Invalid request.";
}
?>

```

Events.html

```

<!DOCTYPE html>
<html>
<head>
    <title>Events - Film Flare</title>
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Lilita+One&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="external.css">
    <style>

        body {
            font-family: 'Lilita One', cursive;
            background-color: #f2f2f2;
            margin: 0;
        }
    </style>

```

```

.container {
    max-width: 800px;
    margin: 0 auto;
    padding: 20px;
    background-color: #fff;
    border-radius: 10px;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
}

h1 {
    text-align: center;
    color: #2e0e4b;
}

.event {
    margin-bottom: 20px;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 5px;
}

.event h2 {
    margin-top: 0;
    color: #333;
}

.event p {
    color: #666;
}
button{
    background-color: #2e0e4b;
}
</style>
</head>
<body>
    <h1 id="mainTitle">Film Flare</h1>
    <nav class="nvbar">
        <ul>
            <li><a href="new.php">Home</a></li>
            <li><a href="aboutus.html">About Us</a></li>
            <li><a href="events.html">Events</a></li>
            <li><a href="contactus.html">Contact us</a></li>
            <div class="search"><input type="text" placeholder="Search this
website"></div>
        </ul>
    </nav>
    <br><br>

```

```
<div class="container">
  <h1>EVENTS</h1>
  <div class="event">
    <h2>MOVIE MARATHON MADNESS</h2>
    <p>Date: August 20, 2023</p>
    <p>Time: 7:00 PM</p>
    <p>Location: PVR Forum Mall</p>
    <p>Description : Get ready for a thrilling movie marathon like
never before! Join us for the "Movie Marathon Madness" event,
      where we willbe screening back-to-back blockbuster movies
from various genres. From action-packed adventures to
      heartwarming romances, this event has something for everyone.
Grab your popcorn, sit back, and enjoy an unforgettable
      cinematic experience with your friends and family. Don't miss
this chance to relive the magic
      of the big screen with a marathon of your favorite movies.
Book your seats now and make memories that will last a
      lifetime! </p>
  </div>

  <div class="event">
    <h2>RED CARPET PREMIER NIGHT</h2>
    <p>Date: September 5, 2023</p>
    <p>Time: 6:30 PM</p>
    <p>Location:INOX Mantri Mall</p>
    <p>Description : It's time to dress to impress and walk the red
carpet at our exclusive "Red Carpet Premiere Night" event!
      Be a part of the glitz and glamour as we roll out the red
carpet for a star-studded evening. Rub shoulders with celebrities,
      filmmakers, and movie enthusiasts as we showcase the latest
blockbuster movie release. Experience the excitement of a movie premiere
      with all the paparazzi and flashing cameras. This event
promises an unforgettable night filled with elegance, entertainment, and
      luxury. So put on your best attire and step into the
spotlight for a night of Hollywood-style indulgence.
      Limited seats available, book now to secure your place at the
most awaited movie event of the year! </p>
  </div>

  <button><a href="contactus.html">Contact Us</a></button>
</div>
</body>
</html>
```