CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY
An Autonomous Institute | Affiliated to Osmania University
Kokapet Village, Gandipet Mandal, Hyderabad, Telangana-500075, www.cbit.ac.in

COMMITTED TO RESEARCH, INNOVATION AND EDUCATION 47 years

FULL STACK WEB DEVELOPMENT (22CAC09N)

CASE STUDY REPORT

Title: Comparative Case Study on Job & Internship Portal

Submitted by:


NAME: KAAVALI DEBHORA
Roll Number: 160124748313

NAME: RENUKUNTA ANUSHA

Roll Number: 160124748088

Date of Submission: 24/09/2026
Year / Semester / Section: 3rd / V / CSM-2

Case Study Topic: Job & Internship Portal



1. INTRODUCTION

The Job & Internship Portal is a web application that helps students find jobs and internships.

Students can search for opportunities, filter them based on their needs, view job details, apply for jobs, and check their application status.

The portal also helps recruiters manage job and internship applications.

2. TECHNOLOGIES USED

Frontend – React.js

- Used to create the website interface.
- Helps users search and filter jobs easily.
- Provides a fast and interactive user experience.


Backend – Node.js and Express.js

- Handles the requests from users.
- Connects the frontend with the database.
- Manages login, registration, and applications.

Database – MongoDB

- Stores user information.
- Stores job and internship details.
- Stores application and status information.

3. SYSTEM ARCHITECTURE & FLOW



User Flow

User → Search / Filter → View Opportunity → Apply → My Applications → Check Status

Architecture

React.js → Node.js / Express.js → MongoDB

Request–Response Flow

1. User searches or filters a job.
2. React sends the request to the backend.
3. Node.js and Express process the request.
4. MongoDB stores or provides the required data.
5. The result is sent back to the React application.
6. The user can see the updated information on the website.

4. MAIN FEATURES

1. Login and Registration

Users can create an account and log in securely.

2. Search and Filter

Users can search jobs and internships using:

- Job role
- Location
- Company
- Salary or stipend
- Job type

3. Job Details

Users can view:

- Job title
- Company name
- Eligibility
- Job description
- Location
- Deadline

4. Apply for Jobs

Users can apply for a selected job or internship.

5. My Applications

Users can view their submitted applications and check their status.

Example statuses:

- Submitted
- Under Review
- Shortlisted
- Rejected

5.IMPLEMENTATION DETAILS

APP.JSX

```
import { useState } from "react";
import "./App.css";
const jobs = [
  { title: "Python Developer", company: "TCS", type: "Job" },
  { title: "AI/ML Intern", company: "Google", type: "Internship" },
```

```
  { title: "Web Developer", company: "Infosys", type: "Job" },
  { title: "Data Science Intern", company: "Microsoft", type: "Internship" }
];
function App() {
  const [page, setPage] = useState("home");
  const [search, setSearch] = useState("");
  const [type, setType] = useState("All");
  const [applications, setApplications] = useState([
    { title: "AI/ML Intern", company: "Google", status: "Shortlisted" }
  ]);
  const result = jobs.filter(
    j =>
      j.title.toLowerCase().includes(search.toLowerCase()) &&
      (type === "All" || j.type === type)
  );
  function apply(job) {
    setApplications([
      ...applications,
      {
        title: job.title,
        company: job.company,
        status: "Applied"
      }
    ]);
    alert("Application submitted!");
    setPage("applications");
  }
  return (
    <div>
```

```
<nav>
  <h2> CareerHub</h2>
  <button onClick={() => setPage("home")}>Home</button>
  <button onClick={() => setPage("jobs")}>Jobs</button>
  <button onClick={() => setPage("applications")}>
   Applications
  </button>
</nav>
{page === "home" && (
  <div className="home">
    <h1>Find Your Next Opportunity</h1>
    <p>Find jobs and internships in one place.</p>
    <button onClick={() => setPage("jobs")}>
     Explore Jobs
    </button>
    <div className="stats">
      <div>120+<small> Jobs</small></div>
      <div>80+<small> Internships</small></div>
      <div>{applications.length}<small> Applications</small></div>
    </div>
  </div>
)}
{page === "jobs" && (
  <div className="page">
    <h1>Jobs & Internships</h1>
    <input
      placeholder="Search..."
      onChange={e => setSearch(e.target.value)}
    />
```

```
        <select onChange={e => setType(e.target.value)}>
          <option>All</option>
          <option>Job</option>
          <option>Internship</option>
        </select>
        <div className="cards">
          {result.map((job, i) => (
            <div className="card" key={i}>
              <h2>{job.title}</h2>
              <p>{job.company}</p>
              <span>{job.type}</span>
              <button onClick={() => apply(job)}>
                Apply Now
              </button>
            </div>
          ))}
        </div>
      </div>
    )}
    {page === "applications" && (
      <div className="page">
        <h1>My Applications</h1>
        {applications.map((app, i) => (
          <div className="application" key={i}>
            <div>
              <h3>{app.title}</h3>
              <p>{app.company}</p>
            </div>
```

APP.CSS

```
body {
  margin: 0;
  font-family: Arial;
  background: #f4f6f8;
}
nav {
  background: #222;
  color: white;
  padding: 15px 7%;
  display: flex;
  align-items: center;
  gap: 20px;
}
nav h2 {
  margin-right: auto;
}
button {
  padding: 10px 15px;
  border: 0;
  border-radius: 5px;
  cursor: pointer;
  background: #222;
  color: white;
}
nav button {
  background: none;
}
button:hover {
  background: #087f5b;
```

```
}
.home {
  text-align: center;
  padding: 80px 20px;
}
.home h1 {
  font-size: 40px;
}
.stats {
  display: flex;
  justify-content: center;
  gap: 20px;
  margin-top: 50px;
}
.stats div {
  background: white;
  padding: 25px;
  width: 150px;
  border-radius: 10px;
  font-size: 25px;
  box-shadow: 0 2px 8px #ddd;
}
.stats small {
  display: block;
  font-size: 14px;
}
.page {
  width: 90%;
  max-width: 900px;
```

```
  margin: 40px auto;
  text-align: center;
}
input,
select {
  padding: 12px;
  margin: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
}
input {
  width: 250px;
}
.cards {
  display: flex;
  justify-content: center;
  gap: 20px;
  flex-wrap: wrap;
  margin-top: 25px;
}
.card {
  background: white;
  width: 200px;
  padding: 20px;
  border-radius: 10px;
  box-shadow: 0 2px 8px #ddd;
}
.card p {
  color: #666;
```

```
}
.card span {
  background: #eee;
  padding: 5px 10px;
  border-radius: 15px;
}
.card button {
  display: block;
  width: 100%;
  margin-top: 20px;
}
.application {
  background: white;
  padding: 20px;
  margin: 15px auto;
  max-width: 700px;
  display: flex;
  justify-content: space-between;
  align-items: center;
  text-align: left;
  border-radius: 10px;
  box-shadow: 0 2px 8px #ddd;
}
.application span {
  padding: 8px 15px;
  border-radius: 20px;
}
.applied {
  background: #fff3cd;
```


```
}
.shortlisted {
  background: #d1e7dd;
}
.process {
  background: white;
  padding: 20px;
  margin-top: 30px;
  border-radius: 10px;
}
```

MAIN.JSX


```
import { createRoot } from "react-dom/client";
import App from "./App";
import "./App.css";
createRoot(document.getElementById("root")).render(<App />);
```

6 RESULTS & SNAPSHOTS:


Home Page and Job Search



Job/Internship Details Page



Apply for Job/Internship&My Applications Page



6. CONCLUSION & FUTURE SCOPE

Conclusion

The Job & Internship Portal makes it easier for students to find and apply for jobs and internships.

It provides useful features such as job search, filtering, online application, and application status tracking.

Future Scope

The project can be improved by adding:

- Resume upload and automatic resume checking.
- Email notifications for application updates.
- Recruiter login and candidate management.
- Job recommendations based on student skills.
- Mobile application support.

TECHNOLOGIES USED

Frontend: React.js
Backend: Node.js, Express.js
Database: MongoDB