HTML AND CSS STYLE

This is how I implemented HTML Style with CSS:

```
margin: 0;
       padding: 0;
       box-sizing:border-box ;
       font-family: "Poppins", sans-serif;
   body{
       min-height: 100vh;
       background: url(bgc.jpg) no-repeat ;
       background-size: cover ;
       background-position: center;
   .Welcome{
       font-size: 32px;
       color: white;
       text-decoration: none;
       font-weight: 700;
       left: 30%;
       right: auto;
       margin-left: 0;
       margin-right: 20%;
.header{
   position:fixed;
   top: auto;
   left: auto;
   top: auto;
   bottom: auto;
   width: 100%;
   padding: 20px 100px;
   display: flex;
   justify-content:space-between ;
   align-items:center ;
   z-index: 100;
   background-color: black;
```

```
.navbar a{
    font-size: 20px;
   color: white;
   font-weight: 500;
   text-decoration:underline;
    left: auto;
   right: auto;
   margin: 50px;
   font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida
Sans', 'Arial', 'sans-serif';
   cursor: pointer;
.navbar a ::before{
   content: '';
   position:absolute ;
   top: 100%;
   left: 0;
   width: 0;
   height:2px;
   background: #fff;
.navbar a ::after{
   position: absolute;
   content: '';
   top: 0;
   left: 0;
   width: 0;
   height: 100%;
   background: black;
   transition: all 0.35s;
   border-radius: 4px;
.navbar a:hover{
```

```
background-color: grey;
}
.navbar a .bar{
  width: 25;
}
```

```
body{
    background:url(Nikelogo.jpg) no-repeat;
    background-position: center;
    min-height: 100vh;
    background-size: cover;
    left: auto;
    right: auto;
    top: auto;
    bottom: auto;
.desc{
    color: aliceblue;
.me{
    margin-left:auto;
    margin-right:auto;
    text-align: center;
 #myBtn{
    position: fixed;
    bottom: 20px;
    right: 30px;
    z-index: 99;
    border: none;
    outline: none;
    background-color: white;
    padding: 15px;
    border-radius: 10px;
    font-size: 18px;
```

```
cursor: pointer;

}
#myBtn:hover{
  background-color: grey;
}
```

```
body{
   background:url(pumalogo.png) no-repeat;
    background-position: center;
    min-height: 100vh;
    background-size: cover;
    left: auto;
    right: auto;
    top: auto;
    bottom: auto;
.desc{
    color: aliceblue;
.me{
   margin-left:auto;
   margin-right:auto;
    text-align: center;
#myBtn{
   position: fixed;
    bottom: 20px;
    right: 30px;
    z-index: 99;
    border: none;
   outline: none;
   background-color: white;
    padding: 15px;
    border-radius: 10px;
```

```
font-size: 18px;
  cursor: pointer;

}
#myBtn:hover{
  background-color: grey;
}
```

```
body{
   background:url(adidaslogo.jpg) no-repeat;
    background-position: center;
    min-height: 100vh;
    background-size: cover;
    left: auto;
    right: auto;
    top: auto;
    bottom: auto;
.desc{
    color: aliceblue;
.me{
   margin-left:auto;
   margin-right:auto;
    text-align: center;
#myBtn{
    position: fixed;
    bottom: 20px;
   right: 30px;
    z-index: 99;
   border: none;
    outline: none;
    background-color: white;
    padding: 15px;
```

```
border-radius: 10px;
    font-size: 18px;
    cursor: pointer;
 #myBtn:hover{
   background-color: grey;
body{
    background:url(logos.jpg) no-repeat;
    background-position: center;
    min-height: 100vh;
    background-size: cover;
    left: auto;
    right: auto;
   top: auto;
    bottom: auto;
.desc{
    color: aliceblue;
.me{
   margin-left:auto;
   margin-right:auto;
    text-align: center;
#myBtn{
   position: fixed;
   bottom: 20px;
   right: 30px;
    z-index: 99;
   border: none;
    outline: none;
    background-color: white;
    padding: 15px;
    border-radius: 10px;
```

```
font-size: 18px;
  cursor: pointer;

}
#myBtn:hover{
  background-color: grey;
}
```

Results:





