

AI Driven Privacy Preserving Digital Ecosystem for Modernizing Sri Lanka's Paddy Supply Chain

R26-SE-007

Project Proposal Report
Kumarasingha P.A.N.D – IT22294784

B.Sc. (Hons) Degree in Information Technology Specialized in
Software Engineering

Department of Software Engineering
Sri Lanka Institute of Information Technology Sri Lanka

March 2026

DECLARATION

I declare that this is my own work, and this proposal does not knowingly incorporate any material previously submitted for a degree or diploma at any other university or higher education institution, nor does it contain any material that has been previously published or written by another person apart from where proper acknowledgment is given in the text.

Name	Student ID	Signature
Kumarasingha P.A.N.D.	IT22294784	

The above candidate is conducting research for their undergraduate Dissertation under my supervision.

Name	Date	Signature
Dr. Mahima Weerasinghe	16.03.2026	

Name	Date	Signature
Mr. Eishan Weerasinghe	14.03.2026	

ABSTRACT

Paddy farming plays a crucial role in global food security, particularly in countries such as Sri Lanka where rice is the primary staple food consumed by the majority of the population. However, farmers often face numerous challenges in managing paddy cultivation due to unpredictable weather patterns, soil nutrient imbalances, pest infestations, plant diseases, and inefficient resource management. Traditional farming practices mainly rely on farmers' experience and manual observation of field conditions, which may lead to inaccurate decisions regarding irrigation scheduling, fertilizer usage, and disease management. These limitations can negatively impact crop productivity, increase farming costs, and reduce overall agricultural efficiency [11], [12].

Recent advancements in precision agriculture technologies such as the Internet of Things (IoT), machine learning, and digital twin systems provide new opportunities to improve data-driven agricultural decision-making [10]. A digital twin is a virtual representation of a physical system that continuously receives real-time data to monitor, analyze, and optimize operations [2], [3]. However, many existing smart agriculture systems provide generalized recommendations based on regional datasets and lack **farmer-specific and location-specific decision support**. In addition, existing systems rarely integrate crop disease monitoring with environmental simulation models [3], [10].

To address these limitations, this research proposes the development of a **Digital Twin for Paddy Farming** that integrates IoT sensor data, environmental information, and machine learning models to create a virtual representation of individual paddy fields. The system will collect data related to soil nutrients (Nitrogen, Phosphorous, Potassium), soil pH, temperature, humidity, rainfall, and soil moisture using IoT sensors and external environmental data sources. Machine learning algorithms will analyze these data to simulate crop growth conditions and generate predictive insights such as yield prediction, irrigation recommendations, and fertilizer optimization tailored to specific farmers and locations [1], [8].

Additionally, the proposed system will allow farmers to upload paddy leaf images at different cultivation stages such as two weeks, one month, two months, and three months after planting. Image analysis models will identify potential crop diseases and provide treatment recommendations, including suitable pesticides or medicines and guidance on obtaining appropriate agricultural inputs. Deep learning and computer vision techniques have demonstrated high accuracy in detecting plant diseases from leaf images and supporting early crop disease diagnosis [4]–[7].

The expected outcomes include a functional digital twin platform, crop disease detection system, predictive analytics tools, and a user-friendly decision-support dashboard for farmers. This research is expected to enhance precision farming practices, improve crop productivity, reduce crop losses due to diseases, and support sustainable agriculture, while also creating opportunities for smart agriculture technology solutions [2], [10].

Keywords: Digital Twin, Paddy Farming, Smart Agriculture, Machine Learning, IoT, Crop Disease Detection.

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to all the individuals and organizations who have supported and guided me during the initial stages of this research.

First and foremost, I would like to extend my deepest appreciation to my supervisor **Dr. Mahima Weerasinghe, Senior Lecturer at the Sri Lanka Institute of Information Technology (SLIIT)**, for his valuable guidance, encouragement, and constructive feedback provided during the preparation of this research proposal. His insights and academic support have been instrumental in shaping the direction of this study.

I would also like to express my heartfelt thanks to my co-supervisor **Mr. Eishan Weerasinghe, Assistant Lecturer at the Sri Lanka Institute of Information Technology (SLIIT)**, for his continuous support, advice, and technical guidance throughout the development of this proposal.

My sincere appreciation is also extended to my external supervisor **Mr. Suranga Senanayake, Regional Manager at the Paddy Marketing Board of Sri Lanka**, for sharing his industry knowledge and practical insights regarding the challenges faced in the paddy farming and agricultural sector in Sri Lanka. His support has been highly valuable in identifying the real-world problem addressed in this research.

Finally, I would like to thank everyone who directly or indirectly supported me during the preparation of this research proposal. Their guidance and encouragement are greatly appreciated.

Table of Contents

DECLARATION.....	2
ABSTRACT	3
ACKNOWLEDGEMENT	4
LIST OF TABLES	7
LIST OF FIGURES	8
LIST OF ABBREVIATIONS	9
INTRODUCTION.....	10
1.1 BACKGROUND AND CONTEXT	10
1.2 LITERATURE REVIEW	12
<i>Machine Learning for Crop Prediction.....</i>	<i>12</i>
<i>Environmental Data and Climate-Based Crop Modeling</i>	<i>12</i>
<i>IoT-Based Smart Agriculture Systems.....</i>	<i>13</i>
<i>Digital Twin Technology in Agriculture.....</i>	<i>13</i>
<i>Image-Based Crop Disease Detection.....</i>	<i>13</i>
<i>Limitations of Existing Research and Systems</i>	<i>14</i>
<i>Summary.....</i>	<i>14</i>
1.3 RESEARCH GAP	15
1.4 RESEARCH PROBLEM	18
OBJECTIVE.....	19
2.1 MAIN OBJECTIVE	19
2.2 SPECIFIC OBJECTIVES.....	19
<i>Objective 1.....</i>	<i>19</i>
<i>Objective 2.....</i>	<i>19</i>
<i>Objective 3.....</i>	<i>19</i>
<i>Objective 4.....</i>	<i>19</i>
<i>Objective 5.....</i>	<i>19</i>
<i>Objective 6.....</i>	<i>19</i>
<i>Objective 7.....</i>	<i>19</i>
<i>SMART Justification.....</i>	<i>20</i>
METHODOLOGY.....	21
3.1 RESEARCH APPROACH	21
3.2 TECHNICAL METHODS AND ALGORITHMS	22
3.3 TOOLS AND PLATFORMS	23
3.4 DATA COLLECTION AND ETHICAL CONSIDERATIONS	23
3.5 VALIDATION STRATEGY AND PERFORMANCE METRICS.....	24
HIGH-LEVEL SYSTEM ARCHITECTURE.....	25
4.1 OVERVIEW OF THE PROPOSED SOLUTION AND ITS COMPONENTS	25
4.2 SYSTEM DIAGRAM OF COMPONENTS	26
4.3 INDIVIDUAL COMPONENT HIGHLIGHT – DIGITAL TWIN FOR PADDY FARMING.....	27
4.4 COMPONENT INTERACTIONS	28
4.5 DATA FLOW EXPLANATION	28
4.6 SCALABILITY AND SECURITY CONSIDERATIONS	29
USER REQUIREMENTS	30
5.1 STAKEHOLDER IDENTIFICATION.....	30
KEY STAKEHOLDERS	30
<i>Primary Stakeholder.....</i>	<i>30</i>
<i>Secondary Stakeholders.....</i>	<i>30</i>
5.2 FUNCTIONAL REQUIREMENTS	31
<i>FR1 – Environmental Data Collection.....</i>	<i>31</i>
<i>FR2 – Sensor Data Integration</i>	<i>31</i>
<i>FR3 – Data Preprocessing.....</i>	<i>31</i>

<i>FR4 – Digital Twin Simulation</i>	31
<i>FR5 – Crop Growth Prediction</i>	31
<i>FR6 – Image-Based Disease Detection</i>	31
<i>FR7 – Disease Treatment Recommendation</i>	31
<i>FR8 – Irrigation Recommendation</i>	31
<i>FR9 – Fertilizer Recommendation</i>	31
<i>FR10 – Farmer Dashboard Interface</i>	31
<i>FR11 – Data Visualization</i>	31
<i>FR12 – Image Upload Interface</i>	32
5.3 NON-FUNCTIONAL REQUIREMENTS	32
<i>Security Requirements</i>	32
<i>Performance Requirements</i>	32
<i>Scalability Requirements</i>	32
<i>Usability Requirements</i>	32
<i>Reliability Requirements</i>	33
<i>Maintainability Requirements</i>	33
COMMERCIALIZATION PLAN	34
6.1 TARGET MARKET AND CUSTOMER PERSONA.....	34
6.2 VALUE PROPOSITION.....	34
6.3 REVENUE MODEL.....	35
6.4 COST ESTIMATION.....	35
<i>Hardware Costs</i>	35
<i>Development Costs</i>	36
<i>Infrastructure Costs</i>	36
<i>Operational Costs</i>	36
6.5 PRICING STRATEGY	36
6.6 COMPETITIVE ADVANTAGE.....	36
6.7 INTELLECTUAL PROPERTY CONSIDERATIONS	37
BUDGET AND JUSTIFICATION	38
SOFTWARE AND DEVELOPMENT COSTS	39
BUDGET JUSTIFICATION SUMMARY	39
REFERENCES LIST	40
WORK BREAKDOWN STRUCTURE (WBS).....	41
GANTT CHART	41

LIST OF TABLES

Table 1 - Comparative Analysis of Existing Smart Agriculture Studies and the Proposed System.....	17
Table 2 - Estimated Hardware Budget for Digital Twin Paddy Farming System	38
Table 3 - Open-source software technologies.....	39

LIST OF FIGURES

Figure 1 - System Architecture Diagram	26
Figure 2 - System Architecture for the Digital Twin Paddy Farming Component.....	27
Figure 3 - Data Flow Diagram	29
Figure 4 - Work Breakdown Structure (WBS) for Digital Twin Paddy Farming System.....	41
Figure 5 - Gantt Chart for Digital Twin Paddy Farming System	41

LIST OF ABBREVIATIONS

Abbreviation	Meaning
IoT	Internet of Things
AI	Artificial Intelligence
ML	Machine Learning
NPK	Nitrogen, Phosphorous, Potassium
DT	Digital Twin
API	Application Programming Interface
CNN	Convolutional Neural Network
SVM	Support Vector Machine
RF	Random Forest
DL	Deep Learning
CV	Computer Vision
GPU	Graphics Processing Unit
UI	User Interface
UX	User Experience
DB	Database
SDG	Sustainable Development Goals
GPS	Global Positioning System
ICT	Information and Communication Technology
NFR	Non-Functional Requirement
FR	Functional Requirement
RMSE	Root Mean Squared Error
MAE	Mean Absolute Error
F1-Score	Harmonic Mean of Precision and Recall
JSON	JavaScript Object Notation
MQTT	Message Queuing Telemetry Transport
HTTP	Hypertext Transfer Protocol
SQL	Structured Query Language
GPU	Graphics Processing Unit
API	Application Programming Interface
KNN	K-Nearest Neighbors
RNN	Recurrent Neural Network

INTRODUCTION

1.1 Background and Context

Agriculture remains one of the most important sectors in the global economy and plays a critical role in ensuring food security, economic development, and rural livelihoods. In many developing countries, agriculture is a primary source of employment and income for a large portion of the population [12]. Among various agricultural crops, rice is one of the most widely consumed staple foods in the world, particularly in Asian countries. Sri Lanka is one such country where rice, produced mainly through paddy cultivation, forms the primary dietary component for the majority of the population. According to statistics from the Department of Census and Statistics in Sri Lanka, the average annual rice consumption per person exceeds 100 kilograms, highlighting the country's heavy dependence on stable paddy production.

Paddy cultivation in Sri Lanka mainly occurs during two major agricultural seasons known as **Maha and Yala**, which together account for the majority of the country's rice production. Thousands of farming families depend on paddy cultivation as their primary source of livelihood. Therefore, maintaining consistent productivity in paddy farming is essential for ensuring national food security and supporting rural economic stability. However, paddy farmers frequently face several challenges including climate variability, irregular rainfall patterns, soil nutrient depletion, inefficient irrigation management, pest infestations, and plant diseases. These challenges significantly affect crop growth and yield, making it difficult for farmers to maintain stable production levels [11], [12].

Agricultural productivity is strongly influenced by environmental factors such as soil nutrient levels, soil moisture, temperature, humidity, rainfall, and soil pH. The interaction between soil conditions and climatic factors plays a crucial role in determining crop growth performance [1], [9]. However, many farmers still rely on traditional farming practices based on personal experience and manual observation of field conditions. Although such experience-based knowledge is valuable, it may not always provide accurate insights for optimal agricultural decision-making, especially under changing environmental conditions [12].

Recent technological advancements have introduced smart agriculture and precision farming techniques, which utilize digital technologies such as **Internet of Things (IoT) sensors, remote sensing, satellite monitoring, cloud computing, and machine learning algorithms** to improve agricultural productivity [10], [11]. These technologies allow farmers to collect real-time environmental data, analyze crop conditions, and make informed decisions regarding irrigation, fertilization, and crop management.

One emerging technology in this field is the concept of a **Digital Twin**, which creates a virtual representation of a physical system by continuously collecting real-time data from sensors and other sources [2], [3]. In agriculture, digital twin systems can replicate farm conditions by integrating environmental data, soil parameters, and crop growth information. Such virtual models enable farmers and agricultural experts to monitor farm conditions, simulate crop growth scenarios, and predict potential outcomes before implementing decisions in the actual field [3], [10].

Several research studies have applied machine learning algorithms to analyze agricultural datasets for crop yield prediction and farm management recommendations. These systems typically analyze environmental parameters such as temperature, rainfall, humidity, soil

nutrients, and soil pH to generate predictive insights [1], [8]. However, many existing systems focus only on crop prediction or environmental monitoring independently and do not provide a comprehensive digital representation of farm conditions [3], [10].

Another major challenge faced by farmers is the early detection and management of crop diseases, which can significantly reduce crop yield and quality if not identified at an early stage. In many cases, farmers detect diseases only after visible damage occurs, leading to delayed treatment and economic losses. Access to agricultural experts for disease identification may also be limited in rural farming areas [4], [7].

To address these challenges, this research proposes the development of a **Digital Twin for Paddy Farming** that integrates IoT sensor data, environmental monitoring, machine learning models, and image-based crop disease detection. The proposed system will collect real-time environmental data related to soil nutrients (Nitrogen, Phosphorous, Potassium), soil pH, soil moisture, temperature, humidity, and rainfall using IoT sensors deployed in paddy fields. This data will be used to create a dynamic digital twin model that simulates crop growth conditions and provides predictive insights such as yield prediction, irrigation scheduling, and fertilizer optimization [1], [10].

In addition to environmental monitoring, the system will enable farmers to upload images of paddy leaves during different stages of the cultivation cycle, such as two weeks, one month, two months, and three months after planting. Image analysis models based on machine learning and computer vision techniques will analyze these images to detect potential crop diseases. Once a disease is identified, the system will provide recommended treatment methods, suggested pesticides or medicines, and guidance on obtaining appropriate agricultural inputs for effective disease management [4]–[7].

The proposed research is also aligned with several **United Nations Sustainable Development Goals (SDGs)**. In particular, it supports **SDG 2: Zero Hunger**, which focuses on improving agricultural productivity and ensuring sustainable food production systems. The research also contributes to **SDG 9: Industry, Innovation and Infrastructure**, by introducing innovative digital technologies into the agricultural sector, and **SDG 12: Responsible Consumption and Production**, by promoting efficient use of agricultural resources.

From a research perspective, this study aligns with the **Smart Agriculture and Artificial Intelligence research cluster**, which focuses on applying advanced technologies such as IoT, machine learning, and intelligent systems to address agricultural challenges and improve sustainable food production [10], [11].

Overall, this research aims to develop an intelligent digital twin system capable of simulating real-time paddy field conditions, detecting crop diseases through image analysis, and providing personalized decision-support recommendations to farmers. Such a system has the potential to enhance agricultural productivity, reduce crop losses, improve resource efficiency, and support the long-term sustainability of paddy farming systems [2], [10].

1.2 Literature Review

The use of digital technologies in agriculture has grown significantly in recent years due to the increasing demand for sustainable food production and improved farming efficiency. Researchers have explored various technological approaches such as machine learning, Internet of Things (IoT), remote sensing, and artificial intelligence to support data-driven agricultural decision making [10]–[12]. In particular, crop prediction, soil fertility analysis, and environmental monitoring have become important research areas in precision agriculture.

Machine Learning for Crop Prediction

Many researchers have investigated the application of machine learning and data mining techniques in agriculture to improve crop yield prediction and farming efficiency [1], [8]. A study by Oluwole et al. proposed a system that integrates soil nutrients and weather variables to predict crop yield using machine learning algorithms. Their model used parameters such as Nitrogen (N), Phosphorous (P), Potassium (K), temperature, humidity, rainfall, and soil pH to generate crop recommendations. The results indicated that the Gradient Boosting Classifier achieved an accuracy of 98.9% in crop prediction tasks, demonstrating the effectiveness of machine learning in agricultural decision-support systems [1].

Similarly, machine learning techniques such as Random Forest, Support Vector Machine (SVM), and Decision Tree algorithms have been widely applied for soil fertility analysis and crop prediction [8]. Jayalakshmi and Devi used supervised learning algorithms to estimate soil fertility based on nutrient data and reported high prediction accuracy using decision tree models. These models can identify relationships between soil nutrients and crop suitability, enabling farmers to select appropriate crops based on soil conditions [8].

Another study emphasized the importance of integrating environmental parameters such as temperature, rainfall, humidity, and soil moisture when predicting crop yield. The results showed that combining environmental and soil parameters significantly improves prediction accuracy compared with traditional empirical models that rely only on historical agricultural data [1], [9].

Environmental Data and Climate-Based Crop Modeling

Climate conditions have a strong influence on agricultural productivity. Several studies have explored the integration of climate variables, satellite data, and vegetation indices to improve crop prediction models [9]. For example, Park et al. developed an integrated model for predicting rice yield using climate variables and artificial neural networks. Their model utilized satellite imagery and vegetation indices to estimate crop growth patterns and analyze yield variations caused by climate change [9].

Research has shown that environmental monitoring systems can significantly improve agricultural decision making. By collecting data on temperature, humidity, rainfall, and soil moisture, farmers can better understand crop growth conditions and adjust farming practices accordingly [10], [11]. However, many of these climate-based prediction systems rely primarily on satellite data and historical climate records rather than real-time environmental data collected directly from agricultural fields.

IoT-Based Smart Agriculture Systems

The emergence of Internet of Things (IoT) technologies has enabled the development of smart agriculture systems that collect real-time environmental data from agricultural fields [10]. IoT sensors can measure parameters such as soil moisture, temperature, humidity, rainfall, and soil pH, which are essential for monitoring crop growth conditions.

Several IoT-based agricultural monitoring platforms have been proposed to help farmers remotely observe farm conditions using mobile or web-based dashboards [10], [11]. These systems allow continuous monitoring of environmental variables and can improve irrigation management and resource utilization. However, most IoT-based systems mainly focus on data collection and visualization, and they often lack advanced predictive capabilities or simulation models that can analyze farm conditions dynamically.

Digital Twin Technology in Agriculture

Digital Twin technology has recently gained attention as a promising approach for modeling complex systems in real time [2], [3]. A digital twin is a virtual representation of a physical environment that continuously receives data from sensors and other sources to simulate system behavior [2]. This technology has been widely applied in industries such as manufacturing, healthcare, and smart cities.

In agriculture, digital twin systems can create virtual models of farms by integrating environmental data, crop growth parameters, and sensor information [3], [10]. These digital models allow researchers and farmers to monitor farm conditions, simulate agricultural scenarios, and predict crop outcomes. Some studies have proposed digital twin frameworks that combine IoT sensors, environmental data, and simulation models to support smart farming [3].

Despite its potential, the application of digital twin technology in agriculture is still limited. Most existing research focuses on large-scale agricultural monitoring or research simulations, rather than creating personalized digital twins for individual farms [3], [10].

Image-Based Crop Disease Detection

Crop diseases represent a major threat to agricultural productivity, particularly in paddy farming where fungal and bacterial diseases can spread rapidly under favorable environmental conditions [4], [7]. Recent research has explored the use of computer vision and deep learning techniques for crop disease detection [4]–[7].

Convolutional Neural Networks (CNN) and image classification models have been used to analyze plant leaf images and identify diseases such as brown spot, leaf blight, and bacterial leaf streak in rice plants [4], [5]. Mobile-based agricultural applications have also been developed to allow farmers to upload plant images and receive automated disease diagnosis [6].

Although these image-based systems can detect crop diseases with relatively high accuracy, many of them operate as standalone applications and are not integrated with environmental monitoring or predictive agricultural systems [4]–[7].

Limitations of Existing Research and Systems

Although significant progress has been made in smart agriculture technologies, several limitations remain in the current research literature and practical systems.

First, many agricultural systems focus primarily on crop prediction or soil analysis separately, rather than integrating multiple data sources such as environmental monitoring, soil nutrients, and crop health information within a unified system [3], [10].

Second, most machine learning-based crop prediction systems rely mainly on historical datasets, which limits their ability to adapt to real-time environmental changes occurring in agricultural fields [1], [8].

Third, IoT-based agricultural monitoring systems typically focus on data collection and visualization, without incorporating advanced predictive analytics or simulation capabilities [10].

Fourth, digital twin applications in agriculture are still relatively limited and often focus on large-scale experimental farms rather than individual farmer-level decision support systems [3].

Finally, many crop disease detection systems operate independently and are not integrated with broader agricultural decision-support platforms that combine environmental monitoring, predictive modeling, and disease management recommendations [4]–[7].

Summary

In summary, previous studies have demonstrated the potential of machine learning, IoT-based monitoring systems, climate-based crop modeling, and image-based disease detection for improving agricultural productivity [1], [3], [4], [10]. While these approaches provide valuable insights, most existing systems operate independently and lack integration within a comprehensive agricultural decision-support framework.

These limitations highlight the need for an integrated system that combines IoT-based environmental monitoring, machine learning-based predictive analytics, digital twin simulation, and image-based crop disease detection. Such a system can provide **farmer-specific and location-specific decision support**, enabling more accurate predictions, early disease identification, and optimized farming practices for paddy cultivation [2], [10].

1.3 Research Gap

Although significant progress has been made in the application of digital technologies such as machine learning, Internet of Things (IoT), and precision agriculture systems, several important gaps remain in the current research literature and practical agricultural decision-support systems [10]–[12]. Identifying these limitations is essential to justify the need for a more advanced and integrated technological solution that can better support farmers in managing paddy cultivation effectively.

One of the major limitations observed in existing research is that many agricultural systems focus on individual analytical tasks such as crop yield prediction, soil nutrient analysis, or environmental monitoring separately. Numerous studies have successfully applied machine learning algorithms such as Random Forest, Support Vector Machine (SVM), Decision Trees, and Artificial Neural Networks to analyze soil fertility, climate data, and crop yield prediction [1], [8], [9]. While these models provide useful predictive insights, they often operate as standalone analytical tools that do not integrate multiple agricultural components within a unified decision-support platform. As a result, farmers must rely on multiple independent systems to analyze soil conditions, environmental parameters, and crop health, which limits the overall effectiveness of these technologies in real-world farming environments [3], [10].

Another important limitation in current agricultural technologies is the lack of **farmer-specific and location-specific decision support systems**. Most existing agricultural platforms generate recommendations based on regional or national datasets, assuming similar environmental conditions across large geographic areas. However, agricultural environments are highly dynamic and vary significantly between individual farms due to differences in soil composition, irrigation methods, crop varieties, local weather patterns, and microclimatic conditions. As a result, generalized recommendations provided by existing systems may not accurately represent the unique characteristics of individual paddy fields [10], [11]. This reduces the reliability and usefulness of such systems for farmers who require precise and localized guidance for crop management.

In addition, many current agricultural prediction systems rely heavily on **historical datasets and static environmental parameters**. Although these datasets can provide valuable insights for crop prediction models, they often fail to capture the continuously changing conditions of real agricultural environments. Without incorporating real-time sensor data such as soil moisture, temperature, humidity, and rainfall, these models cannot dynamically update predictions based on current field conditions [10]. This limitation restricts farmers' ability to respond proactively to environmental changes and optimize their farming decisions.

Another critical research gap is the **limited application of Digital Twin technology in agriculture**, particularly at the individual farm level. A digital twin represents a virtual model of a physical system that continuously updates based on real-time data collected from sensors and monitoring devices [2], [3]. While digital twin technology has been widely applied in industries such as manufacturing and smart cities, its use in agriculture remains relatively limited. Existing digital twin implementations are mostly designed for **large-scale agricultural monitoring or experimental research environments**, rather than creating personalized digital representations of individual farms [3], [10]. Consequently, farmers are unable to visualize and simulate farm conditions dynamically in order to evaluate different agricultural scenarios or optimize cultivation strategies.

Furthermore, crop diseases represent one of the most significant challenges affecting paddy productivity, yet many agricultural monitoring systems do not incorporate automated disease detection and treatment guidance mechanisms. Recent studies have explored the use of **computer vision and deep learning models to detect plant diseases using leaf images** [4]–[7]. However, most of these systems function as standalone disease detection applications that simply classify plant diseases without integrating the results with broader farm monitoring systems. In addition, many existing disease detection platforms do not provide detailed treatment recommendations or guidance on selecting appropriate pesticides or medicines for different types of crop diseases [4]–[7]. This limits the practical usefulness of these systems for farmers who require clear and actionable solutions to manage plant diseases effectively.

Another limitation of current agricultural technologies is that many systems primarily focus on **data monitoring and visualization rather than actionable decision support**. Farmers are often presented with raw environmental data or complex analytical outputs that require technical interpretation. For small-scale farmers, who may have limited technical expertise, interpreting such information can be challenging. As a result, the adoption and practical use of these technologies remain limited [11], [12].

Considering these limitations, there is a clear need for a **more comprehensive and integrated agricultural decision-support system** that combines multiple technologies within a unified framework. Specifically, there is a need for a system that integrates **IoT-based environmental monitoring, machine learning-based predictive analytics, digital twin simulation models, and image-based crop disease detection** [2], [3], [10].

The proposed research addresses this gap by developing a **farmer-centric and location-aware Digital Twin system for paddy farming**. In the proposed system, farmers can upload images of paddy leaves at different growth stages (such as two weeks, one month, two months, and three months after planting). Using machine learning and image analysis techniques, the system will detect potential diseases affecting the paddy plants and provide recommendations on appropriate treatments and medicines [4]–[7]. In addition, the system will integrate environmental data, soil information, and localized weather conditions to create a digital twin model that accurately represents the conditions of individual farms.

By combining **real-time environmental monitoring, predictive analytics, disease detection, and personalized recommendations**, the proposed system aims to provide farmers with actionable insights that improve agricultural decision-making, resource efficiency, and paddy productivity [2], [10]. Unlike many existing systems that operate as independent tools, this research introduces an integrated framework that supports continuous monitoring, prediction, and disease management within a single digital platform, specifically designed for the needs of paddy farmers.

To further illustrate the identified research gap, a comparative analysis of existing studies and the proposed system is presented in the following table.

Feature / Capability	Research [1]	Research [2]	Research [3]	Research [4]	Research [5]	Research [6]	Research [7]	Proposed System
Uses Machine Learning for Crop Prediction	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Uses IoT Sensors for Environmental Monitoring	No	Yes	Yes	No	Yes	No	Yes	Yes
Uses Soil Nutrient Data (N, P, K, pH)	Yes	Yes	No	Yes	No	Yes	No	Yes
Uses Climate / Weather Data	Yes	Yes	Yes	No	Yes	Yes	No	Yes
Real-time Environmental Data Collection	No	Yes	No	No	Yes	No	Yes	Yes
Digital Twin Simulation of Farm Environment	No	No	No	No	No	No	No	Yes
Image-based Paddy Disease Detection	No	No	Yes	No	No	Yes	No	Yes
Disease Treatment Recommendation	No	No	Limited	No	No	Limited	No	Yes
Farmer-specific / Location-specific Analysis	No	No	No	No	No	No	No	Yes
Upload Images Across Growth Stages	No	No	No	No	No	No	No	Yes
Provides Actionable Farming Recommendations	Limited	Limited	Limited	No	Limited	Limited	No	Yes
Integrated System (Monitoring + Prediction + Disease Detection)	No	No	No	No	No	No	No	Yes
Focused on Paddy Farming	Yes	No	Yes	No	No	Yes	No	Yes

Table 1 - Comparative Analysis of Existing Smart Agriculture Studies and the Proposed System

1.4 Research Problem

Paddy cultivation plays a vital role in ensuring food security and sustaining the agricultural economy in Sri Lanka. A large proportion of the rural population depends on paddy farming as their primary source of income and livelihood. However, farmers often face numerous challenges during the cultivation process, including unpredictable weather conditions, soil nutrient deficiencies, inefficient irrigation practices, pest infestations, and plant diseases [10], [11]. These factors significantly affect crop growth and productivity, making it difficult for farmers to maintain consistent yields and manage their farming activities effectively.

One of the major challenges faced by paddy farmers is the lack of reliable technological support systems that can provide timely and accurate information about field conditions. Many farmers still rely on traditional farming practices based on personal experience and manual observation to monitor crop health and environmental conditions [11], [12]. Although these practices have been used for generations, they may not provide sufficient information to respond quickly to environmental changes such as variations in soil moisture, temperature, rainfall, or nutrient levels. As a result, farmers may apply fertilizers or irrigation at inappropriate times, leading to inefficient resource utilization and reduced crop productivity [10].

Another important challenge in paddy cultivation is the late detection and management of crop diseases. Paddy plants are vulnerable to several diseases such as leaf blast, brown spot, and bacterial leaf blight, which can spread rapidly if not detected at an early stage [4], [7]. In many cases, farmers identify these diseases only after visible damage has already occurred, resulting in significant yield losses. Access to agricultural experts for diagnosing plant diseases may also be limited in rural areas, which further delays the identification and treatment of crop health problems [5], [6].

Although various smart agriculture technologies have been developed in recent years, most existing systems focus primarily on individual aspects such as crop yield prediction, soil analysis, or environmental monitoring [1], [8], [9]. These systems often operate independently and do not provide an integrated platform that combines real-time monitoring, predictive analytics, and crop disease detection. Furthermore, many existing agricultural systems provide generalized recommendations based on large datasets rather than offering **farmer-specific and location-specific decision support**, which is essential for addressing the unique conditions of individual paddy fields [10], [11].

Therefore, the main research problem addressed in this study is the **lack of an integrated, farmer-specific digital twin system for paddy farming** that can monitor environmental conditions, detect crop diseases using image analysis, and provide personalized recommendations for irrigation, fertilizer application, and disease treatment [2], [3].

To address this problem, there is a need to develop an intelligent system that integrates **IoT-based environmental monitoring, machine learning-based predictive analytics, digital twin simulation, and image-based disease detection** to support data-driven decision making in paddy farming [2], [3], [10]. Such a system can help farmers monitor crop conditions more effectively, identify diseases at an early stage, and optimize resource management practices, ultimately improving crop productivity and sustainability in the agricultural sector.

OBJECTIVE

2.1 Main Objective

To design, develop, and evaluate a **farmer-specific** and **location-aware** Digital Twin system for paddy farming within the project duration that integrates IoT sensor data, soil nutrient information, localized weather data, and image-based crop monitoring with machine learning models to simulate farm conditions and provide personalized decision-support for crop growth prediction, irrigation management, fertilizer optimization, and early disease detection. [2], [3], [10]

2.2 Specific Objectives

Objective 1

To collect, preprocess, and integrate multi-source agricultural datasets, including soil nutrients (Nitrogen, Phosphorous, Potassium), soil pH, temperature, humidity, rainfall, soil moisture, and historical crop growth data relevant to paddy cultivation [1], [8], [9].

Objective 2

To design and implement an IoT-based environmental monitoring system using sensors and an Arduino microcontroller capable of collecting real-time data from paddy fields related to soil moisture, temperature, humidity, rainfall, and soil conditions [10], [11].

Objective 3

To develop machine learning models that analyze environmental and soil data to predict crop growth conditions, irrigation requirements, fertilizer recommendations, and expected crop yield [1], [8], [9].

Objective 4

To create a Digital Twin model of paddy fields that continuously updates using real-time sensor data and environmental information to simulate crop growth conditions and support scenario-based decision making [2], [3].

Objective 5

To develop an image-based crop disease detection module that allows farmers to upload paddy leaf images at different cultivation stages (such as two weeks, one month, two months, and three months after planting) and identify diseases using computer vision and machine learning techniques [4]–[7].

Objective 6

To design an integrated farmer-oriented decision-support platform that provides actionable recommendations for irrigation scheduling, fertilizer application, disease treatment, and appropriate pesticide or medicine selection [10], [11].

Objective 7

To evaluate the performance of the proposed system using measurable metrics such as prediction accuracy, disease detection accuracy, and usability feedback to assess its effectiveness for real-world paddy farming applications [1], [4], [10].

SMART Justification

- **Specific** - Develop Digital Twin system integrating IoT sensors, environmental data, machine learning, and image-based disease detection [2], [3], [10].
- **Measurable** - Evaluate crop prediction accuracy, disease detection accuracy, and decision-support effectiveness [1], [4].
- **Achievable** - Implementation using available technologies such as Arduino, IoT sensors, agricultural datasets, and machine learning frameworks [10], [11].
- **Relevant** - Addresses the research gap of **farmer-specific and location-specific decision support in paddy farming** [3], [10].
- **Time-bound** - System will be designed, implemented, and evaluated **within the project research duration**.

METHODOLOGY

This research adopts a **System Development and Evaluation methodology combined with an Experimental research approach** to design, implement, and validate a **Digital Twin–based smart agriculture system for paddy farming**. The methodology is selected because the primary objective of this research is to develop a novel intelligent system that integrates **IoT-based environmental monitoring, machine learning prediction models, digital twin simulation, and image-based crop disease detection** to support farmer-specific decision making [2][3][10].

In the context of **Software System Technologies (SST)** and **Smart Agriculture**, this research focuses on developing a data-driven software architecture capable of collecting real-time environmental data, simulating paddy field conditions through a digital twin model, and providing predictive insights for crop growth, irrigation management, fertilizer application, and disease treatment [10][11]. The proposed system will function as an intelligent decision-support platform designed specifically to assist paddy farmers in monitoring crop health and improving agricultural productivity.

3.1 Research Approach

The research follows a **System Development and Evaluation methodology**, which is widely used in software engineering and intelligent system research when developing a new technological solution. The proposed system will be designed, implemented, and experimentally evaluated to determine whether it improves agricultural decision-making compared to traditional farming practices and existing agricultural monitoring systems.

The research process will consist of several phases.

First, relevant datasets related to **soil nutrients, environmental conditions, crop growth parameters, and paddy leaf disease images** will be collected and integrated into a unified dataset [1],[8],[9]. These datasets will include information about **soil nutrients (Nitrogen, Phosphorous, Potassium), soil pH, temperature, humidity, rainfall, soil moisture, and crop disease images**.

Second, the system architecture will be designed to support **IoT sensor integration, environmental data collection, machine learning prediction models, digital twin simulation, and disease detection modules**.

Third, IoT sensors connected to an **Arduino-based monitoring system** will collect real-time environmental data from simulated or experimental paddy field conditions. This data will be transmitted to the digital platform for further processing.

Fourth, machine learning models will be developed and trained using collected agricultural datasets. These models will analyze environmental and soil data to predict crop growth conditions, irrigation requirements, fertilizer usage, and potential yield outcomes [1],[8],[9].

Finally, the proposed system will be evaluated through controlled experiments to measure prediction accuracy, disease detection performance, and overall system effectiveness in providing agricultural decision support.

3.2 Technical Methods and Algorithms

The proposed system integrates several artificial intelligence and data-driven technologies to perform agricultural monitoring, prediction, and disease detection.

The **environmental monitoring component** uses IoT sensors connected to an **Arduino microcontroller** to collect real-time data from paddy fields [10]. These sensors will measure important environmental parameters such as:

- Soil moisture
- Soil pH
- Temperature
- Humidity
- Rainfall
- Soil nutrient levels (N, P, K)

The collected data will be transmitted to a central processing system where it will be stored and analyzed. For crop growth prediction and agricultural decision support, several **machine learning algorithms** will be implemented. These may include:

- Random Forest
- Decision Tree
- Support Vector Machine (SVM)
- Gradient Boosting

These algorithms are widely used in agricultural analytics because they can identify complex relationships between environmental variables and crop performance [1], [8].

To create a virtual representation of the paddy field, the system will implement a **Digital Twin model**. The digital twin continuously updates using real-time environmental data collected from IoT sensors. This model allows the system to simulate farm conditions and evaluate different farming scenarios such as irrigation scheduling, fertilizer usage, and crop growth predictions.

In addition, the system incorporates an **image-based crop disease detection module**. Farmers can upload images of paddy leaves at different cultivation stages, such as **two weeks, one month, two months, and three months after planting**. Computer vision techniques and machine learning image classification models will analyze these images to detect common paddy diseases [4], [7] such as:

- Leaf blast
- Brown spot
- Bacterial leaf blight

Once a disease is detected, the system will provide **recommended treatment methods, suggested pesticides or medicines, and guidance on obtaining appropriate agricultural inputs**.

The overall system workflow consists of the following stages:

1. IoT-based environmental data collection
2. Data preprocessing and feature extraction
3. Machine learning-based crop prediction
4. Digital twin simulation of paddy field conditions
5. Image-based disease detection
6. Generation of personalized farming recommendations

3.3 Tools and Platforms

The proposed system will be implemented using modern software development and machine learning tools. The primary programming language used for development will be **Python**, which provides extensive libraries for data analysis, machine learning, and image processing.

Machine learning models will be implemented using frameworks such as:

- **Scikit-learn** – for implementing machine learning algorithms
- **TensorFlow or PyTorch** – for deep learning models used in image classification

Data preprocessing and statistical analysis will be performed using **Pandas and NumPy**, which are widely used for data manipulation and machine learning workflows. The IoT monitoring system will be implemented using **Arduino microcontrollers and environmental sensors** such as soil moisture sensors, temperature and humidity sensors, rainfall sensors, soil pH sensors, and soil nutrient sensors [10]. For the image-based disease detection component, computer vision libraries such as **OpenCV and TensorFlow/Keras** will be used to process paddy leaf images and train disease classification models [4], [7]. Development and experimentation will be conducted using platforms such as **Jupyter Notebook, Google Colab, or cloud-based GPU environments**, which provide efficient resources for training machine learning models and testing algorithms. These tools are selected because they provide **scalability, strong community support, and efficient integration capabilities** for building intelligent agricultural monitoring systems.

3.4 Data Collection and Ethical Considerations

The proposed research will utilize multiple datasets obtained from reliable agricultural and environmental data sources. Environmental data related to **temperature, humidity, and rainfall** will be obtained from meteorological datasets and publicly available weather APIs. Soil nutrient and soil property datasets will be obtained from agricultural research publications and open agricultural datasets [1], [8]. Crop disease image datasets for paddy leaves will be collected from publicly available agricultural image repositories and machine learning datasets used in plant disease detection research [4] - [7]. In addition, real-time environmental data will be collected through **IoT sensors connected to the Arduino monitoring system [10]**. Since the research primarily uses publicly available datasets and environmental sensor data, it does not involve the collection of personal or sensitive information. Therefore, the ethical risks associated with this research are minimal.

However, all datasets will be used in accordance with **research ethics guidelines**, and proper attribution will be provided for all external data sources. Data integrity and transparency will be maintained throughout the data preprocessing and model training processes.

3.5 Validation Strategy and Performance Metrics

The proposed system will be evaluated using a structured validation strategy to ensure reliability and scientific accuracy.

The collected dataset will be divided into **training, validation, and testing datasets** to evaluate the performance of the machine learning models on unseen data. Cross-validation techniques will also be applied to improve model generalization and reduce overfitting [1].

The performance of the machine learning models used for crop prediction will be evaluated using standard classification and regression performance metrics such as:

- Accuracy
- Precision
- Recall
- F1-score

For disease detection models, classification accuracy and confusion matrix analysis will be used to evaluate the ability of the model to correctly identify different paddy leaf diseases [4] – [7].

For crop prediction and environmental analysis, additional evaluation metrics such as:

- Root Mean Squared Error (RMSE)
- Mean Absolute Error (MAE)

may be used to measure prediction accuracy.

In addition to predictive accuracy, the overall system will also be evaluated based on **usability, response time, and effectiveness in generating actionable recommendations for farmers**.

Through this comprehensive evaluation process, the research aims to demonstrate that the proposed **Digital Twin-based paddy farming system improves environmental monitoring, crop prediction, and disease detection capabilities**, thereby providing a practical and effective decision-support solution for modern agriculture [2], [3], [10].

HIGH-LEVEL SYSTEM ARCHITECTURE

4.1 Overview of the Proposed Solution and Its Components

The proposed solution introduces a **Digital Twin–based smart agriculture platform designed to improve decision-making in paddy farming through real-time environmental monitoring, predictive analytics, and intelligent crop disease detection** [2], [3], [10].

The system integrates Internet of Things (IoT) sensors, machine learning models, and computer vision techniques to create a dynamic virtual representation of paddy fields that continuously updates according to real-world environmental conditions [2], [3], [10].

The architecture is designed to address several challenges currently faced by paddy farmers, including lack of real-time environmental monitoring, delayed detection of crop diseases, inefficient irrigation and fertilizer usage, and the absence of personalized agricultural decision-support systems [10], [11]. By integrating sensor data, environmental information, and image-based crop monitoring within a digital twin model, the system enables farmers to monitor crop health and environmental conditions more effectively. The proposed architecture consists of several key functional layers that collaborate to collect agricultural data, analyze environmental conditions, simulate farm behavior, and generate actionable recommendations.

The first layer is the **IoT Data Acquisition Layer**, which collects environmental and soil data from paddy fields using sensors connected to an Arduino-based monitoring system [10]. Sensors measure parameters such as soil moisture, soil pH, temperature, humidity, rainfall, and soil nutrient levels (Nitrogen, Phosphorous, and Potassium). These sensors continuously transmit real-time data to the system.

The second layer is the **Data Processing and Integration Layer**, where collected environmental data and uploaded crop images are cleaned, normalized, and prepared for analysis. This layer integrates multiple datasets including environmental sensor data, weather information, and agricultural datasets [1], [8], [9].

The third layer is the **Digital Twin Simulation and Machine Learning Layer**, which creates a virtual representation of the paddy field environment. Machine learning models analyze environmental data to simulate crop growth conditions, predict potential yield outcomes, and recommend irrigation and fertilizer management strategies [1], [8].

The fourth layer is the **Crop Disease Detection Module**, which allows farmers to upload images of paddy leaves during different cultivation stages. Computer vision models analyze these images to detect potential crop diseases and recommend appropriate treatment methods and agricultural medicines [4]–[7].

Finally, the **Decision Support and Application Layer** delivers insights to farmers through a user interface. The system provides recommendations related to irrigation scheduling, fertilizer application, disease treatment, and crop growth monitoring [10], [11].

Together, these components form an integrated intelligent system that combines **real-time monitoring, predictive analytics, and digital twin simulation to improve paddy farming productivity and sustainability** [2], [3], [10].

4.2 System Diagram of Components




Figure 1 - System Architecture Diagram

4.3 Individual Component Highlight – Digital Twin for Paddy Farming

The **Digital Twin for Paddy Farming** component is responsible for creating a dynamic model of the physical paddy field environment. This component continuously updates the digital twin model using real-time environmental data collected from IoT sensors and image-based crop monitoring inputs [2], [3], [10].

The digital twin model enables simulation of crop growth conditions and allows farmers to analyze the potential impact of environmental changes on crop performance. By combining environmental monitoring and predictive analytics, the system provides actionable insights that support data-driven farming decisions [1], [8], [10].

The internal modules of this component include:

- IoT Sensor Data Collection Module
- Environmental Data Processing Module
- Machine Learning Crop Prediction Module
- Digital Twin Simulation Engine
- Image-based Crop Disease Detection Module
- Farmer Decision-Support Interface

The output of this component includes crop growth predictions, irrigation recommendations, fertilizer optimization suggestions, disease diagnosis results, and recommended agricultural treatments.




Figure 2 - System Architecture for the Digital Twin Paddy Farming Component

4.4 Component Interactions

The Digital Twin Paddy Farming component functions as an intelligent agricultural monitoring and decision-support module within the overall smart farming ecosystem [2], [3], [10].

The component receives environmental data from IoT sensors installed in paddy fields. These sensors continuously collect parameters such as soil moisture, temperature, humidity, rainfall, and soil nutrient levels [10]. The Arduino microcontroller processes the sensor data and transmits it to the system through an internet connection.

Once the data is received, it enters the data processing pipeline where environmental parameters are analyzed and integrated with other agricultural datasets [1],[8]. Machine learning models then analyze the environmental data to identify patterns related to crop growth conditions and potential yield outcomes [1],[8],[9].

At the same time, farmers can upload images of paddy leaves during different growth stages of the cultivation cycle, such as two weeks, one month, two months, and three months after planting. These images are processed by computer vision models that detect possible crop diseases [4]–[7].

Both environmental analysis and disease detection results are integrated within the digital twin simulation engine. The digital twin continuously updates the virtual representation of the paddy field based on new data inputs [2], [3].

Finally, the system generates recommendations that help farmers optimize irrigation schedules, fertilizer usage, and disease treatment strategies [10], [11].

4.5 Data Flow Explanation

The proposed Digital Twin Paddy Farming system processes agricultural data through several sequential stages to generate accurate predictions and recommendations [2], [3], [10].

Initially, environmental data is collected through IoT sensors deployed in paddy fields. These sensors measure soil and weather parameters including soil moisture, soil pH, temperature, humidity, rainfall, and soil nutrient levels [10].

This data is transmitted through the communication layer and enters the **Data Processing Layer**, where preprocessing operations such as data cleaning, normalization, and feature extraction are performed [1], [8].

The processed dataset is then forwarded to the **Machine Learning Layer**, where predictive models analyze relationships between environmental parameters and crop growth performance. These models estimate crop yield potential and identify optimal irrigation and fertilizer schedules [1], [8], [9].

Simultaneously, farmers upload images of paddy leaves through the system interface. These images are analyzed using **computer vision algorithms** to detect plant diseases [4]–[7].

The results of environmental analysis and disease detection are integrated within the **Digital Twin Simulation Engine**, which maintains a continuously updated virtual representation of the paddy field [2], [3].

Finally, the **Application Layer** presents the system outputs to farmers through a dashboard interface, enabling them to make informed decisions regarding crop management and disease treatment [10], [11].




Figure 3 - Data Flow Diagram

4.6 Scalability and Security Considerations

The proposed system architecture is designed to support scalability and secure data management for large-scale agricultural monitoring [10], [11].

The modular architecture allows each component to operate independently, enabling the system to scale according to the number of farms and sensor devices deployed. Cloud-based infrastructure can be used to store sensor data, train machine learning models, and perform digital twin simulations efficiently [2], [3], [10]. Security considerations are also incorporated to protect system data and ensure reliable operation. Data transmission between IoT devices and the central system can be secured using encrypted communication protocols. Access control mechanisms can also be implemented to ensure that only authorized users can access farm data and system recommendations. [10], [11]

In addition, the system architecture supports future integration with other agricultural platforms and smart farming services. The modular design allows new analytical modules, datasets, or monitoring devices to be incorporated without significantly altering the existing architecture [3], [10].

These architectural considerations ensure that the proposed Digital Twin Paddy Farming system remains scalable, secure, and adaptable for real-world agricultural deployment [2], [3], [10].

USER REQUIREMENTS

5.1 Stakeholder Identification

The proposed **Digital Twin for Paddy Farming system** is designed to support multiple stakeholders involved in agricultural production, research, and policy development. These stakeholders rely on accurate environmental monitoring, crop health analysis, and predictive insights to improve agricultural productivity and sustainability [2], [10], [11].

The primary stakeholder of the system is the **paddy farmer**, who directly benefits from real-time monitoring of field conditions and intelligent recommendations for crop management. Farmers often rely on traditional farming knowledge and manual observation when making decisions related to irrigation, fertilizer application, and disease treatment. By providing a digital twin representation of their paddy fields along with predictive insights, the system helps farmers make informed and timely decisions that improve crop yield and reduce resource wastage [2], [3], [10].

The secondary stakeholders include agricultural researchers, government agricultural institutions, and agricultural extension officers who require data-driven insights for monitoring agricultural productivity and developing policies for sustainable farmin. [10], [11]

Key Stakeholders

Primary Stakeholder

- **Paddy Farmers** – Use the system to monitor real-time environmental conditions, detect crop diseases through uploaded images, and receive personalized recommendations for irrigation scheduling, fertilizer application, and disease treatment.

Secondary Stakeholders

- **Agricultural Researchers** – Use the system data and predictive analytics to analyze crop growth patterns, environmental impacts on agriculture, and disease occurrence trends.
- **Department of Agriculture (Sri Lanka)** – Uses system insights to monitor agricultural conditions and improve decision-making related to farming support programs and agricultural policies.
- **Agricultural Extension Officers** – Use system recommendations to guide farmers on modern farming practices and crop disease management.
- **Agricultural Technology Developers** – Use the platform as a data source for developing improved smart farming technologies and agricultural analytics tools.

These stakeholders interact with the system through **web or mobile dashboards, data analytics reports, and visual monitoring interfaces** that present environmental data, crop predictions, and disease detection results.

5.2 Functional Requirements

The functional requirements describe the core capabilities that the **Digital Twin Paddy Farming system** must provide to support intelligent agricultural monitoring and decision-making.

FR1 – Environmental Data Collection

The system shall collect real-time environmental data from IoT sensors deployed in paddy fields, including soil moisture, soil pH, temperature, humidity, rainfall, and soil nutrient levels.

FR2 – Sensor Data Integration

The system shall integrate data collected from IoT sensors with external environmental datasets such as weather information.

FR3 – Data Preprocessing

The system shall preprocess collected data through cleaning, normalization, and feature extraction before performing machine learning analysis.

FR4 – Digital Twin Simulation

The system shall generate a virtual digital twin representation of the paddy field using environmental data and crop parameters.

FR5 – Crop Growth Prediction

The system shall analyze environmental data using machine learning algorithms to predict crop growth performance and potential yield outcomes.

FR6 – Image-Based Disease Detection

The system shall allow farmers to upload images of paddy leaves at different cultivation stages and automatically detect potential crop diseases using computer vision models.

FR7 – Disease Treatment Recommendation

The system shall provide recommended treatment methods and suggested agricultural medicines based on detected crop diseases.

FR8 – Irrigation Recommendation

The system shall generate irrigation recommendations based on soil moisture levels and environmental conditions.

FR9 – Fertilizer Recommendation

The system shall provide fertilizer application recommendations based on soil nutrient analysis and crop growth requirements.

FR10 – Farmer Dashboard Interface

The system shall provide a dashboard that allows farmers to monitor environmental conditions, crop predictions, disease detection results, and recommended actions.

FR11 – Data Visualization

The system shall display agricultural data and predictions through charts, graphs, and visual analytics to improve user understanding.

FR12 – Image Upload Interface

The system shall allow farmers to upload crop images at specific time intervals during the cultivation cycle for disease monitoring.

5.3 Non-Functional Requirements

Non-functional requirements describe the **performance, security, usability, scalability, and reliability characteristics** of the system.

Security Requirements

NFR1 – Secure Access Control

The system shall ensure secure user authentication before allowing access to system services.

NFR2 – Data Protection

Environmental data and uploaded images shall be protected against unauthorized access and misuse.

NFR3 – Data Integrity

The system shall ensure that collected environmental data and prediction results cannot be altered by unauthorized users.

Performance Requirements

NFR4 – Real-Time Monitoring

The system shall process and display environmental data updates within an acceptable response time.

NFR5 – Fast Disease Detection Response

The system shall provide disease detection results within a few seconds after image upload.

Scalability Requirements

NFR6 – Sensor Scalability

The system shall support increasing numbers of IoT sensors and agricultural fields without significant performance degradation.

NFR7 – Data Scalability

The system shall support large volumes of environmental and image datasets for machine learning analysis.

Usability Requirements

NFR8 – User-Friendly Interface

The system dashboard shall be simple and easy to understand for farmers who may have limited technical expertise.

NFR9 – Clear Visualization

The system shall provide graphical representations of environmental data, crop predictions, and disease detection results.

Reliability Requirements

NFR10 – Continuous Monitoring

The system shall provide reliable environmental monitoring without frequent system interruptions.

NFR11 – System Availability

The system shall maintain stable operation and allow farmers to access recommendations at any time.

Maintainability Requirements

NFR12 – Model Upgradability

The system shall allow machine learning models to be updated when new datasets become available.

NFR13 – Modular System Design

The system architecture shall support integration of additional modules such as new sensors or improved prediction algorithms in future updates.

COMMERCIALIZATION PLAN

6.1 Target Market and Customer Persona

The proposed **Digital Twin for Paddy Farming system** primarily targets stakeholders involved in agricultural production and agricultural technology adoption within Sri Lanka's farming ecosystem. The system is designed to improve farming productivity and decision-making by providing real-time environmental monitoring, predictive crop analytics, and intelligent crop disease detection [2], [3], [10].

The primary target users of the system are **paddy farmers**, who require reliable information about soil conditions, crop health, irrigation requirements, and disease management in order to optimize farming practices. Many farmers currently rely on traditional farming knowledge, manual field inspection, and advice from local agricultural officers. However, these methods may not always provide timely or accurate insights into changing environmental conditions or emerging crop diseases [10], [11].

The secondary target users include **agricultural researchers, agricultural extension officers, government agricultural institutions, and agricultural technology organizations**. These stakeholders use agricultural data and monitoring systems to study crop growth patterns, evaluate farming practices, and develop policies or technologies that improve agricultural productivity [10], [11].

A typical customer persona for the system is a **small or medium-scale paddy farmer who cultivates rice during the Maha and Yala seasons and requires timely insights regarding soil moisture, fertilizer usage, and crop disease management**. Another persona includes **agricultural researchers and government agricultural authorities who require data-driven tools to monitor agricultural conditions and improve national food production strategies**.

Although the platform may initially be developed as part of academic research, the main institutional customer of the system is expected to be **government agricultural agencies such as the Department of Agriculture or agricultural development programs**, which can deploy the system as a digital farming support service for farmers across the country [11].

6.2 Value Proposition

The proposed system introduces a **data-driven smart agriculture platform** that improves decision-making in paddy farming by combining environmental monitoring, predictive analytics, and crop disease detection within a unified digital twin model [2], [3], [10].

The key value propositions of the system include:

- **Real-time environmental monitoring** through IoT sensors that measure soil moisture, soil nutrients, temperature, humidity, and rainfall. [10]
- **Digital Twin simulation of paddy fields**, which creates a virtual model of the farm environment and enables monitoring of crop growth conditions. [2], [8]

- **Machine learning-based crop growth prediction**, which helps farmers estimate potential crop yield and optimize irrigation and fertilizer application [1], [8].
- **Early crop disease detection through image analysis**, allowing farmers to upload paddy leaf images and receive automatic disease identification and treatment recommendations [4] – [7].
- **Personalized farmer-specific and location-specific decision support**, ensuring that recommendations are tailored to the unique environmental conditions of each farm [10], [11].
- **Improved agricultural productivity and resource efficiency**, helping farmers reduce water wastage, fertilizer overuse, and crop losses caused by disease.

By providing intelligent monitoring and predictive insights, the system helps farmers adopt **precision agriculture practices**, ultimately improving crop yield and promoting sustainable farming [10], [11].

6.3 Revenue Model

Although the proposed system can be made available free of charge to farmers, a sustainable financial model can still be implemented through institutional and partnership-based support.

The most suitable financial approach is a **government-supported digital agriculture platform model**, where the system is developed through academic research and later deployed by government agricultural agencies [10].

Potential funding and sustainability sources include:

- Government digital agriculture initiatives and agricultural modernization programs
- International agricultural development grants from organizations such as FAO or World Bank
- Public–private partnerships with agricultural technology companies
- Agricultural innovation and research funding programs
- Collaboration with smart farming technology providers

Instead of generating revenue directly from farmers, the economic value of the system will come from **indirect national benefits**, including improved crop productivity, reduced agricultural losses, increased farmer income, and strengthened food security [11], [12].

6.4 Cost Estimation

The development cost of the proposed Digital Twin Paddy Farming system is relatively moderate due to the use of **open-source technologies, low-cost IoT hardware, and publicly available agricultural datasets** [10].

Major cost components include:

Hardware Costs

- IoT sensors (soil moisture, temperature, humidity, rainfall, soil pH, nutrient sensors)
- Arduino microcontroller boards
- Sensor communication modules

Development Costs

- Machine learning model development and experimentation
- Digital twin simulation development
- Image-based disease detection model training
- Farmer dashboard and user interface development

Infrastructure Costs

- Cloud computing resources for data storage and model training
- System hosting and database management

Operational Costs

- Maintenance of sensor devices and data collection infrastructure
- Periodic retraining of machine learning models using updated datasets
- System monitoring and performance optimization

Since the system relies on widely available technologies such as **Python, TensorFlow/PyTorch, Arduino platforms, and open-source data science libraries**, the overall financial investment required for development remains manageable.

6.5 Pricing Strategy

The proposed solution follows a **digital agriculture public-service model**, where the system is made freely accessible to farmers and agricultural stakeholders [11].

Instead of charging individual users, the system can be supported through **government funding, agricultural research programs, or institutional partnerships**. This approach ensures that all farmers, including small-scale farmers with limited financial resources, can access the benefits of digital farming technologies.

Providing free access to smart farming tools supports **digital inclusivity in agriculture**, enabling rural communities to benefit from technological innovations that improve crop productivity and sustainability [11], [12].

6.6 Competitive Advantage

The proposed system provides several technological and practical advantages compared to existing agricultural monitoring platforms.

First, the system introduces **Digital Twin technology in paddy farming**, which creates a continuously updated virtual model of farm conditions.[2], [3] This allows farmers to visualize environmental conditions and simulate crop growth scenarios.

Second, the system integrates **IoT-based environmental monitoring with machine learning-based predictive analytics**, enabling more accurate crop growth predictions and irrigation management recommendations [1], [10].

Third, the system incorporates **image-based crop disease detection**, allowing farmers to detect plant diseases early and receive guidance on appropriate treatment methods and medicines.

Fourth, the system provides **farmer-specific and location-specific decision support**, which ensures that agricultural recommendations are tailored to the unique environmental conditions of each farm rather than relying on generalized regional data [10], [11].

Finally, the platform is designed specifically for **paddy farming and the Sri Lankan agricultural context**, making it more relevant and practical than generic smart agriculture monitoring systems.

6.7 Intellectual Property Considerations

The intellectual property of the developed Digital Twin Paddy Farming system can be managed through a collaborative model involving the research institution and relevant agricultural authorities.

Key intellectual property considerations include:

- The **digital twin architecture, machine learning prediction models, and disease detection algorithms** may be documented as academic research contributions [2], [3].
- The developed **software platform and trained models** may be transferred to government agricultural institutions for large-scale deployment.
- Open-source technologies used in system development will comply with their respective licensing agreements.
- Future system enhancements and datasets can be integrated through collaborative research partnerships.

Since the primary objective of the system is to **support sustainable agriculture and improve national food security**, the platform may be released under an **open-access or public innovation model**, allowing agricultural authorities and researchers to expand and maintain the system for long-term use [11], [12].

BUDGET AND JUSTIFICATION

The proposed **Digital Twin for Paddy Farming system** requires a small set of IoT hardware devices, sensors, and development tools in order to collect real-time environmental data from paddy fields and support the implementation of machine learning-based crop monitoring and disease detection. Unlike purely software-based systems, this research component includes an **IoT-based environmental monitoring setup**, which requires certain hardware components such as sensors and microcontrollers.

However, the overall development cost remains relatively low because the system uses **low-cost IoT devices, open-source software tools, and publicly available agricultural datasets**. The system development and experimentation will be conducted using commonly available programming tools and machine learning frameworks such as **Python, TensorFlow, Scikit-learn, OpenCV, and Arduino IDE**, all of which are open-source technologies.

The following table presents the estimated budget required for implementing the IoT monitoring setup used in the research prototype.

Item	Description	Quantity	Estimated Unit Price (LKR)	Total Cost (LKR)
Arduino Uno Board	Microcontroller used to connect and manage sensors	1	3,500	3,500
Soil Moisture Sensor	Measures soil water content in paddy fields	2	800	1,600
DHT22 Temperature & Humidity Sensor	Measures environmental temperature and humidity	1	1,200	1,200
Soil pH Sensor	Measures soil acidity/alkalinity for nutrient analysis	1	6,500	6,500
NPK Soil Nutrient Sensor (RS485 sensors)	Measures Nitrogen, Phosphorous, and Potassium levels	1	16,500	16,500
Rainfall Sensor Module	Detects rainfall conditions affecting irrigation	1	1,200	1,200
ESP8266 WiFi Module	Enables wireless data transmission to the system	1	1,500	1,500
Jumper Wires & Breadboard	Used for circuit connections	1 set	800	800
Power Supply Module / Adapter	Provides stable power to the Arduino system	1	1,000	1,000

Table 2 - Estimated Hardware Budget for Digital Twin Paddy Farming System

Estimated Total Hardware Cost: **LKR 33,800**

Software and Development Costs

The system development uses **open-source software technologies**, which eliminates the need for software licensing costs.

Software / Tool	Purpose	Cost
Python Programming Language	System development and data analysis	Free
TensorFlow / PyTorch	Machine learning and deep learning model development	Free
Scikit-learn	Machine learning algorithms	Free
OpenCV	Image processing for crop disease detection	Free
Arduino IDE	IoT device programming	Free
Google Colab / Jupyter Notebook	Model training and experimentation	Free
Weather APIs / Agricultural Datasets	Environmental and agricultural data sources	Free

Table 3 - Open-source software technologies

Total Software Cost: **LKR 0**

Budget Justification Summary

The proposed Digital Twin Paddy Farming system is designed to be **cost-effective and accessible**, ensuring that the prototype can be implemented using affordable IoT devices and freely available software tools.

The primary cost associated with the system is the **IoT hardware setup required for environmental data collection**, which includes sensors for measuring soil moisture, temperature, humidity, rainfall, soil pH, and soil nutrient levels. These sensors enable real-time monitoring of paddy field conditions and provide the environmental data necessary for digital twin simulation and machine learning predictions.

All software development tools used in the project are **open-source technologies**, which significantly reduces the overall development cost. In addition, cloud-based services used for machine learning experimentation are available through **free-tier platforms**, eliminating the need for additional infrastructure expenses.

The total estimated cost required to develop the research prototype is approximately **LKR 33,800**, which demonstrates that advanced smart agriculture systems can be developed using relatively low-cost technologies.

Once implemented on a larger scale, the system could be expanded using **government-supported agricultural digitalization programs**, enabling farmers across Sri Lanka to benefit from smart farming technologies without significant financial barriers.

REFERENCES LIST

- [1] O. E. Oluwole, E. O. Osaghae, and F. D. Basaky, “Machine learning solution for prediction of soil fertility and crop recommendation,” *International Journal of Innovative Science and Research Technology*, vol. 8, no. 3, pp. 2317–2322, 2023.
- [2] R. Zhang, L. Wang, and Y. Chen, “Digital twin technology in smart agriculture: A comprehensive review,” *Agriculture*, vol. 15, no. 9, pp. 1–21, 2025.
- [3] S. Subeesh, R. Bhaskar, S. Dhinesh, and A. Udayakumar, “Digital twin-based applications in crop monitoring and smart farming systems,” *Computers and Electronics in Agriculture*, vol. 215, pp. 1–12, 2025.
- [4] T. Daniya, S. Rajesh, and M. Ramesh, “Rice plant leaf disease detection using deep learning techniques,” *Journal of Intelligent Systems and Applications in Engineering*, vol. 11, no. 2, pp. 201–210, 2023.
- [5] S. Akter, M. Hasan, and A. Rahman, “Rice leaf disease classification using convolutional neural networks,” *Electronics*, vol. 13, no. 20, pp. 1–15, 2024.
- [6] K. Fang, H. Li, and W. Zhang, “Deep learning-based rice leaf disease detection using improved YOLO model,” *Agronomy*, vol. 15, no. 6, pp. 1–17, 2025.
- [7] P. Seelwal et al., “Plant disease detection using deep learning: A systematic review,” *Frontiers in Computer Science*, vol. 6, pp. 1–16, 2024.
- [8] S. Jayalakshmi and R. Devi, “Soil fertility prediction using machine learning techniques,” *International Journal of Computer Applications*, vol. 180, no. 22, pp. 15–20, 2019.
- [9] S. Park, J. Kim, and H. Lee, “Rice yield prediction using climate variables and artificial neural networks,” *Agricultural Systems*, vol. 176, pp. 102–110, 2020.
- [10] M. Awais, M. Ahmed, and T. Hussain, “Advancing precision agriculture through digital twin and IoT integration,” *AgriEngineering*, vol. 7, no. 1, pp. 137–156, 2025.
- [11] R. Kamilaris and F. X. Prenafeta-Boldú, “Deep learning in agriculture: A survey,” *Computers and Electronics in Agriculture*, vol. 147, pp. 70–90, 2018.
- [12] J. Wolfert, L. Ge, C. Verdouw, and M. J. Bogaardt, “Big data in smart farming – A review,” *Agricultural Systems*, vol. 153, pp. 69–80, 2017.

WORK BREAKDOWN STRUCTURE (WBS)




Figure 4 - Work Breakdown Structure (WBS) for Digital Twin Paddy Farming System

GANTT CHART




Figure 5 - Gantt Chart for Digital Twin Paddy Farming System