



Alpine: New User Seminar



Research Computing
UNIVERSITY OF COLORADO **BOULDER**

CURC Alpine: New User Seminar

Instructor: Ragan Lee, Layla Freeborn
Workshop Type: Primer



- Website: www.rc.colorado.edu
- Helpdesk: rc-help@colorado.edu
- Slides: https://github.com/ResearchComputing/New_User_Seminar

RMACC Cyber Infrastructure Portal



- <https://ask.cyberinfrastructure.org/c/rmacc/65>
- This forum provides opportunity for RMACC members to converse amongst themselves and with the larger, global research computing community.
- The “go to” general Q&A platform for the global research computing community - researchers, facilitators, research software engineers, CI engineers, sys admins and others.

Learning Goals

1. Understand Basic CURC Resources & the Alpine cluster
2. Getting an account & logging in
3. Navigate the RC system
4. Running a job
5. Help!

Things to take note of:

- Confusing, ambiguous, highly nuanced concepts
- Our goal is to help you avoid common mistakes, pitfalls, and frustrations




Ask Questions!

Introduction to HPC

Resources Include:

- High Performance Computing (HPC)
- Storage of Research Data
- High-Speed Data Transfer
- Data Sharing
- Cloud Computing
- Training and Education
- Secure Research



Primarily known for: High Performance Computing (HPC)




High Performance Computing (HPC) vs. Traditional Computing

- Traditional computing *generally* has access to a single processor (perhaps multiple cores)




What can / use HPC for?

- Jobs that would take a long time on local machines can instead be distributed over hardware:
 - Parallelized to split up then joined (if software enabled)



- Broken up into many serial jobs




What can / use HPC for?

- Solving large problems that require more:
 - Memory than you have on your PC
 - cores/nodes/power than you have on your PC
- Jobs that require hardware you may not have:
 - High Performance GPU computing
 - Specific Operating System
- Visualization rendering

Research Computing Resources

HPC Cluster: Alpine


Alpine



- Alpine is the 3rd-generation HPC cluster at CURC, following:
 - Janus
 - RMACC Summit
- Alpine is a heterogeneous cluster with hardware currently provided by CU Boulder, CSU, and Anschutz
- Access available to CU Boulder, CSU, AMC and RMACC users

HPC Cluster: Alpine


Alpine



- Hardware on Alpine will continue to be purchased and released in stages:
- Alpine (stage 4):
 - 375 General CPU Nodes
 - *AMD Milan, 32-64 Core, 3.74G RAM/Core*
 - 12 NVIDIA GPU Nodes
 - *3x NVIDIA A100 (atop General CPU node)*
 - 8 AMD GPU Nodes
 - *3x AMD MI100 (atop General CPU node)*
 - 22 AMD High-Memory Nodes
 - *AMD Milan, 48-64 Core, 21.5G RAM/Core*
 - Additional Hardware contributed by CSU, AMC
 - *Nodes which boost priority for CSU/AMC users*

HPC Cluster: Alpine


Alpine



- Interconnect
 - **CPU nodes:** HDR-100 InfiniBand (200Gb inter-node fabric)
 - **GPU nodes:** 2x25 Gb Ethernet +RoCE
 - **Scratch Storage:** 25Gb Ethernet +RoCE
- Operating System
 - RedHat Enterprise Linux version 8 operating system


Storage at CURC

Core




- Included with RC account
 - /home
 - /projects
 - scratch space

PetaLibrary



- Paid Service for:
 - Storage
 - Archive
 - Sharing of research data

Local or Cloud




- You can download your data locally or to a variety of other cloud resources
- Cloud Foundations at Research Computing

Data Sharing: Within RC

- Sharing workspaces
 - Project space
 - Scratch Space
 - PetaLibrary Space*

*If you have purchased PetaLibrary space




Data Sharing: Outside RC

- Data Transfer Nodes (DTN)
 - Internal CU network needed (VPN)


Ways to transfer data:

- Globus (recommended):
 - GUI Web Application
 - Automates large transfers
 - Resumes failed transfers
 - Distributes large transfers across DTNs
 - Endpoints that can shared
- Command line tools
 - scp, sftp, rsync, rclone



Cloud Computing

- CURC supports AWS, Azure, and GCP
 - For use cases not well-supported by HPC
- Can be used as an alternative to HPC
- Can be used to enhance HPC
 - Automatic job submission, high availability, etc.



Request a CUmulus application by contacting the RC helpdesk at rc-help@colorado.edu

Accessing Research Computing

How to Access RC Resources?

1. Get an RC account
2. Set up two-factor authentication with Duo
3. (Inform us of any specific needs)
4. Log in
5. Create greatness! (responsibly)

Getting an RC Account

- **University of Colorado, Boulder users and affiliates:**
 - Request an account through the RC Account request portal
 - <https://rcamp.rc.colorado.edu/accounts/account-request/create/organization/>
- **Colorado State University users:**
 - Request an CSU eID if you don't have one
 - Fill out account application form
 - Duo authentication
 - <https://it.colostate.edu/research-computing-and-cyberinfrastructure/compute/get-started-with-alpine/>
- **CU Anschutz Users:**
 - Create an [ACCESS-CI](#) Account in the ACCESS user portal
 - Reach out to hpcsupport@cuanschutz.edu to receive and sign the End-User Agreement
- **RMACC Users:**
 - Create an [ACCESS-CI](#) Account in the ACCESS user portal
 - Email us at rc-help@colorado.edu and request an account. Please include the following information: your ACCESS username, your institutional affiliation, your role, your department, your first and last name, your preferred email address for communication

Demo: Getting an Account

- CU Boulder, CSU users and affiliates:
 - Request an account through the RC Account request portal:
<https://rcamp.rc.colorado.edu/accounts/account-request/create/organization>
- AMC, RMACC users and affiliates:
 - Request an account through the ACCESS-CI User Registration Portal:
<https://identity.access-ci.org/new-user.html>

Your RC Account

Access to:

1. Alpine Cluster
2. Core Storage
3. PetaLibrary Storage*
4. Open OnDemand
5. Approximately 2,000 Service Units (SUs) per month

*If purchased

Your RC Account

How can I use more computational time?:

- Trailhead Allocation (Default)
 - ~2,000 SUs / Month
- Ascent Allocation
 - 350,000 SUs
- Peak Allocation
 - >350,000 SUs

Request an allocation at


<https://curc.readthedocs.io/en/latest/clusters/alpine/allocations.html?highlight=alpine%20allocation#comparing-trailhead-auto-allocation-ascent-allocation-and-peak-allocation-tiers>

Two Factor Authentication (Duo)

- Provides an extra level of authentication
 - We are outside the firewall!
 - Valuable resources
 - Inviting, high-profile target
- Duo
 - You will receive a Duo invitation when your RC account is created

Duo Authentication

1. **Duo smartphone app**
(recommended)
2. Phone Call/Text is an alternatives



Linux comfort level check

- On a scale from (1-10) [how familiar/comfortable are you with](#)

[Linux?](#)

- The command line
- Basic commands
- Linux filesystem
- Navigating the filesystem

Want more Linux practice? Check out our Super Computing Spin Up!

Terminal

- Mac or Linux
 - Terminal application
- Windows
 - PuTTY
 - Powershell
- Open OnDemand (*alternative for CU affiliates*)
 - For those less familiar with Linux
(ondemand.rc.colorado.edu/)

```
[user0083@tlogin1 ~]$ pwd  
/home/user0083  
[user0083@tlogin1 ~]$ █
```

Demo: Logging in via Terminal

- To login to an RC login node:

```
$ ssh <username>@login.rc.colorado.edu
```

Supply your IdentiKey password and your Duo app will alert you to confirm the login

*CU and CSU exclusive

Demo: logging in with OnDemand

CURC Open OnDemand is a browser based, integrated, single access point for all of your HPC resources at CU Research Computing.

- CU Boulder: Visit <https://ondemand.rc.colorado.edu>.
- Other RMACC Institutions: Visit <https://ondemand-rmacc.rc.colorado.edu/>

Logging In

- It's important to note that you are ***NOT*** logging into any specific resource, Alpine, Blanca, etc.
- When you log in, you land on our ***login nodes***
- From ***there***, you can access our other resources:
 - Alpine
 - Blanca
 - Petalibrary



Navigating Research Computing

Node

- One computing server
- Physical hardware
- Work together in parallel

File System

- The basic tree-like layout
- From most nodes* you have access to most file systems





Node

- One computing server
- Physical hardware
- Work together in parallel

File System

- The basic tree-like layout
- From most nodes* you have access to most file systems



Node Types

Login

Where you log in to

- For editing code, job submission
- No heavy computation

Ex. edit job script

Compile

Where you compile code, install packages

- Explore the Alpine software environment
- Edit code, submit jobs
- No heavy computation

Ex. Install python libs

Compute

Where scheduled jobs run

- Intended for heavy computation

Ex. Running Matlab

Alpine Compile Nodes

Alpine's **acompile** command starts an interactive job which provides the following benefits:

- Users can request specific resources (i.e. more cores to compile with)
- Limits dedicated hardware set aside
- Can't accidentally run full workflows

Alpine Compile Nodes

- `$ acompile`
 - starts a job with default: 1 core, 3.74GB RAM, for 60 minutes*
 - `$ acompile --help`
 - `--time=<time-limit>` # set minimum runtime
 - `--ntasks=<number-of-cores>` # default 1, max 4
 - `--gpu=<nvidia|amdgpu>` # request gpu to compile with
 - `--x11` # enable graphical forwarding
- *only a single `acompile` job can be open at a time

Demo: Exploring Nodes

- Once logged in, type:

\$ compile

To log in to an Alpine compile (or head) node.

- Once on a compile node, type:

\$ module avail

To list currently available software

Filesystem Structure

/home (2GB)

/projects (250GB)

**/scratch/alpine
(10TB)**

<ul style="list-style-type: none">■ Scripts, Code, Small, important files/directories■ Not for sharing files or job output	<ul style="list-style-type: none">■ Code/files/libraries■ Software you are installing■ Sharing files■ Not for job output	<ul style="list-style-type: none">■ Output from running jobs■ Large files/datasets■ Sharing files■ Cluster specific■ Not for long term storage
Ex .bashrc	Ex. Shared job scripts	Ex. Data

Exploring the Filesystem

- Once logged in use the following commands to navigate to your different workspaces

```
$ cd /home/<user>
```

```
$ cd /projects/<user>
```

```
$ cd /scratch/alpine/<user>
```

Using RC Resources

- We have:
 - Logged in
 - Explored nodes
 - Explored filesystem
- How do we actually *use* the computing resources?

Running a Job

Jobs

What is a “**job**”?

- Work for the cluster to perform on
- Has a unique ID

1. Batch jobs


- Submit job script which will be executed when resources are available
 - Create script containing information about the job
 - Submit the job file to a queue

2. Interactive jobs

- Work interactively at the command line of a compute node

Job Scheduling

- CURC Clusters are shared resources, jobs are:
 - Submitted to a queue
 - When the required resources become available, the scheduler determines which set of nodes to use
 - Executes your job




SLURM

- **S**imple **L**inux **U**tility for **R**esource **M**anagement
- Through SLURM users can:
 - Schedule jobs on specific compute resources
 - Run jobs interactively or hands off
 - Query job statistics

Your first job

- Where to write it?
- How to write it?
- How to run it?



Job Script: 3 main parts

1. Directives
 - Specify resource requirements
2. Software
 - Because jobs run on a different node than from where you submitted...
 - ...software that is needed must be loaded via the job script
3. User scripting
 - the actual user scripting that will execute when the job runs

```
#!/bin/bash

## Directives
#SBATCH --<resource>=<amount>

## Software
module purge

## User Scripting
hostname # example bash command
```


Slurm Options (directives)

#SBATCH <options> sbatch <options>

- Allocation: --account=<account_no>
- Partition: --partition=<partition_name>
- Sending emails: --mail-type=<type>
- Output file: --output=<file name> (%j gives you job id)
- Number of nodes: --nodes=<nodes>
- Number of tasks: --ntasks=<processes>
- Quality of service: --qos=<qos>
- Reservation: --reservation=<name>
- Wall time: --time=<wall time>
- Job Name: --job-name=<jobname> ...etc...

FYI: You do NOT actually type <> above – this designates something specific you as a user must enter about your job

Slurm Options (directives)

- There are **MANY** slurm directives, most of which are not required
 - See all options at <http://slurm.schedmd.com/sbatch.html>
- We will focus on some common options:
 - **Partition:** Nodes with the same hardware configuration
 - **Wall time:** Max time your job will run for
 - **Node count:** # of nodes requested
 - **Core count:** # of cores requested
 - **Output file:** name of output file

Alpine Partitions

Partition	Description	# of nodes	RAM/core (GB)	cores/node	GPUs/node
amilan	General Compute Node: AMD Milan	375	3.74	32-64	0
ami100	GPU Node: 3x AMD MI100	8	3.74	64	3
aa100	GPU Node: 3x Nvidia A100	12	3.74	64	3
amem	High-memory node	22	21.5	48-64	0

Review: Learning Goals

1. Understand Basic Resources (Alpine cluster)
2. Getting an account & logging in
3. Navigate the RC system
4. Running a job
5. Help!

Help! I'm stuck, where do I go?

- **Documentation:** curc.readthedocs.io/
- **Trainings with Center for Research Data and Digital Scholarship (CRDDS):**
<https://www.colorado.edu/crdds/>
 - **What should I do next?:**
 - [Supercomputing Spin Up: Part 1 – Working with Linux](#)
 - [Supercomputing Spin Up: Part 2 – Submitting Jobs](#)
- **Helpdesk:** rc-help@colorado.edu
- **[Consult Hours](#)** (Tuesday 12:00-1:00 in-person, Thursday 1:00-2:00 virtually)

Helpdesk Tickets

To: rc-help@colorado.edu

Dear Research Computing,

Help! My code won't run!
Help!

Help please,
Ragan

To: rc-help@colorado.edu

Dear Research Computing,

I am running into issues running my Python script. I am using a conda environment called `my_python_env` with the pytorch software, and I am receiving the following error. I am not sure how to troubleshoot. My job ID is 620350. Let me know what I can try!

sbatch: error: Batch job submission failed: Invalid partition name specified.

Thanks,
Ragan

Questions?

CURC User Policies: <https://curc.readthedocs.io/en/latest/additional-resources/policies.html?highlight=policies#curc-user-policies>

Survey and feedback

<http://tinyurl.com/curc-survey18>

