



Collaborative WRF-based research and education enabled by software containers

J. Hacker, J. Exby, K. Fossell

National Center for Atmospheric Research

Contributions from Tim See (U. North Dakota)



BIG WEATHER WEB



A common and sustainable big data infrastructure in support of weather prediction research and education in universities

1. Large ensemble distributed over 7 universities:



2. Common storage, linking, and cataloging methodology

- Permanent naming and high availability of data and experiments
- Connecting data, platform, tools, analysis

3. Software Container technologies for easy deployment and reproducibility

- Self-contained: software can be instantly deployed in common environments
- Naming and versioning: compact reference mechanisms for complex environments
- Good for reproducibility and education

Carlos Maltzahn, UC Santa Cruz
(lead)

Ivo Jimenez, UC Santa Cruz

Mohan Ramamurthy, Unidata,
Josh Hacker, John Exby, NCAR
Robert Fovell, Kevin Tyle, SUNY
Albany

Gretchen Mullendore, UND

Brian Ancell, Texas Tech

William Capehart, SDSM

Clark Evans, UW Milwaukee

Steven Greybush, Penn State

Russ Schumacher, CSU

Website: bigweatherweb.org

Email list: [bww-](mailto:bww-users@unidata.ucar.edu)

[users@unidata.ucar.edu](mailto:bww-users@unidata.ucar.edu)

Why the Weather Research and Forecasting (WRF) model in Docker?

NCAR

- WRF is a state-of-the science numerical weather prediction (NWP) model for operations and research
- Compilation and execution can be an intensive effort, slowing time to results
 - Huge complex code
 - Numerous and non-trivial dependencies
 - Inexperienced users can take months to get WRF running for results
- Classroom opportunities for hands-on numerical weather prediction can be intensive to produce
- Research is almost never reproducible
- Collaboration is difficult and cumbersome


Goals of container-wrf

- Lower the technical difficulty for new users
 - Graduate students can accomplish early results simultaneous to learning the Unix/Linux skills needed for more in-depth work
 - Provide a reference context
- Trivialize classroom and lab experimentation
- Provide a platform for reproducible numerical weather prediction research
- Facilitate efficient and easy collaboration

WRF in a container is a grey box, open for changes.

WRF in a container

Build, Deploy, Run




- Docker provides stable container software for packaging applications
- Container includes minimal environment, all dependencies needed for an application

Open and Adaptable

- Important use cases in an education
 - Change input data sets for land use
 - Change input data sets for initial and boundary conditions
 - Change physics, diffusion, time steps, parameters
 - Change code and recompile in known environment

Container development allows all of these, including deployments on cloud providers or local compute hardware.

Vision: End to end



Run on your command line and link to your filesystem



Bit-wise reproducibility

NCAR

Incomplete list of test platforms

OS	Chip/CPU	Cores
OS X 10.10.5	Intel Xeon E5	6
OS X 10.9.5	Intel Core i7	2
Ubuntu 14.04	AMD Opteron 6320	16
Ubuntu 14.04	Intel Xeon E5	16
RHEL	Intel Xeon X5550	8
*Ubuntu 14.04	Intel Xeon E5-2666 v3 AWS EC2	32
**Ubuntu 14.04	Intel Atom C2550 Packet Tiny Atom	4

Reproducible on all platforms so far




University of North Dakota


Classroom Implementation

- Access Docker-WRF through Amazon Web Services.
- Students completed a classroom assignments to create an ensemble output of a tornadic supercell over North Dakota.
- Students personally changed the parameterization schemes within WRF.
- Classroom discussion generated through changing of parameterizations.
- Sample Plots below


CAPE



Accumulated Precipitation




Surface Analysis



University of North Dakota Classroom Implementation

- Total Cost for Homework Assignment: \$40.21 over 11 days
 - Inflated cost due to not shutting down instances properly first day.
- Reproducibility of Docker allows for plots to remain the same across all students.
- Students were able to complete their model runs from personal laptops.



Zero to WRF Tutorial

in 3 Steps

Using a relatively modern, multi-core laptop, workstation, server.
Linux, MacOS, Windows 10:

- 1. Install docker for free ! <https://docker.com/products/>
- 2. git clone <https://github.com/NCAR/container-wrf>
(Hurricane Sandy and Katrina)
- 3. cd 3.7.1/demos/local ; docker-compose up
 - (psssst. Windows users- please first edit docker-compose.yml for output DIR)
VOILA!


Demo

- A University professor gives their student \$1 dollar to “do some atmospheric science” in one hour, then write a paper to help toward graduation!
- Is this possible?



Tutorial Architecture

NCAR



32 core WRF run on AWS



- script to spin up a new AWS resource (spot EC2 under \$1)
- our own (ssh secured) compute access
- script to launch the docker-compose.yml elements:
 - two containers holding data
 - a container with wrf executables
 - a container with NCL scripts to post process *.nc
 - copy files from AWS back to macbook
- visualize results on macbook

Live Demo Time

- Fingers crossed that wifi is fast!





Next Steps

- Dynamic data query for smaller downloads
- AWS Batch
- Singularity for performance
- Swarms and queues for scaling, workflow automation.

Dynamic pull of terrestrial data sets (WPS_GEOG) – work in progress

Current practice

“Local” Disk (desktop, HPC, cloud, etc.)



Downsides:

- Required to download and store entire datasets and unnecessary data
- Not conducive to cloud or container environments
- Large files to store and transfer
- Costs (\$) associated with storing or downloading/transferring data in cloud
- Computational inefficiencies in containers due to size of files

Dynamic pull of terrestrial data sets (WPS_GEOG) – work in progress

Current practice

“Local” Disk (desktop, HPC, cloud, etc.)



Request entire dataset
Return entire dataset

WPS_GEOG Data Server

New utility



“Local” Disk

WPS_GEOG Subset Utility

- Containerized & Standalone Package
- Reads namelist.wps for defined model grid and desired resolution
- Creates a list of only necessary data files for given domain and resolution
- Downloads subset of files required

Run geogrid (Manual or Container)

Option to keep subset of files locally -or- remove them



NCAR Resources



- NCAR RAL Container-WRF Project Web site:
- <https://www.ral.ucar.edu/projects/ncar-docker-wrf>
- NCAR Github repo: <https://github.com/NCAR/container-wrf>
- NCAR Dockerhub repo: <https://hub.docker.com/r/bigwxwrf/>
 - bigwxwrf/ncar-wrf
 - bigwxwrf/ncar-wpsgeog
 - bigwxwrf/ncar-wrfinputkatrina
 - bigwxwrf/ncar-ncl
 - bigwxwrf/ncar-wrfinputsandy
 - bigwxwrf/ubc-wrf
- Slack channel for docker-wrf community discussion.
- <https://ncar-dockerwrf.slack.com>