Working with Git and GitHub

Working with Git and GitHub

Instructor: Brandon Reyes

- Website: www.rc.colorado.edu
- Helpdesk: rc-help@colorado.edu

Be Boulder.

My Goal

- Convince you that basic Git/GitHub fluency is:
  - Easy
  - Practical
  - An extremely important tool in your tool belt!

Learning Goals

- Understand the basics of version control
- Differences between Git, GitHub
- Basic Git fluency
- How to collaborate with Git

Outline

- Brief overview of Git and GitHub

  - What is version control?

- Creating your own repository locally

- Pushing local changes to GitHub

- Collaboration

Have you set up Git/GitHub?

This is meant to be a mostly hands on tutorial. If you haven't yet, you may still be able to get everything set up in time using the link:

https://github.com/ResearchComputing/Summer_Camp_2023/blob/main/Day_Three/Using_git/README.md

Git vs GitHub

- Git: version control system
  - the actual software

- GitHub: Cloud-based storage website
  - Hosts repositories ("repos")
  - Provides a GUI for many Git features
  - Allows for easy collaboration
   - Issues, pull requests

What is version control?

Version control is the practice of tracking and managing changes to files.

- Why do I need it?
  - Revert to various states of files
    - You can think of this as a backup
  - Allows you to modify items without harming the original copy
  - Not limited to code
    - documents, images, etc…

Be Boulder.

Additional benefits of version control

- Using version control provides
  - Clear tracking of the repo's history
  - Management and view of different branches (work)
  - Collaboration through merging of branches

Your Work

Main

Someone Else's Work

Images: nobledesktop.com

Be Boulder.

Different Version Control Systems

- Subversion (svn)
- Mercurial
- CVS
- etx

- We're going to stick to Git
  - industry standard
  - widely known
  - most resources

Images from Wikipedia

Research Computing
UNIVERSITY OF COLORADO **BOULDER**

Be Boulder.

Getting Started with Git (local)

Setting Git up locally

Many systems have Git installed; however, you may need to download it on your local machine

- See https://git-scm.com/book/en/v2/Getting-Started-Installing-Git for more information

Today we are going to stick with using Git on a login node

Logging into RC via Terminal

To login to an RC login node:

$ ssh <username>@login.rc.colorado.edu

- Supply your IdentiKey password and your Duo app will alert you to confirm the login
- Confirm Git has been configured (by you using the README)

$ git config --list

Hands on tutorial

Goal: Create a simple project that contains some Python code

First let's create a new directory for our project:

```
$ cd /projects/$USER
$ mkdir git-tutorial
$ cd git-tutotial
```

Git Repository (Repo)

A Git repository tracks and saves the history of all changes made.

- All of this information is stored in ".git", which is the repository folder

We can make a directory (folder) a Git repo using "git init"

Git Init

In your "git-tutorial" directory run

```
$ git init
```

- Git creates the "hidden" directory called ".git"

```
$ ls -a
```

- Your directory is now a repo!
  - Git is now ready to to be used
  - Allows us to tell Git what items to watch

Create the main branch

Now that we have a repo, we can create branches. Branches are a version of the repository.

- It is customary to name the primary branch "main"

- This can be done as follows (after an init)

```
$ git checkout -b main
```

Let's add a file!

It is customary to add a README.md
- Description of repo and any helpful information

To add a README.md, in "git-tutorial" create and edit the file using nano (or an editor of your choice)

```
$ nano README.md
```

- Add anything you would like!
- Be sure to save the file when you exit.

Git does not know about README.md yet!!

Areas of Git Workflow

Working Area

- Items that you are currently working on
- Are not tracked by Git!
- Exists locally

Staging Area

- When Git starts tracking and saving your work
- Exists locally
- Items are added to this area by using "git add"

Snapshot Area

- All staged items are captured
- Version of the repo
- Exists locally
- Items are added to this area by using "git commit"

GitHub

- Exists locally and on GitHub!
- Items are added to this area using "git push"

Git Status

The git status command **displays the state of the working and staging area**.

Let's see what area README.md is in

```
$ git status
```

- We see it is an untracked file, so it is in the working area

What if you don't want Git to track something?

.gitignore

We can add a file named ".gitignore" to our repo
- Specifies what items should never be tracked

Let's create a file to ignore!

```
$ echo "Super secret stuff" > confidential_data.txt
```

Add ".gitignore" to "git-tutorial" and put "confidential_data.txt" in it

```
$ echo confidential_data.txt > .gitignore
```

Let's add our files to the staging area now!

Git Add

The git add command **adds a change in the working area to the staging area**

Let's add our README.md to the staging area

```
$ git add README.md
```

or add everything in the current directory

```
$ git add .
```

- Anytime a change is made, you need to do a git add (to track them)

| Working Area | git add → | Staging Area | → | Snapshot Area | → | GitHub |

Git Commit

The git commit command **captures a snapshot of all staged items**
- Commits can be thought of as a version of the repo
- Commits should be accompanied with a brief message

Let's commit our staged item!

$ git commit -m 'Create repo, add README.md, add .gitignore'

$ git status

Working Area		Staging Area		Snapshot Area		GitHub
	git add		git commit			

Common practice – add, commit

- git add
  - Can be performed as much as you want
  - Doesn't need to be done after every change

- git commit
  - Always include a comment!!
  - Bundle common staged items together
 - Try not to put too many things in a commit

Git Log

The command git log **lists the commits made in that repository**

- Lists the most recent commits first

$ git log

All changes and files are only locally stored right now!

To GitHub we go!

GitHub

- Go to: https://github.com
- Sign in (or create an account)
- Click on "Create New Repository" or just "New"

Create Repo in GitHub

- Create a new repo
- Call it whatever you would like
- Ignore directions for you, just change to **ssh** and copy the link
  - e.g. git@github.com:<user>/test-repo.git

Quick setup — if you've done this kind of thing before

[⬇ Set up in Desktop]   or   [HTTPS | SSH]   `git@github.com:monaghaa/test-repo.git`

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

Research Computing
UNIVERSITY OF COLORADO **BOULDER**

Be Boulder.

Git Remote

- Git remote tells you **which remote repositories you have linked to your local project**.

  ```
  $ git remote          # should return nothing
  ```

- To link our remote repository (accepts 2 values):

  ```
  $ git remote add origin git@github.com:<user>/test-repo.git
  ```

- View remote again

  ```
  $ git remote
  $ git remote -v          # view url as well
  ```

Git Push

- Sync up local code with remote GitHub repo!
- Git push **uploads a local repositories content to a remote repository**. Pushing is how you transfer commits from your local repo to a remote repo

```
$ git push <name of remote repo> <branch>

$ git push origin main
```

GitHub

- Go back to GitHub and refresh your page
  - should see the files we have added (and not the ones we've ignored)

- Some cool features!
  - look at our commits
  - directly edit/commit in the browser

- Let's do that! Let's fix the typo and commit it
  - But now our remote repo is one commit ahead of our local one…

Git Fetch & Merge

- Git fetch retrieves the changes from the remote repo

  `$ git fetch`

- Git merge combines two branches

  `$ git merge origin/main`

- But there's an easier way!

Research Computing
UNIVERSITY OF COLORADO **BOULDER**

Be Boulder.

Git Pull

- Git pull combines the fetch and merge commands
- **Must have clear working directory!**

```
$ git pull origin main
```

Git Clone

- Git clone **makes a clone or copy of a remote repo at in a new directory, at another location**.

  `$ git clone <url> <optional new name>`

- Easy way to grab third-party code, or pre-existing code you might need to work on

  `$ cd /projects/$USER`

  `$ git clone https://github.com/ResearchComputing/HPC_software_dev_course`

Update your project! (practice)

- Create a new file in your test repo and Add + Commit it

- Then push up to your GitHub repo and ensure your new file is there!

Review: Learning Goals

1. Understand basics of version control
2. Differences between Git, GitHub
3. Basic Git fluency

Research Computing
UNIVERSITY OF COLORADO **BOULDER**

Be Boulder.

Help! I'm stuck, where do I go?

- **Documentation**: curc.readthedocs.io/

- **Trainings with Center for Research Data and Digital Scholarship (CRDDS)**:
  https://www.colorado.edu/crdds/

- **Software Carpentries tutorial:** https://swcarpentry.github.io/git-novice/index.html

- **Helpdesk**: rc-help@colorado.edu

Research Computing
UNIVERSITY OF COLORADO **BOULDER**

Be Boulder.

Questions

Research Computing
UNIVERSITY OF COLORADO **BOULDER**

Be Boulder.

Survey and feedback

http://tinyurl.com/curc-survey18

Research Computing
UNIVERSITY OF COLORADO **BOULDER**

Be Boulder.