MSFS_AutoFPS v0.5.5.0

Notice

My future development efforts on this app are mainly limited to maintenance, resilience improvements and streamlining of existing functionality only. I do add new functionality at times, mainly from my existing wishlist. I occasionally accept user requests for new functionality, however these will only be accepted if I judge it to be a great idea and it is technically achievable, useful to the majority of users, consistent with AutoFPS's existing design philosophy, with negligible, or preferably no, UI impact, and if I have the available time to do it.

Licence

- Versions released before 8 November 2026, up to and including v0.5.5.0, were released under the MIT Licence (with an exception for the app icon image and associated files, and a requirement to attribute previous authors) and remain under it.
- Versions released on or after 8 November 2026 are released under the MSFS_AutoFPS Licence in LICENSE.txt. In short: free personal use, no redistribution of the app or derivative works without my written permission, no decompiling or reverse engineering, credit to the original author where permission is given, and the app name and icon are not licensed. This is source-available, not open source. Please read the full terms.
- This app builds on earlier work by other authors, credited in the Summary below. Their original licences continue to apply to their parts.
- The only official source of this app is github.com/ResetXPDR/MSFS_AutoFPS. Copies, forks or rebuilds published elsewhere, including any rebuilt from decompiled binaries, are not made, endorsed or supported by me. Please download only from the official Releases page.

Important Simulator Notes

- **Official Forums Warning:** Do not mention or discuss this app on the official MSFS forums, even in private messages. Forum moderation treats active memory access as a Terms of Service violation regardless of its harmless operation. If you post about it there, your account may be flagged or banned.
- **SimConnect Wishlist:** There is an official MSFS wishlist item requesting SimConnect variable access to graphics settings, which would allow legitimate settings

management. Please vote for it here.

- **Memory Access & Safety:** AutoFPS reads and adjusts active simulator graphics settings in memory at a maximum rate of once per second per setting. On startup, memory offsets are validated; if an unsupported simulator build is detected and updated offsets cannot be validated, the app restricts itself to read-only mode to prevent unintended changes. AutoFPS is provided as-is and used at your own risk.

Table of Contents

1. Summary
2. Quick Start & Non-Expert Guide
3. In-Game Toolbar Widget & Web Interface
4. Desktop App Window & Controls
5. Reading the Display: Colours and Symbols
6. Graphics Modes & Frame Generation
7. Expert Mode Reference Guide
8. Companion Apps & Advanced Features
9. Installation, Updates & Maintenance
10. Frequently Asked Questions & Troubleshooting
11. Detailed Reference

Summary

Based on muumimorko's idea and code in MSFS_AdaptiveLOD, as further developed by Fragtality in DynamicLOD, myself in DynamicLOD_ResetEdition and MSFS2020_AutoFPS and with inspiration from changes suggested by kayjay1c6b from his MSFS2024_AutoFPS.

Now fully compatible with MSFS 2020 and 2024 in a single application, AutoFPS improves simulator smoothness and framerate consistency by automatically changing key graphics settings on the fly. Key features include:

- Automatic TLOD adjustment to achieve and maintain a target FPS or follow an altitude schedule.
- Advanced FPS smoothing (FPS+) to filter out brief rendering spikes and dips.
- In-Game Toolbar Widget and local web interface (`http://localhost:54321`) with real-time telemetry, camera-based auto-hiding, and cockpit controls.

- Dynamic graphics mode architecture supporting native rendering, VR, native Frame Generation, and external mods (MSM, VectorXR, OFXR, Lossless Scaling) with dual-layer VR conflict protection.
- Simplified Non-Expert mode with automated guardrails suited to most user setups.
- Deep Expert Mode customisation covering sensitivity models, altitude bands, night optimisations, multi-profile pairing, and CPU thread optimisation.
- Native Dark Mode theme, resizable fluid layout, and automatic restoration of simulator settings upon exit, enhanced to withstand MSFS CTDs.
- Auto future MSFS version compatibility, provided MSFS memory changes are minor, plus detection of and protection from known similar apps already running or incompatibilities with newer MSFS versions.
- Intelligent auto-update system that defers widget updates until MSFS exits, and custom Community folder and Addons Linker management that persists across updates.
- Optional MSFS Performance Optimiser, which selects the best CPU core affinity, process priority and power plan for MSFS.

Quick Start & Non-Expert Guide

If you are new to the application or prefer an automated set-and-forget experience, Non-Expert mode provides reliable performance management without complex tuning.

5-Step Quick Start

1. Configure your general graphics settings inside MSFS as you normally would.
2. Launch AutoFPS before loading into a flight.
3. Ensure **Expert** (Use Expert Options) is left unchecked.
4. Select your **Flight Type**:
    - **VFR:** Tuned for lower altitudes, GA aircraft, and higher visual expectations.
    - **IFR:** Tuned for airliners, higher climb rates, and complex airport performance.
5. Set your **Target FPS**:
    - **Auto:** Recommended if you want the app to establish a realistic target based on your system headroom.
    - **Manual:** Set to a framerate your hardware can comfortably sustain in moderate conditions.
    - **Fixed:** Set to match your lock if using a driver or monitor refresh lock.
6. Click back into MSFS, allow any initial FPS settling or seeking events to complete (up to 60 seconds), and fly.

Non-Expert Automated Guardrails

In Non-Expert mode, AutoFPS manages LOD and visual settings using conservative, pre-tuned rules to prevent system overloads:

- **Automation Method:** Uses FPS Sensitivity at 5% for smooth, progressive adjustments.
- **Base Min TLOD:** 50% of your simulator setting for VFR, 25% for IFR (doubled if Auto Target FPS is selected), clamped to a maximum ceiling of 150.
- **Base TLOD Altitude:** 100 ft AGL for VFR, 1,000 ft AGL for IFR.
- **Top Max TLOD:** 250% of baseline for VFR (capped at 400), 200% for IFR (capped at 400).
- **Ground OLOD:** Capped at 200 (VFR runs at 150% of baseline up to 200; IFR runs at 100%).
- **Night Optimisation:** Automatically uses `TLOD÷2` at night (capped at 200) to shed distant scenery workload in the dark.
- **MSFS 2020 Specifics:** Decreases cloud quality if performance cannot be recovered at Base Min TLOD or if GPU load exceeds 98% (when GPU-Z is running).
- **MSFS 2024 Specifics:** Engages automated settings reduction under marginal conditions and supports VRAM+ overflow mitigation when GPU-Z is active.

Note: Do not manually change graphics settings in the MSFS menu while in an active flight with AutoFPS running, as the app will overwrite them or restore original values when the session ends.

In-Game Toolbar Widget & Web Interface

The companion In-Game Toolbar Widget and local web server allow in-cockpit monitoring and adjustments without switching out of the simulator.

Installation & Access

- Select the **MSFS Widget** option during the installer setup to deploy the widget to your Community folder.
- In-cockpit: Open the MSFS top toolbar and click the **AutoFPS** icon.
- Web browser / tablet: Navigate to `http://localhost:54321/` on any device on your local network while AutoFPS is running.

Key Widget Features

- **Live Telemetry & Balanced Layout:** Mirrors the desktop application across three clean columns displaying real-time FPS, TLOD, OLOD, AGL, vertical speed, reduction states, and connection status with matching glyphs.
- **Interactive Target FPS Controls:** Adjust Target FPS directly in the cockpit using responsive `–` and `+` stepper buttons (with accelerating hold), toggle modes (Manual, Auto, Fixed), and switch target graphics profiles.
- **Camera-Based Auto-Hide:** Automatically conceals the in-game toolbar panel when leaving cockpit view to keep external views and screenshots uncluttered:
  - **Off:** Widget remains visible in all camera views.
  - **Chase:** Automatically hides only in standard chase exterior view.
  - **All Ext:** Automatically hides across all external views (chase, drone, showcase, and exterior fixed cameras) with sub-150 ms SimVar response.
- **Click-to-Toggle FPS Source:** Click the FPS source badge on the panel to toggle capture between MSFS and RTSS (read-only during active OFXR or VectorXR sessions).
- **Show/Hide Hotkey:** The previous on-screen hotkey button has been replaced by the Auto-Hide dropdown. Any previously configured hotkeys continue to work in the background. To set, change, or clear a manual toggle hotkey, edit the `WidgetHotkey` key in `MSFS2020_AutoFPS.config` or `MSFS2024_AutoFPS.config` located in `%appdata%\MSFS_AutoFPS` (set to `"None"` to disable).
- **Collapsible General Controls:** Click the General section header to collapse controls during flight, synchronised two-way with the desktop application.
- **Title Bar Hiding & Dragging:** Double-click empty space on the widget header to toggle the title bar. Move the widget by dragging anywhere on its background. Text and elements dynamically scale when resized horizontally to prevent clipping in VR.

Desktop App Window & Controls

- **General Operation:**
  - Can be started anytime, but preferably just after MSFS loads to the main menu. The app exits automatically when MSFS closes.
  - Set `ExitAppAfterFlightSession = true` in `MSFS_AutoFPS.config` if you want the app to exit automatically at the end of each flight.
  - Running as Administrator is not typically required, but AutoFPS must run at the same elevation level as MSFS. When running elevated, `Admin` appears in the title bar.
- **Window Positioning & Memory:**

    - Window position and minimised/maximised state are remembered across sessions (except movements made in VR).
    - Disable position saving by setting `RememberWindowPos = false` in the configuration file.
    - The window automatically resets to its default position `(50, 50)` if restarted within 15 seconds of closing. Disable this by setting `AllowWindowPosReset = false`.
- **Title Bar Hiding & Whole-Window Dragging:**
    - The title bar can be hidden or restored by double-clicking the title bar, or via the right-click context menu (**Hide Title Bar**).
    - Left-click and drag anywhere on empty body or panel space to move the window.
- **Progressive UI Collapsing:**
    - Double-clicking the title bar area progressively collapses the desktop interface:
        - First double-click: Hides the Expert settings section (if active).
        - Second double-click: Hides the General settings section.
        - Third double-click: Restores all hidden sections.
- **Right-Click Context Menu:**
    - Right-clicking anywhere on the window provides instant access to **Hide/Show Title Bar**, **Minimise**, **Close to Tray** (if selected during installation), and **Exit** (exits immediately without prompts).
- **Streamlined Close Confirmation:**
    - The confirmation prompt only triggers when clicking the window close `[X]` button. Deliberate multi-step exits (`Alt + F4` , right-clicking the Taskbar icon and selecting *Close window*, or using the context menu) exit immediately.
- **Main Controls:**
    - **Use Expert Options (Expert):** Unchecked (default) uses the built-in guardrails. Checked reveals the additional settings. If you do not understand these settings and their impact on MSFS performance and graphics quality, it is strongly recommended that you leave this unchecked.
    - **Flight Type:** VFR or IFR in any mode, plus six additional user profiles in Expert mode.
    - **Target FPS:** The most important setting in the app (range 10–500, fractional values of 0.5 supported). Set it to the FPS you want after any frame generation has been applied.
    - **On Top:** Lets the app overlay your MSFS session, with MSFS keeping the focus. Useful for adjusting settings and watching the result as the flight progresses, and for single monitor users with frame generation, who then see the true FG FPS the app is reading.
    - **Dark Mode:** Toggles between the default Light theme and a native Dark theme.

- **Reset button:** Resets TLOD, Clouds, Auto Target FPS and graphics mode detection to their initial state, which is useful to restart the TLOD Extra seek if conditions change a lot. In Expert mode, outside a flight session, it restores the active flight profile to defaults after confirmation. Press **ALT-R** while the app has the focus, so it can be assigned as a VR-friendly voice command with an app like VoiceAttack.
- **20>24 / 24>20 button:** If the Sim Version shows in red and is not the MSFS version you want to configure before starting it, click this button to switch to that version.

Reading the Display: Colours and Symbols

Connection Status

- **Red** means not connected and **green** means connected. The Sim Version shows **royal blue** when the MSFS Performance Optimiser is enabled and controlling MSFS.
- The **Widget** label (shown if the In-Game Widget is installed) is green when the toolbar widget or the browser page (`http://localhost:54321/`) is open and receiving telemetry, and red when closed or inactive.
- Sim Values only show valid values when all three connections are green (or royal blue for the Sim Version with the Optimiser). `n/a` means not available right now.

Sim Values colours

- **Green:** the value meets or exceeds the target.
- **Red:** the value is at its minimum or below target.
- **Orange with arrows (TLOD or OLOD):** the value is auto-adjusting.
- **Orange (FPS and TLOD):** adjustment is limited because FG is inactive and TLOD increases are disabled.
- **Black:** none of the above.
- Other symbols: 🔒 value locked, ▲ increasing, ▼ decreasing, ⊤ upper limit reached, ⊥ lower limit reached.
- The Sim Values header shows an **MSFS icon** when default MSFS values are being displayed (not in a flight session), and an **AutoFPS icon** when the values are being actively controlled by AutoFPS in a flight. Both icons show when hybrid dynamic settings is active.
- Mouse over the **Reduce** value to see the additional reduction settings when auto reduction or VRAM+ is at Level 1 or greater.

FPS display

- **FPS** shows the unfiltered raw FPS when a Fixed FPS is set or detected. **FPS+** shows the average FPS, filtered for spikes and dips, so brief changes (view changes, panning, scenery loading) do not cause unwanted setting changes.
- The FPS value shows in **two alternating purple shades** while detailed FPS logging is running (Log+ mode). Click it again to cancel.
- The FPS source icon shows RTSS, MSFS, OFXR or VXR. Click it to switch between MSFS and RTSS when RTSS is running.

Target FPS dropdown

- The dropdown background turns **orange** when the Target FPS type selected is not the one for the current graphics mode, and also when Target FPS is higher than a detected FPS cap, with a tooltip explaining how to fix it.

Status line

- The sim rate shows at the start of the line for any value except 1X.
- Shows the detected graphics mode, app pause, FPS settle, TLOD+ seek, Mtns+, app priority and the TLOD range as applicable. A + next to TLOD means TLOD Extra is active, so expect a higher TLOD Base Min. A + next to FPSCap means a higher TLOD offset across the whole altitude schedule.
- **Day**, **Night** or **Δ** shows the Night Mode state, with Δ while transitioning between day and night.
- A 🔒 next to the TLOD range means the delayed base TLOD reduction (`DelayLG`) is active and waiting for the landing gear.
- A **lightning symbol** next to the FPS reading means periodic frame time spikes have been detected, and next to the TLOD range means spike protection is currently reducing TLOD.
- When VRAM+ is reducing settings, the **Reduce** label changes to **VRAM+** in red, and the status line appends **HLD** (hold) or **RED** (reduction).
- A **D** prefix on the TLOD and OLOD labels means MSFS dynamic settings is active and controls the LOD reductions.

Graphics Modes & Frame Generation

AutoFPS incorporates a dynamic graphics mode architecture. Standard native modes are permanently available, while external frame generation mods populate automatically only when their background processes or API layers are detected.

Target FPS Guidelines (Fixed vs NTE vs Manual)

- **Fixed FPS (True Lock):**
  - Use when your framerate is rigidly locked to an exact number (e.g. monitor refresh divisor, driver limiter, or Reflex lock).
  - Select **Fixed Target FPS** and match your lock.
  - Target FPS can be set between 0% and 5% below a detected cap without warning to accommodate standard G-Sync, FreeSync, and Reflex frame-rate limits. If set more than 5% below the cap, the app advises switching to Manual mode or raising the target to match.
- **NTE FPS (Not-To-Exceed Cap):**
  - Use when a ceiling cap exists but framerate still fluctuates below it.
  - Select **Manual Target FPS**.
  - Target FPS must be set at least 5% below the cap when Settings Reduction is disabled, or at least 5% plus your profile FPS tolerance percentage below the cap when Settings Reduction is enabled, ensuring reduced settings have sufficient headroom to recover.
- **Auto Target FPS:**
  - Use when you don't know what target to choose, or your flights are so varied that one target is not always right.
  - It calculates a target after the initial FPS settling, when stationary on the ground or any time you are in the air, and recalculates if performance becomes too low, after arriving at a new destination, when changing graphics mode, pressing Reset, or toggling the option off and on.
  - It detects a fixed FPS (stable with minimal variation) and, when found, sets that as the target and switches to Fixed FPS automation.
  - Otherwise, with IFR or an Expert profile, the target ranges from 95% of the current average FPS on the ground to 85% at or above 3000 ft, leaving headroom for Max TLOD. VFR reduces each percentage by 5%.
  - Auto settings reduction, TLOD Base Extra and Free are mutually exclusive with Auto Target FPS, so Fixed TLOD must be used.
- **Warning System:** Setting Target FPS strictly higher than a detected cap triggers an orange mismatch highlight with corrective tooltips (buffered by 0.5 FPS to avoid timing jitter alarms).

Supported Graphics Modes

- **NFR (Native Frame Rate):** Standard 2D rendering without frame generation.
- **VR:** Native OpenXR virtual reality rendering inside MSFS.

- **nVidia FG (DLSS 3 / FG Mod / MFG):** Native frame generation. Requires MSFS window focus; disengages when the simulator loses focus.
- **FSR FG:** AMD frame generation in MSFS 2024 (2× multiplier), operating regardless of window focus.
- **MSM (MFG Super Motion):** Autodetected when the mod process is running. Parses dynamic multipliers (2X–6X, 1X Adaptive) with independent IFR/VFR profiles and tracks window focus (`MSM Inact` at base framerate when unfocused).
- **Lossless Scaling FG (LSFG):** Autodetected when Lossless Scaling is running. Adaptive mode operates as LSFG using the pre-LSFG multiplier.
- **OFXR (Optical Flow OpenXR):** Dedicated VR graphics mode for the OFXR Bridge Tray app across community builds. Features sub-50 ms controller loop synchronisation, auto-derived multipliers, and pacing desync settle recovery.
- **VXR (VectorXR):** Dedicated VR mode integrating directly with VectorXR via Status API v1. Reads live compositor telemetry, reports fractional multipliers (e.g. `VXRDyn 2.4X`), and handles standby states.
- **Dual-Layer VR Conflict Protection:** If both OFXR and VectorXR OpenXR layers are detected executing concurrently, AutoFPS warns the user, reverts to standard VR mode (`VR Conflict!`), and pauses LOD automation to avert frame pacing contention and VRAM spikes.
- **Man FG (Manual Frame Generation):** Forces manual multipliers (2X to 8X or DynFG) for unsupported or external frame generation utilities.

Using the Graphics Modes

- Core modes (NFR, VR, FG, FSR, Man FG) are always present. External mods (OFXR, VXR, LSFG, MSM) only appear when detected, and AutoFPS falls back to NFR if they close.
- The app starts in the last-used mode and switches to the detected mode when a flight loads. **Man FG** is a forced mode: it stays selected across restarts until you choose Auto to return to detection.
- Each graphics mode and flight type has its own Target FPS. You can edit an inactive mode's target in the dropdown, which is handy for VR because you can set it in 2D before putting the headset on.
- Dynamic or adaptive FG set outside MSFS should be configured under **Man FG** (DynFG). With MSFS as the FPS source, Target FPS is the NFR (1×) value. With RTSS as the FPS source, Target FPS is a post-FG value, the active multiplier is shown in the status line, and TLOD automation is disabled because pre-FG frametimes cannot be derived reliably.
- **nVidia FG** only works while MSFS has the focus (driver behaviour), so use the app's **On Top** option to keep MSFS focused.

- **Lossless Scaling** needs v2.13.2 or later, is detected whenever LS is running, and uses a profile named `MSFS2020` or `MSFS2024`, falling back to the first profile. Press Reset after changing LS settings mid-flight, and use only one FG type at a time.
- See the Detailed Reference at the end for the full behaviour of each mode.

Expert Mode Reference Guide

Enable **Expert** (Use Expert Options) to reveal deep customisation controls across automation algorithms, altitude transitions, and scenery offsets.

TLOD Automation Methods

- **FPS Sensitivity (Default & Recommended):** Adjusts TLOD in smaller, more frequent increments proportional to the variance between current and target FPS. Lower sensitivity values (e.g. 2–3) produce smaller steps, ideal for resolving visual stutters. Step size equals double the sensitivity value.
- **FPS Tolerance (Legacy):** Requires FPS to deviate beyond a set percentage tolerance before adjusting settings in larger, less frequent steps.
- **Auto TLOD:** Disregards FPS targets and automates TLOD strictly according to aircraft altitude (AGL), interpolating between Base Min and Top Max.
- **FPS Cap (Legacy):** Specialised configuration of Auto TLOD designed for locked framerates with TLOD Extra headroom seeking. Superseded by FPS Sensitivity with Fixed Target FPS.

TLOD Altitude & Range Settings

- **TLOD Base Min:** Minimum TLOD applied at or below Alt TLOD Base (Range: 10 to Top Max - 10).
- **Alt TLOD Base:** Altitude (AGL) at or below which TLOD remains at Base Min (Range: 100 ft to 100,000 ft).
- **TLOD Top Max / Min:** Ceiling TLOD applied at or above Alt TLOD Top (Range: Base Min + 10 to 1,000).
- **Alt TLOD Top:** Altitude (AGL) at or above which TLOD can reach Top Max. Tooltips calculate recommended climb/descent rates (defaulting to 1,350 fpm for VFR and 2,000 fpm for IFR).
- **TLOD Base Extra:**
  - **Fixed:** Disables extra ground seeking.

    - **Extra:** Progressively seeks higher base TLOD when parked or taxiing (≤ 5 knots) under favourable headroom, freezing or reducing during takeoff rolls and low flight.
    - **Free:** Allows free-ranging TLOD between Base Min and Top Max at all altitudes based on real-time headroom (recommended only for rural VFR).
    - **Start Max:** Begins flight sessions with maximum extra TLOD rather than ramping up from base.
- **Mountains+ (Mtns):** Expands Top Max TLOD by a set offset when terrain elevation exceeds a defined threshold (e.g. 1,000 ft AGL).
- **Night Mode (Unified Per-Profile):** Replaces binary switches with a flexible dropdown:
    - **Off:** Maintains standard daytime settings around the clock.
    - **TLOD÷2:** Halves Top Max TLOD at night to eliminate distant rendering that cannot be seen in the dark.
    - **Clds-X:** Steps down volumetric clouds by a configured number of levels (default 2, floor Low), keeping full draw distance for night city lights and runways while reducing cloud load.
    - **Both:** Applies both TLOD halving and cloud reduction simultaneously.
    - *Behaviour:* Automatically clears active daytime cloud boost (`IncCloudQ`) upon entering night mode and restores it at sunrise. Transitions occur progressively based on solar position.

Auto OLOD

- Adjusts Objects LOD based on an altitude band independent of FPS to avoid automation contention.
- Interpolates between **OLOD @ Base** (at or below Alt OLOD Base) and **OLOD @ Top** (at or above Alt OLOD Top). Allows higher OLOD on the ground for airport detail and lower OLOD at cruise, or vice versa.

Flight Profiles & Command Line Arguments

- Supports up to 12 fully customisable profiles. Adjust the available total by editing `ProfileCount` (range 4–12, default 8: VFR, IFR, User 1–6) in `MSFS_AutoFPS.config` .
- **Profile Renaming:** Double-click the profile dropdown to rename. Press Enter or click away to save.
- **VR Auto-Switching:** Append `" VR"` to a profile name matching a 2D profile (e.g. `IFR` and `IFR VR`). AutoFPS switches profiles automatically when entering or exiting VR (⇔ symbol displayed).

- **Sim Rate Switching:** Append `" xX"` (e.g. `IFR 1X` and `IFR 4X`) to trigger automatic profile switching when acceleration rates change.
- **Landing Gear Delay (`DelayLG`):** Include `"DelayLG"` in a profile name to lock TLOD at Top Max during descent until the landing gear is lowered.
- **Command Line Switches:** Launch the application with predefined profiles:
  - `-ifr` and `-vfr`: Launches AutoFPS with the default IFR or VFR profile (even if renamed).
  - `-user1` through `-user6`: Launches directly into the corresponding User profile (Expert mode).
  - `-profile "<profile name>"`: Loads the exact specified profile name (Expert mode).

MSFS Performance Optimiser

Enabled via the `+` checkbox beside the Sim Version label. Directs thread affinity and scheduling to improve simulator frame pacing:

- **CPU Affinity:** Enforces physical-core-only execution (excluding SMT/Hyperthreads). On Intel hybrid architectures, restricts MSFS to performance cores (P-cores). Dual-CCD AMD processors can enable first-CCD affinity.
- **Process Priority:** Automatically elevates MSFS process priority from Normal to High.
- **Power Plan:** Overrides Windows Balanced plan to High Performance or Ultimate Performance when the sim is active.
- *Safety:* Stands down if external utilities (Process Lasso, VR Auto Optimiser) have already adjusted simulator affinities.
- **Config File Parameters (`MSFS_AutoFPS.config`):**
  - `AffinityPhysicalCoreThreshold` (default `6`): SMT-core threshold at which physical-core-only affinity is applied. Setting to `32` disables affinity changes on most CPUs.
  - `AMDUseFirstCCDOnly` (default `true`): Activates first-CCD affinity on dual-CCD AMD CPUs (`CCD+` shown in tooltip).
  - `MSFSProcessPriority` (default `High`): Target MSFS priority level (`Normal`, `AboveNormal`, `High`).
  - `PowerPlanEnabled` (default `true`): Toggles automatic power-plan switching.

Simulator-Specific Features

- **MSFS 2020 Cloud Quality Reduction:** Drops volumetric clouds by one level if target FPS cannot be achieved at Base Min TLOD or if GPU load exceeds 98% (with GPU-Z running).

- **MSFS 2024 Auto Settings Reduction:** Progressively steps down non-LOD settings (shadows, trees, displacement maps, ray tracing) during sustained performance deficits when TLOD is already at its minimum, restoring them once headroom recovers.
- **MSFS 2024 Auto Increase Clouds:** Boosts cloud quality by one level if TLOD Base Extra is active and substantial performance margin remains.
- **MSFS 2024 Hybrid Dynamic Settings:** Allows AutoFPS to manage baseline LOD ranges while letting MSFS's internal dynamic settings engine handle micro-adjustments using native internal metrics.

Companion Apps & Advanced Features

▶ **GPU-Z Companion App & VRAM+ Protection**

▶ **RTSS Companion App & Periodic Spike Protection**

▶ **Log+ Diagnostic Mode & Performance Logging**

Installation, Updates & Maintenance

Requirements

- Microsoft Flight Simulator 2020 or 2024
- Windows 10 / 11 (64-bit)
- .NET 8 Desktop Runtime (x64)
- Visual C++ 2015–2022 Redistributable (x64)
- MobiFlight WASM Module (managed by the installer)

Installation Options

- Download the latest installer (`MSFS_AutoFPS-Installer-vXYZ.exe`) from GitHub Releases.
- **MSFS Widget:** Installs the toolbar companion to your Community folder.
- **Repair:** Reinstalls runtime libraries, MobiFlight modules, and the widget without altering custom configurations.
- **Custom Community Folders:** Use `2020 Folder...` or `2024 Folder...` to point to custom Community paths (such as Addons Linker locations). Custom paths persist across updates in `Install.log` . Right-click either button to reset to auto-detected simulator defaults.

- **Smart Deferred Updates:** When an auto-update contains an in-game widget update while MSFS is running, the installer defers installation until MSFS closes, preventing flight interruptions and locked-file errors.
- **File Locations:**
  - Binaries: `%appdata%\MSFS_AutoFPS\bin`
  - Logs: `%appdata%\MSFS_AutoFPS\log`
  - Installation Log: `%appdata%\MSFS_AutoFPS\Install.log`
  - Configs: `%appdata%\MSFS_AutoFPS\MSFS_AutoFPS.config` , `MSFS2020_AutoFPS.config` , `MSFS2024_AutoFPS.config`

Install, Update and Uninstall Notes

- **Install options:** Desktop Icon, MSFS Widget, Close to Tray, Reset Configs (recreates the app Common, MSFS 2020 and MSFS 2024 config files), Repair, Custom Community Folders, and Auto Start Options (Remove, Retain, FSUIPC via FSUIPC.ini, or MSFS via EXE.xml).
- **Updating:** Just run the installer and select update. Do **not** uninstall first, because that deletes all app files including your config. MSFS_AutoFPS and/or MSFS2020_AutoFPS must not be running.
- **Admin:** Do not run the installer as Admin unless it will not install because of a permissions issue.
- **Uninstalling:** Exit the app completely (not hiding in the system tray), run the installer and select **Remove** on the first window. This removes the desktop icon, any MSFS or FSUIPC autostart entries, and the entire app folder including your config file and the in-game widget.
- **Upgrading from MSFS2020_AutoFPS:** No need to uninstall it first. The installer removes it and preserves its MSFS 2020 config for use in this app.
- **Download problems:** The installer is about 1.5 MB. If it did not download or is zero size, try another browser, or temporarily disable your AV.
- **SmartScreen:** Right-click the installer, choose Properties, tick **Unblock**, then Apply and OK. Or create an exception in your AV program.
- **Error "Unable to load DLL 'GpuzShMem.x64.dll'", simconnect stays red or TLOD and OLOD show zero:** Reinstall with the **Repair** option and reboot. See the FAQ and the Detailed Reference for more.
- **Compatibility problems with a new MSFS version:** If the app cannot adapt, I am likely already aware and working on it. If you may be among the first to hit it (for example on an MSFS beta), please raise a new issue on GitHub or add to an existing one.

Update Channels & Management

- **Silent Updates:** Installs updates automatically without prompts, displaying release notes in Notepad afterwards.
- **Prompted Updates (Default):** Prompts for user confirmation before installing optional updates.
- **Show Updates:** Displays notifications when updates are available without downloading.
- **Mandatory Updates Only:** Notifies and installs only mandatory builds.
- **Update Channels:** Configurable in Expert mode:
  - **Release:** Standard stable release baseline.
  - **RC+ (Release Candidate), Test+, Exp+ (Experimental):** Accesses pre-release builds. Returning from a test channel to Release offers a one-time automatic rollback to the latest formal release. Test versions require all app update notifications to remain active to maintain a consistent test baseline.

▶ **Manual Installation Instructions (Without Installer)**

▶ **Advanced Installation Troubleshooting & Error Codes**

▶ **MSFS Clean Reinstallation Instructions**

Frequently Asked Questions & Troubleshooting

How does AutoFPS compare to the in-built Dynamic Setting feature in MSFS 2024?

- **Independent Adjustment:** MSFS Dynamic Settings adjusts TLOD first and then OLOD if performance remains poor. AutoFPS manages TLOD and OLOD independently, with OLOD adjusting inversely proportional to altitude by default. AutoFPS can also manage a wider suite of visual settings when Settings Reduction and VRAM+ are active.
- **Adjustment Range:** MSFS Dynamic Settings only reduces down to 50% of your configured setting. AutoFPS in Non-Expert mode uses defaults as a midpoint, and in Expert mode can be set to any range, including beyond the in-game menu maximum of 400.
- **Response Speed:** MSFS Dynamic Settings responds faster due to internal metric access, but tends to overreact to brief stutters. AutoFPS filters short-term spikes to maintain visual stability.
- **Frame Generation Awareness:** MSFS Dynamic Settings bases its target on native framerate rather than delivered framerate when frame generation is active. AutoFPS accommodates all mainstream frame generation technologies with post-FG targets.

- **Hybrid Automation:** In Expert Mode, AutoFPS can work alongside MSFS Dynamic Settings: MSFS handles rapid micro-adjustments while AutoFPS manages base LOD ranges and external settings reductions.

Why does my antivirus or browser flag the installer as untrusted?

AutoFPS is a hobbyist project. Code signing certificates carry prohibitive costs, so new releases may occasionally trigger false positives (Windows SmartScreen, Kaspersky, or browser download warnings) until community reputation builds. If blocked, right-click the installer, select **Properties**, check **Unblock**, and click **Apply**.

Why are my simulator settings restoring to unexpected values?

AutoFPS records your default settings when a flight begins and restores them when returning to the main menu or exiting the app. If you alter graphics settings in the MSFS menu while in an active flight with AutoFPS running, those changes will be overwritten. To change baseline settings, do so from the MSFS main menu or with AutoFPS closed.

Can you tell me the best settings for me to use?

- The best settings depend on your system, the other addons and apps you use, and what you mean by "best": higher FPS, better visuals or a smoother experience. Some of these are mutually exclusive.
- There are now thousands of users of this app and I don't have the time to give individual settings advice.
- Start with Non-Expert mode to see what the app does and when. When you are comfortable, enable Expert and read the tooltip and README for each setting.
- Make small changes to only a few settings at a time so you can see the effect of each.

How do I eliminate visual or audio stutters when using the app?

1. Revert to the default configuration using the installer's **Reset Configs** option.
2. Begin in Non-Expert mode with the IFR profile and Auto Target FPS.
3. If the MSFS Performance Optimiser is enabled, try disabling it, as core affinity changes can cause audio crackling on certain hardware.
4. In Expert mode, lower **FPS Sensitivity** to 2 or 3 to enforce smaller, gradual TLOD adjustments.

What should I do if SimConnect stays red or values show zero?

- Rerun the installer with the **Repair** option to ensure .NET 8, VC++ runtimes, and MobiFlight are properly installed.
- Check for duplicate MobiFlight WASM modules in both your Official and Community folders and remove older copies.
- If the log indicates WASM Exception 31, your simulator WASM cache may be corrupted. Delete the `WASM` cache folder located in your MSFS AppData directory and restart the simulator.

Why does RTSS framerate telemetry freeze?

Switching between 2D Frame Generation and VR can latch the swapchain in shared memory. Clicking the FPS source icon on the app or widget toggles capture back to MSFS. If RTSS remains frozen, restarting RTSS or MSFS clears the shared memory handle.

Detailed Reference

The sections below hold the full technical detail from the original README. Click a heading to expand it.

▶ **Credits and licence history**

▶ **Graphics modes: full behaviour of each mode**

▶ **Connection status, Sim Values, FPS source, updates, VRAM+, hybrid dynamic settings and status messages**

▶ **Target FPS options, profiles, Non-Expert defaults and Expert options overview**

▶ **Expert settings in full (automation methods, TLOD, Night Mode, Auto OLOD, cloud quality, settings reduction, VRAM+)**

▶ **Log+ mode and performance logging**

▶ **General operation and app window notes**

▶ **Installation, update and uninstall notes in full**

▶ **Other FAQ entries from the original README**