

CPR Debriefing Report

Simulation Lab · 2026-08-07

Session SIM-PERSIST-TEST-001 · Ventricular Fibrillation Test

Team Leader: Simulation Team

Guideline: AHA_2020

1. Scenario summary

Session ID	SIM-PERSIST-TEST-001
Date	2026-08-07
Scenario	Ventricular Fibrillation Test
Scenario type	VF
Team leader	Simulation Team
Team size	4
Duration	10m 00s
Guideline	AHA_2020

Overall score	Grade	Findings	Critical	High	Moderate
100 / 100	A	0	0	0	0

2. Domain scores

Scores are derived from AHA 2020 guideline rules applied to SimMan 3G sensor data and audio transcripts. Confidence indicators reflect data completeness — scores marked medium or low confidence should not be over-interpreted.

Domain	Score	Confidence	Key finding
Cpr Quality	30/100 CI: 10–30	Low_Data confidence	—
Shock Delivery	15/100 CI: 8–15	Partial_Data confidence	—
Drug Administration	15/100 CI: 6–15	Low_Data confidence	—
Rhythm Recognition	10/100 CI: 1–10	Low_Data confidence	—
Reversible Causes (H'S & T'S)	10/100 CI: 0–10	Low_Data confidence	—
Team Leadership	10/100 CI: 0–10	Low_Data confidence	—

Team Communication	10/100 CI: 0–10	Low_Data confidence	—
--------------------	--------------------	---------------------	---

3. Protocol deviations

No protocol deviations detected.

4. Communication analysis

Detailed communication analysis requires audio transcription. Ensure lapel and ceiling mic audio files are provided for full closed-loop communication metrics.

7. Strengths

No strengths data available from narrative synthesis.

5. Reflective prompts

The following questions are mapped to specific findings detected during this session. Use them to guide the debriefing conversation with the team leader.

6. Recommendations

Ranked by clinical impact. Address critical and high-severity findings before moderate ones in the next training session.