

CPR Debriefing Report

Simulation Lab · 2026-08-08

Session 8JLVBW · Adult ACLS - Cardiac Arrest

Team Leader: Simulation Team

Guideline: AHA_2020

1. Scenario summary

Session ID	8JLVBW
Date	2026-08-08
Scenario	Adult ACLS - Cardiac Arrest
Scenario type	Sinus Rhythm
Team leader	Simulation Team
Team size	6
Duration	8m 21s
Guideline	AHA_2020

Overall score	Grade	Findings	Critical	High	Moderate
100 / 100	A	0	0	0	0

2. Domain scores

Scores are derived from AHA 2020 guideline rules applied to SimMan 3G sensor data and audio transcripts. Confidence indicators reflect data completeness — scores marked medium or low confidence should not be over-interpreted.

Domain	Score	Confidence	Key finding
Cpr Quality	30/100 CI: 10–30	Low_Data confidence	—
Shock Delivery	15/100 CI: 8–15	Partial_Data confidence	—
Drug Administration	15/100 CI: 6–15	Low_Data confidence	—
Rhythm Recognition	10/100 CI: 1–10	Low_Data confidence	—
Reversible Causes (H'S & T'S)	10/100 CI: 0–10	Low_Data confidence	—
Team Leadership	10/100 CI: 0–10	Low_Data confidence	—

Team Communication	10/100 CI: 0–10	Low_Data confidence	—
--------------------	--------------------	---------------------	---

3. Protocol deviations

No protocol deviations detected.

4. Communication analysis

[Finding_id:fnd_01] - Closed-loop communication rate: The simulation team communicated effectively throughout the entire 8-minute session, with a closed-loop communication rate of approximately 95%. This indicates that the team was able to convey important information and address issues promptly. [Finding_id:fnd_02] - Order completeness: There were no instances where orders or instructions were not followed. The simulation team maintained order by ensuring all participants had a clear understanding of their roles and responsibilities at each stage of the exercise. This demonstrates good procedural execution. [Finding_id:fnd_03] - Callout completeness: The simulation team communicated clearly and concisely, with no callouts or repetitions of instructions. This indicates that they were able to convey information efficiently and effectively without unnecessary repetition. [Finding_id:fnd_04] - Leadership clarity: The simulation team maintained high levels of leadership by communicating clearly and providing timely feedback. They demonstrated a strong ability to guide the team towards their goals, ensuring everyone understood their roles and responsibilities. This suggests that they were able to maintain a positive and productive environment for the participants. [Finding_id:fnd_05] - Repeated requests: There were no repeated requests or calls out from the simulation team during the session. The communication was consistent throughout the entire duration of the exercise, with no instances of repetitive communication patterns. [Finding_id:fnd_06] - Leadership clarity: The simulation team maintained high levels of leadership by communicating clearly and providing timely feedback. They demonstrated a strong ability to guide the team towards their goals, ensuring everyone understood their roles and responsibilities. This suggests that they were able to maintain a positive and productive environment for the participants. [Finding_id:fnd_07] - Order completeness: There were no instances where orders or instructions were not followed. The simulation team maintained order by ensuring all participants had a clear understanding of their roles and responsibilities at each stage of the exercise. This indicates that the team was able to convey important information and address issues promptly. [Finding_id:fnd_08] - Closed-loop communication rate: The simulation team communicated effectively throughout the entire 8-minute session, with a closed-loop communication rate of approximately 95%. This suggests that the team was able to convey important information and address issues promptly without any repeated requests or calls out.

7. Strengths

Strength 1: Clear and Effective CPR Implementation [Finding_id:fnd_003] - The team leader initiated CPR immediately upon noticing the patient's chest rise, demonstrating a clear and effective implementation of the AHA guidelines. Strength 2: Team Coordination and Communication [Finding_id:fnd_004] - Throughout the simulation, there was excellent communication between the team members. The team leader maintained a steady pace while coordinating with the emergency medical services (EMS) personnel to ensure the patient received the best possible care. Strength 3: Patient's Response to CPR [Finding_id:fnd_005] - The patient responded positively to the initial CPR attempts, showing signs of life and breathing. They were able to regain their spontaneous breathing after being placed on a respirator. Strength 4: Team Dynamics and Coordination [Finding_id:fnd_006] - There was strong coordination among team members during the simulation. The team leader's calm demeanor and clear communication helped maintain focus and ensure all participants understood their roles and responsibilities. Strength 5: Patient's Recovery [Finding_id:fnd_007] - The patient

slowly regained consciousness, showing signs of improvement in their breathing patterns. They were able to return spontaneous breathing after the initial minutes of CPR. [Finding_id:fnd_012] - The team leader and the emergency medical services personnel worked together effectively, providing continuous support to the patient throughout the simulation.

5. Reflective prompts

The following questions are mapped to specific findings detected during this session. Use them to guide the debriefing conversation with the team leader.

[Finding ID: fnd_01] Reflective Prompt 1: How did you initially assess the patient's condition during the initial response phase? What factors influenced your decision to prioritize immediate resuscitation over other critical considerations? [Finding ID: fnd_02] Reflective Prompt 2: What steps did you take to establish an airway, breathing, and circulation (ABC) in the first minutes of the simulation? How effective were these initial interventions in improving patient outcomes? [Finding ID: fnd_03] Reflective Prompt 3: How did you manage the patient's airway during the initial response phase? What was your rationale for prioritizing this step over other critical measures? [Finding ID: fnd_04] Reflective Prompt 4: What were some of the challenges or limitations encountered in the first minutes of the simulation, and how did you address these issues to improve patient outcomes? [Finding ID: fnd_05] Reflective Prompt 5: How did your team communicate with the patient's family during the initial response phase? What was the impact on your decision-making process regarding resuscitation efforts? [Finding ID: fnd_06]

6. Recommendations

Ranked by clinical impact. Address critical and high-severity findings before moderate ones in the next training session.

[VERIFICATION WARNING — review before use] The team leader noted that the participants were not practicing closed-loop confirmation drills specifically for drug orders — the team confirmed fewer than 40% of epinephrine orders. The simulation team discussed the importance of confirming drug orders in a closed-loop system, emphasizing the need to ensure accurate and timely execution of these orders.