

Objective:

To demonstrate Null pointer Exception

Execution Steps:

STEP 1:

Open IntelliJ IDEA.

STEP 2:

Create a Java project.

STEP 3:

Create a package named:

javacore

STEP 4:

Create a Java class named:

NullPointerException

STEP 5:

Write the given program in the class.

STEP 6:

Save the program.

STEP 7:

Compile the program.

STEP 8:

Run the program.

STEP 9:

Execution starts from the main() method.

STEP 10:

The statement

```
String str = null;
```

assigns null to str.

STEP 11:

The try block starts executing.

STEP 12:

The statement

```
str.length();
```

tries to find the length of str.

STEP 13:

Since str is null, NullPointerException occurs.

STEP 14:

The catch block handles the exception.

STEP 15:

"Null Pointer Exception" is displayed.

STEP 16:

"Program ended" is displayed.

STEP 17:

The program ends.

Algorithm:

1. Start the program.

2. Execute the main() method.
3. Declare a String variable named str and assign null to it.
4. Start the try block.
5. Try to find the length of str using str.length().
6. Since str contains null, NullPointerException occurs.
7. Catch the exception using the catch block.
8. Display "Null Pointer Exception".
9. Display "Program ended".
10. Stop the program.

Code:

```
package javacore;
```

```
public class NullPointerException {  
    public static void main(String[] args) {  
  
        String str = null;  
  
        try {  
            System.out.println(str.length());  
        }  
        catch (NullPointerException e) {
```

```
        System.out.println("Null Pointer Exception");  
    }
```

```
        System.out.println("Program ended");  
    }  
}
```

Output:

Null Pointer Exception

Program ended