
INDRODUCTION TO COMPUTER HARDWARE

➤ MOTHERBOARD

The **motherboard** is a printed circuit board and foundation of a computer that is the biggest board in a computer chassis. It allocates power and allows communication to and between the CPU, RAM, and all other computer hardware components. A motherboard provides connectivity between the hardware components of a computer, like the processor (CPU), memory (RAM), hard drive, and video card. There are multiple types of motherboards, designed to fit different types and sizes of computers. Each type of motherboard is designed to work with specific types of processors and memory, so they don't work with every processor and type of memory. However, hard drives are mostly universal and work with the majority of motherboards, regardless of the type or brand.



A computer motherboard is located inside the computer case and is where most of the parts and computer peripherals connect. With tower computers, the motherboard is on the left or right side of the tower and is the biggest circuit board.

Motherboard components

- Expansion slots (PCI Express, PCI, and AGP)
- 3-pin case fan connectors
- Back pane connectors
- Heat sink
- 4-pin (P4) power connector
- Inductor
- Capacitor
- CPU socket
- Northbridge
- Screw hole

- Memory slot
- Super I/O
- ATA / IDE disk drive primary connection
- 24-pin ATX power supply connector
- Serial ATA connections
- Coin cell battery (CMOS backup battery)
- RAID
- System panel connectors
- FWH
- Southbridge
- Serial port connector
- USB headers
- Jumpers
- Integrated circuit
- 1394 headers
- SPDIF
- CD-IN

> RAM MODULES

A memory module or RAM (random-access memory) stick is a printed circuit board on which memory integrated circuits are mounted.[1] Memory modules permit easy installation and replacement in electronic systems, especially computers such as personal computers, workstations, and servers. The first memory modules were proprietary designs that were specific to a model of computer from a specific manufacturer. Later, memory modules were standardized by organizations such as JEDEC and could be used in any system designed to use them.

Types of memory module include:

- ✓ Trans Flash Memory Module
- ✓ SIMM, a single in-line memory module
- ✓ DIMM, dual in-line memory module
- ✓ Rambus memory modules are a subset of DIMMs, but are normally referred to as RIMMs
- ✓ SO-DIMM, small outline DIMM, a smaller version of the DIMM, used in laptops

Distinguishing characteristics of computer memory modules include voltage, capacity, speed (i.e., bit rate), and form factor. For economic reasons, the large (main) memories found in personal computers, workstations, and non-handheld game-consoles (such as PlayStation and Xbox) normally consist of dynamic RAM (DRAM). Other parts of the computer, such as cache memories normally use static RAM (SRAM). Small amounts of SRAM are sometimes used in the same package as DRAM. However, since SRAM has high leakage power and low density, die-stacked DRAM has recently been used for designing multi-megabyte sized processor caches. Physically, most DRAM is packaged in black epoxy resin.



Two types of DIMMs (dual in-line memory modules): a 168-pin SDRAM module (top) and a 184-pin DDR SDRAM module (bottom).

DAUGHTER CARDS

A daughter card or daughterboard is a type of circuit board that gets added to an existing one. Its name is appropriate for its use, since it is connected to a "motherboard" or "main board." The motherboard is the primary circuit board for a device. It is usually in the device as it is shipped from the factory. A daughter card may be added later.

Daughter cards are different from some other types of additional circuit boards that tech enthusiasts call "expansion cards." In expansion cards, the circuit board is often plugged in through a gap in the housing of a computer or device. These expansion boards help to give a device more functionality, often for additional sound play or for better visuals on a high-tech monitor or screen. In contrast to the way expansion boards are used, a daughter card can be a more fundamental enhancement for a device. Adding a daughter card often requires getting into the guts of a device. That's why some users might hire a professional to install it. Companies that make an electronic device might offer a daughter card as part of an essential upgrade that allows the product to be used in more various ways.

With the rise of connective USB ports and other technology, it has become less necessary to upgrade devices with daughter cards or daughter boards. A lot of advanced use can be built into a wireless connection and "outsourced" to a remote server, rather than adding it physically into a desktop or laptop computer. However, some types of equipment might still get these kinds of additions as provided by the manufacturer. Computer and electronics makers choose the best ways of offering upgrades that they feel will match the needs and desires of their customer base. Since not a lot of laptop or computer users want to wrestle a daughter card into an existing circuit board design, companies that sell to a consumer market will probably choose alternatives, or offer professional installation as a free service if they are offering a daughter card as a way to upgrade a device.



A daughter card or daughterboard is a type of circuit board that gets added to an existing one.

> BUS SLOTS

Alternatively known as a bus slot or expansion port, an expansion slot is a connection or port inside a computer on the motherboard or riser card. It provides an installation point for a hardware expansion card to be connected. For example, if you wanted to install a new video card in the computer, you'd purchase a video expansion card and install that card into the compatible expansion slot.


Computer expansion slots

- ❖ AGP Video card.
- ❖ AMR Modem, sound card.
- * CNR Modem, network card, sound card.
- ❖ EISA SCSI, network card, video card.
- ❖ ISA Network card, sound card, video card.
- ❖ PCI Network card, SCSI, sound card, video card.
- ❖ PCI Express Video card, modem, sound card, network card.
- ❖ VESA Video card.

Expansion cards can provide various functions including:

- ✓ Sound
- ✓ Modems
- ✓ Network
- ✓ Interface adapters
- ✓ TV and radio tuning
- ✓ Video processing
- ✓ Host adapting such as redundant array of independent disks or small computer system interface
- ✓ Solid-state drive
- ✓ Power-on self-test

- ✓ Advanced multirate codec
- ✓ Basic input/output system (BIOS)
- ✓ Expansion read-only memory (ROM)
- ✓ Security devices
- ✓ RAM memory



> SMPS

A **switched-mode power supply (SMPS)** is an electronic circuit that converts power using switching devices that are turned on and off at high frequencies, and storage components such as inductors or capacitors to supply power when the switching device is in its non-conduction state.

Switching power supplies have high efficiency and are widely used in a variety of electronic equipment, including computers and other sensitive equipment requiring stable and efficient power supply. A switched-mode power supply is also known as a switch-mode power supply or switching-mode power supply.

Techopedia Explains Switched-Mode Power Supply (SMPS)

Switched-mode power supplies are classified according to the type of input and output voltages. The four major categories are:

- o AC to DC
- o DC to DC
- o DC to AC
- o AC to AC

A basic isolated AC to DC switched-mode power supply consists of:

- Input rectifier and filter
- Inverter consisting of switching devices such as MOSFETs
- Transformer

- Output rectifier and filter
- Feedback and control circuit



The input DC supply from a rectifier or battery is fed to the inverter where it is turned on and off at high frequencies of between 20 KHz and 200 KHz by the switching MOSFET or power transistors. The high-frequency voltage pulses from the inverter are fed to the transformer primary winding, and the secondary AC output is rectified and smoothed to produce the required DC voltages. A feedback circuit monitors the output voltage and instructs the control circuit to adjust the duty cycle to maintain the output at the desired level.

There are different circuit configurations known as topologies, each having unique characteristics, advantages and modes of operation, which determines how the input power is transferred to the output. Most of the commonly used topologies such as fly back, push-pull, half bridge and full bridge, consist of a transformer to provide isolation, voltage scaling, and multiple output voltages. The non-isolated configurations do not have a transformer and the power conversion is provided by the inductive energy transfer.

Advantages of switched-mode power supplies:

- Higher efficiency of 68% to 90%
- Regulated and reliable outputs regardless of variations in input supply voltage
- Small size and lighter
- Flexible technology
- High power density

Disadvantages:

- Generates electromagnetic interference
- Complex circuit design
- Expensive compared to linear supplies

Switched-mode power supplies are used to power a wide variety of equipment such as computers, sensitive electronics, battery-operated devices and other equipment requiring high efficiency.

> INTERNAL STORAGE DEVICES

Some storage devices are classed as 'internal' which means they are inside the computer case. Most computers have some form of internal storage. The most common type of internal storage is the hard disk.



At the most basic level, internal storage is needed to hold the operating system so that the computer is able to access the input and output devices. It will also be used to store the applications software that you use and more than likely, the original copies of your data files. Internal storage allows the data and applications to be loaded very rapidly into memory, ready for use.

The data can be accessed much faster than data which is stored on an external storage device. This is because internal storage devices are connected directly to the motherboard and its data bus whereas external devices are connected through a hardware interface such as USB, which means they are considerably slower to access. Internal storage also means that if the computer is moved around, it will still retain its most commonly used data.

The main disadvantage of internal storage is that when the hard disk fails (and it will), all the data and applications may be lost. This can be avoided to some extent by using more than one hard disk within the machine. Each hard disk has a copy of all the data, so if one fails the other can carry on. This is called a RAID array. An alternative is to use external drives for backup.


> INTERFACING PORTS

A port is a physical docking point using which an external device can be connected to the computer. It can also be programmatic docking point through which information flows from a program to the computer or over the Internet.

Characteristics of Ports

A port has the following characteristics –

- External devices are connected to a computer using cables and ports.
- Ports are slots on the motherboard into which a cable of external device is plugged in.
- Examples of external devices attached via ports are the mouse, keyboard, monitor, microphone, speakers, etc.



Let us now discuss a few important types of ports :-

Serial Port

- Used for external modems and older computer mouse
- Two versions: 9 pin, 25 pin model
- Data travels at 115 kilobits per second

Parallel Port

- Used for scanners and printers
- Also called printer port
- 25 pin model

• IEEE 1284-compliant Centronics port

PS/2 Port

- Used for old computer keyboard and mouse
- Also called mouse port
- Most of the old computers provide two PS/2 port, each for the mouse and keyboard
- IEEE 1284-compliant Centronics port

Universal Serial Bus (or USB) Port

- It can connect all kinds of external USB devices such as external hard disk, printer, scanner, mouse, keyboard, etc.
- It was introduced in 1997.
- Most of the computers provide two USB ports as minimum.
- Data travels at 12 megabits per seconds.
- USB compliant devices can get power from a USB port.

VGA Port

- Connects monitor to a computer's video card.
- It has 15 holes.
- Similar to the serial port connector. However, serial port connector has pins, VGA port has holes.

Power Connector

- Three-pronged plug.
- Connects to the computer's power cable that plugs into a power bar or wall socket.

Fire wire Port

- Transfers large amount of data at very fast speed.
- Connects camcorders and video equipment to the computer.
- Data travels at 400 to 800 megabits per seconds.
- Invented by Apple.
- It has three variants: 4-Pin FireWire 400 connector, 6-Pin FireWire 400 connector, and 9-Pin FireWire 800 connector.

Modem Port

• Connects a PC's modem to the telephone network.

Ethernet Port

- Connects to a network and high speed Internet.
- Connects the network cable to a computer.
- This port resides on an Ethernet Card.

• Data travels at 10 megabits to 1000 megabits per seconds depending upon the network bandwidth.

Game Port

- Connect a joystick to a PC
- Now replaced by USB

Digital Video Interface, DVI port

- Connects Flat panel LCD monitor to the computer's high-end video graphic cards.
- Very popular among video card manufacturers.

Sockets

• Sockets connect the microphone and speakers to the sound card of the computer.